









Company

We manufacture professional wood cosmetics for an eco-friendly way of life.

For decades BORMA WACHS has been working in the wood care and synthetic surface treatment sector with a sense of responsibility and constant commitment to pursuing three fundamental principles: quality, reliability and flexibility. The dynamism, production capacity, safety and marketability of our products characterise our company profile. As specialists in the professional cosmetics of wood and synthetic surfaces, we offer our customers only the best of the best.



Certifications

Our products and manufacturing cycles are regularly tested and approved by international institutes.



VOC FREE

All Borma Wachs branded products comply with the latest European legislation on emissions of potentially harmful substances into the atmosphere and have total regard for the environment and the health and wellbeing of our workers and our customers. With the new ECO PREMIUM - VOC FREE line we are able to offer an uncompromising range, with 100% natural and biodegradable products, with a VOC content reduced to zero.



IBR CERTIFICATIONS

Borma Wachs products are tested and approved by the Rosenheim Institute for Green Building. The analyses carried out certify our products regarding the content of VOC's, biocides, heavy metals and radioactive material guaranteeing their eco-compatibility with the principles of Green Building. The Company always aims to understand the needs and sensitivity of customers, trying to better interpret the request for sustainable and environmentally friendly treatments coming from the use of renewable raw materials, in order to reduce as much as possible the impact on environment and on the health of users and all stakeholders in our communities.



EN71.III CERTIFICATION

The Danish laboratories of Eurofins have recognised the compliance of Borma Wachs oils with the EN 71- III regulation on the migration of heavy metals harmful to health, ensuring the safety of the treatments to the point of allowing their use for finishing or maintenance of toys for children





Interiors Page 98 - 127



ExteriorsPage 127 - 157



Enamels Page 158 - 170



Touch-Up & Fillers

A Journey to Perfection

Imperfections, whether natural or generated in the process of woodworking, or during normal use of wooden objects can all be repaired using special products chosen according to the type of the defect. Touch-Up is the art of perfection. These products, created due to Borma's vast experience in the field, have high added and calculable value and are easy to use.











BORMA
PROFESSIONAL
SOLUTION



SOFT WAX - Quick Filler

Ready to use wax filler that maintains the original colour. Completely based on natural waxes, it can be overpainted and is ideal for the restoration of wooden surfaces. Easy to use, it allows fast repairs, is non-greasy and the colours are highly light stable.


Assorted Light Colours: 01 Light Natural Oak / 05 Pine / 08 Natural Wood / 10 Larch / 18 Light Elm / 30 Cherry / 42 Beech / 50 White / 51 Light Oak / 54 Douglas.

Assorted Dark Colours: 13 Dark Elm / 16 Cherry Pearwood / 17 Teak / 52 Dark Oak / 53 Light Walnut / 58 Rosewood / 59 Medium Walnut / 62 Mahogany / 63 Dark Walnut / 60 Black

Blister Version Available Colours: 05 Pine | 54 Douglas | 42 Beech | 17 Teak | 02 Natural Oak | 49 Chestnut | 53 Light Walnut / 62 Mahogany / 33 Dark Mahogany / 16 Cherry Pearwood / 59 Medium Walnut / 63 Dark Walnut / 50 White / 51 Light Oak / 60 Black.

Colour-Match Service Available (see page 25).

	• • •	
Code	Desc.	Pack.
D1XXX	30 gr. Various colours	10 pcs.
D1000	30 gr. Assortment	10 pcs.
D1000CH	30 gr. Light assortment	10 pcs.
D1000SC	30 gr. Dark assortment	10 pcs.
1XXXKL	15 gr. Various colours	20 pcs.
1XXXBL	20 gr. Blister, various colours	12 pcs.
1199	30 gr. Display	50 pcs.
D1150	30 gr. Sample colour	10 pcs.



SOFT WAX - Quick Filler - Transparent

Ready for use transparent wax filler, suitable to seal-in previous applications of dyes for touch up. Available in three shades to reproduce the oxidation of lacquers.

Code	Desc.	Pack.
D1070	30 gr. Transparent	10 pcs.
1070KL	15 gr. Transparent	20 pcs.
D1070N	30 gr. Natural Transparent	10 pcs.
D1070KL	15 gr. Natural Transparent	20 pcs.
D1070ND	30 gr. Natural Dark Transparent	10 pcs.
D1070NDKL	15 gr. Natural Dark Transparent	20 pcs.



■ HARDWAX – Melting Hard Stick

Melting wax filler, with high resistance and no shrinkage. Suitable for window frames or doors, synthetic and modern surfaces. Melting point: 95°C. Light resistant colours.

Assorted Light Colours (1200CH): 02 Natural Oak / 05 Pine / 08 Natural Wood / 10 Larch / 18 Light Elm / 30 Cherry / 42 Beech / 50 White / 51 Light Oak / 54 Douglas


Assorted Dark Colours (1200SC): 13 Dark Elm / 16 Cherry Pearwood / 17 Teak / 52 Dark Oak / 53 Light Walnut / 58 Rosewood / 59 Medium Walnut / 60 Black / 62 Mahogany / 63 Dark Walnut

Assorted Plain Colours (1200AS): 30 Cherry / 50 White / 51 Light Oak / 52 Dark Oak / 53 Light Walnut / 54 Douglas / 59

Medium Walnut / 62 Mahogany / 63 Dark Walnut / 65 Ash

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
1200XX	20 gr. Various colours	10 pcs.
1200	20 gr. Sample colour	10 pcs.
1200CH	20 gr. Assorted Light Colours	10 pcs.
1200SC	20 gr. Assorted Dark Colours	10 pcs.
1200AS	20 gr. Assorted Plain Colours	10 pcs.



■ HARDWAX - Melting Hard Stick- Transparent

Transparent hard wax filler. Suitable to seal-in previous applications of dyes for touch up. Available in three shades to reproduce the oxidation of lacquers.

Code	Desc.	Pack.
1200TR	20 gr. Transparent	10 pcs.
1200TRN	20 gr. Natural Transparent	10 pcs.
1200TRND	20 or Natural Dark Transparent	10 pcs.




Retouching sticks based on shellac for touch-up on glossy substrates. High surface resistance and high melting temperature. They allow invisible and resistant repairs that become imperceptible to the touch. Light resistant colours, over-coatable.

20 colours available.

Code	Desc.	Pack.
1300CH	Light	10 pcs.
1300SC	Dark	10 pcs.
1300TR	Transparent	10 pcs.
1300XX	Coloured	10 pcs.







Suitable for any type of wood, non-greasy, with light resistant colours. Easy to use, they quickly repair microscratches and damages. Can be overcoated.

For interior use.

Assorted Light Colours: 02 Natural Oak / 05 Pine / 06 Birch / 10 Larch / 40 Maple / 42 Beech / 50 White / 51 Light Oak / 54 Douglas / 65 Ash

Assorted Dark Colours: 16 Cherry Pearwood / 30 Cherry / 33 Dark Mahogany / 48 Medium Oak / 52 Dark Oak / 53 Light Walnut / 58 Rosewood / 59 Medium Walnut / 62 Mahogany / 63 Dark Walnut / 66 Dark Cherry

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
1975XX	12 gr. Various colours	12 pcs.
1975	12 gr. Sample colour	12 pcs.
1975CH	12 gr. Light assortment	12 pcs.
1975SC	12 gr. Dark assortment	12 pcs.



■ HOLZ PROFIX - Touch Up Dye Pen

Touch Up dye pen, suitable for any wooden surface. Semi-transparent effect on the wood grain. Interior use. **Standard Colour Range:** 05 Pine / 17 Teak / 33 Dark Mahogany / 36 Light Mahogany / 51 Light Oak / 52 Dark Oak / 53 Light Walnut / 59 Medium Walnut / 60 Black / 63 Dark Walnut

Blister Version Available Colours:30 Cherry / 60 Black / 42 Beech / 17 Teak / 36 Light Mahogany / 51 Light Oak / 05 Pine / 59 Medium Walnut / 62 Mahogany / 52 Dark Oak / 54 Douglas / 63 Dark Walnut / 53 Light Walnut / 41 Natural Beech / 58 Rosewood.

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
EN0800XX	10 Various Colours	10 pcs.
EN0800AS	Assortment	10 pcs.
EN0800	Sample Colour	10 pcs.
EN0800ESP	Counter Display	50 pcs.
0800XX-BL	Blister	12 pcs.

Replacement Nibs for Holz Profix

Replacement Nibs for touch up dye pen.

Code	Pack.
PUN.PRO	10. pcs.





■ HOLZMARKER - Colour Edging Pen

Acrylic touch-up marker with special mobile tip for wood. Light resistant colours.

Interior and exterior use. Suitable for over-painting. Available glossy and matt.

Standard Colour Range: 30 Cherry | 42 Beech | 50 White | 51 Light Oák | 52 Dark Oak | 53 Light Walnut | 60 Black | 62 Mahogany | 63 Dark Walnut | 65 Ash

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
0700XX	10 Various Colours	10 pcs.
0700AS	Assortment	10 pcs.
0700	Sample Colour	10 pcs.

Replacement Nibs for Holzmarker

Round shape (white)

Code	Description	Pack.
PUN.BI	Round	10. pcs.

Replacement Nibs for Holzmarker

Chisel shape

Code	Description	Pack.
PUN.HO	Chisel	10. pcs.







■ HOLZMARKER - Fixing Transparent Lacquer

Acrylic non yellowing dispersion. Suitable to fix and seal any previous touch up with uniform gloss level. Light resistant.

Code	Description	Pack.
0700TR-10	10 Matt	10 pcs.
0700TR-30	30 Semi-Matt	10 pcs.
0700TR-60	60 Satin	10 pcs.
0700TR-90	90 Gloss	10 pcs.



PROFIX GRAINING PEN - Extra Fine Tip Marking Pen

Special retouching pen with extra fine tip for the drawing of the wood-grain. Ready to use, it allows extremely precise retouching even in the most difficult areas. Ideal replacement proposal for traditional retouching pencils.

Perfectly over-paintable, for indoor use only.

Standard Colour Range: 05 Pine / 08 Natural Wood / 10 Larch / 16 Cherry Pearwood / 17 Teak / 30 Cherry / 33 Dark Mahogany / 36 Light Mahogany / 41 Natural Beech / 51 Light Oak / 52 Dark Oak / 53 Light Walnut / 59 Medium Walnut / 60 Black / 62 Mahogany / 63 Dak Walnut

Colour-Match Service Available (see page 25).

Code	Description	Pack.
0967XX	Various Colours	10 pcs.
0967AS	Assortment	10 pcs.
0967	Sample colour	10 pcs.



■ HOLZSPRAY ACRYLIC - Touch Up Spray Lacquer

Based on non-yellowing acrylic resins and available in different gloss levels, the Holzspray transparent varnish allows levelling of the sheen of any surface following a repair operation performed with markers and wax fillers from this range, also ensuring greater stability and durability to the touch-up itself.

Colour-Match Service Available (see page 25).

Code	Desc.	Description	Pack.
0615	400 ml	10 Matt	12 pcs.
0612	400 ml	20 Semi-Matt	12 pcs.
0614.30	400 ml	30 Semi-Matt	12 pcs.
0614	400 ml	40 Satin	12 pcs.
0613	400 ml	60 Satin	12 pcs.
0616	400 ml	90 Gloss	12 pcs.



EQUALIZING HOLZSPRAY DYE

Special semi covering tinted lacquer to colour and standardise internal wooden substrates. Its natural expansion capacity and the depth of the tint allow the perfect recovery of substrates of uneven or weak tone.

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
0600XX	400 ml	12 pcs.







Colour HOLZSPRAY

Special non-yellowing acrylic paint for repainting or evening out full-pigmented finishes. With excellent covering power, it allows easy and immediate retouching.

Available in the following gloss levels: 10% / 30% / 60% / 90%

Colour-Match Service Available (see page 25).

Code	Desc.	Pack.
0600XX	400 ml	12 pcs.



HOLZSPRAY HS HIGH SOLID

Non-yellowing clear acrylic lacquer with high solid finish. Perfect to restore or paint any internal woodensurface. **Available in the following gloss levels:** 10% / 20% / 30% / 40% / 60% / 90%

Code	Desc.	Pack.
0619-XX	400 ml Various gloss	12 pcs.



BASECOAT

Quick drying NC Primer, easy to sand. With excellent filling power, it is the ideal product as a preliminary base for painted, opaque finishes on small substrates to be retouched or finished. Good resistance to surface yellowing and it is excellent as a preliminary base for wax finishes or for the fixing of stains.

Code	Desc.	Pack.
0656	400 ml	12 pcs.



MOISTURE AND BLOOM ELIMINATOR

Ideal for the rapid removal of grey halos, water staining and alcohol marks on nitro varnish surfaces. Easy, versatile and fast-acting.

Code	Desc.	Pack.
0550	400 ml	12 pcs.



TOUCH UP DYE- For Wood

Bottle with special touch-up paint brush for wood. It allows permanent corrections to any imperfections in the finish without affecting transparency of the grain.

Available in gloss and semi-matt.

Standard Colour Range: 17 Teak / 30 Cherry / 50 White / 52 Dark Oak / 53 Light Walnut / 59 Medium Walnut / 60 Black / 62 Mahogany / 63 Dark Walnut / 65 Ash

Blister Version Available Colours: 14 Ancient Walnut / 17 Teak / 54 Douglas / 62 Mahogany / 51 Light Oak / 63 Dark

Colour-Match Service Available (see page 25)

Code	Desc.	Pack.
2210XX	30 ml. Various Colours 30 Matt	10 pcs.
2210XX-90	30 ml. Various Colours 90 Gloss	10 pcs.
2210	30 ml. Sample Colour	10 pcs.
2210AS	30 ml. Assortment	10 pcs.
2200XX	10 ml Various Colours 30 Matt	24 pcs.
2200XX-BL	10 ml. Blister Various Colours	12 pcs.
2200ESP	10 ml. Display	40 pcs.



COLOUR TOUCH UP - For Wood

Bottle with special touch-up paint brush for wood. It allows permanent corrections

to any imperfections of the finish. Available gloss and semi matt.

Standard Colour Range: 17 Teak / 30 Cherry / 50 White / 52 Dark Oak / 53 Light Walnut / 59 Medium Walnut / 60 Black / 62 Mahogany / 63 Dark Walnut / 65 Ash

Colour-Match Service Available (see page 25)

Code	Desc.	Pack.
2010XX	30 ml. Various Colours 30 Matt	10 pcs.
2010XX-90	30 ml. Various Colours 90 Gloss	10 pcs.
2010ASS	30 ml. Assortment	10 pcs.
2010	30 ml. Sample Colour	10 pcs.



FIXING TOUCH UP - Transparent

Special touch up lacquer for the final and definitive fixing of small imperfections, or pretreatments with touch up dyes or wax fillers. It enables invisible repairs if applied in the right level of opacity. Available in the solvent based and water based versions.

Available in the different gloss levels:

Code	Description	Desc.	Pack.
2010TR-10	10 Matt	30 mL	10 pcs.
2010TR-30	30 Semi-Matt	30 mL	10 pcs.
2010TR-60	60 Satin	30 mL	10 pcs.
2010TR-90	90 Gloss	30 mL	10 pcs.



TOUCH UP DYE - For Wood - Waterbased

Odourless, special water-based paint for retouching wood.

Ready to use, it allows permanent corrections to any imperfections in the wood whilst

Maintaining transparency of the grain. Available in gloss and semi-matt.

Standard Colour Range: 05 Pine / 14 Ancient Walnut / 16 Cherry Pearwood / 17 Teak / 30 Cherry / 33 Dark Mahogany / 36 Light Mahogany / 40 Larch / 42 Beech / 50 White / 52 Dark Wood / 53 Light Walnut / 54 Douglas / 58 Rosewood / 59 Mediu m Walnut / 60 Black / 62 Mahogany / 63 Dark Walnut / 65 Ash / 134 Grass-Green / 136 Pine Green / 137 Dark Green / 140 Deep Blue

Colour-Match Service Available

Keep from freezing

Code	Desc.	Pack.
4300XX	30 ml. Various Colours 30 Semi-Matt	10 pcs.
4300XX-90	30 ml. Various Colours 90 Glossy	10 pcs.
4300AS	30 ml. Assortment	10 pcs.









COLOUR TOUCH UP - For Wood - Waterbased

Odourless, special water-based paint for retouching wood. Ready to use, it allows the permanent correction of any imperfections without transparency of the grain. Available in ninety light stable colours plus sample service. Available in gloss and semi-matt.

Standard Colour Range: 05 Pine / 14 Ancient Walnut / 16 Cherry Pearwood / 17 Teak / 30

Cherry / 33 Dark Mahogany / 36 Light Mahogany / 40 Larch / 42 Beech / 50 White / 52 Dark Wood / 53 Light Walnut / 54 Douglas / 58 Rosewood / 59 Medium Walnut / 60 Black / 62 Mahogany / 63 Dark Walnut / 65 Ash / 134 Grass-Green / 136 Pine Green / 137 Dark Green / 140 Deep Blue

Colour-Match Service Available

Keep from freezing

Code	Desc.	Pack.
4400XX	30 ml. Various Colours 30 Matt	10 pcs.
\'\\\UUXX-9U	30 ml. Various Colours 90 Gloss	10 ncs



■ NATURAQUA FIXING TOUCH UP - Transparent

Special waterbased touch up lacquer, for the final and definitive fixing of small imperfections, pretreatments with touch up dyes or wax fillers. Excellent expansion, applied in the right level of opacity, it allows invisible finishes.

Code	Description	Desc.	Pack.
4410TR-10	10 Matt	30 mL	10 pcs.
4410TR-30	30 Semi-Matt	30 mL	10 pcs.
4410TR-60	60 Satin	30 mL	10 pcs.
4410TR-90	90 Gloss	30 mL	10 pcs.



ENAMEL COLOUR TOUCH-UP FOR CERAMICS AND SANITARY WARE

Touch-up paint for easy and invisible touch-ups, quick drying, anti-scratch and shockproof, ideal for ceramic and sanitary ware. The dried product resists normal detergents and hot water. Dense and filling, it is available in various light-stable colours. It does not turn yellow and does not discolour.

Code	Desc.	Pack.
2410XX	30 mL Various Colours	10 pcs.
2400XX	10 mL Various Colours	24 pcs.
2400XX-BL	7 ml. Various Colours Blister	12 pcs.



■ ENAMEL COLOUR TOUCH-UP FOR ELECTRIC APPLIANCES

Touch-up paint for easy and invisible touch-ups, quick drying, anti-scratch and shockproof, ideal for household appliances and enamelled metals in general. The dried product resists normal detergents and hot water. Dense and filling, it does not turn yellow and does not discolour.

Code	Desc.	Pack.
2610XX	30 mL Various Colours	10 pcs.
2600XX	7 mL Various Colours	24 pcs.
2600XX-BL	7 mL Various Colours Blister	24 pcs.





Fillers & Sealers









■ HOLZMASSE BASE - Binding Resin for Wood Filler preparation

Ready-to-use binder resin for the individual preparation of quick drying wood putty. Mixed with wood dust from the sanding process it enables a filler matching the original Colour of the wood to be obtained. Any customised colour shades can be achieved with the addition of a few drops of the Borma Holzfarbe Wood Concentrate dyes. Use Borma Solve for thinning/dilution.

Code	Desc.	Pack.
0052	1Lt.	12 pcs.
0057	2,5 Lt.	02 pcs.
0053	5 Lt.	02 pcs.
0054	10 Lt.	
0055	25 Lt.	



■ NATURAQUA HOLZMASSE BASE – Waterbased Binding Resin

Ready-to-use binder resin for the individual preparation of quick drying wood putty. Mixed with wood dust from the sanding process it enables a filler matching the original Colour of the wood to be obtained. Any customised colour shades can be achieved with the addition of a few drops of the Borma Holzfarbe Wood Concentrate dyes. Use water for thinning/dilution.

Code	Desc.	Pack.
NAT0052	1Lt.	12 pcs.
NAT0053	5 Lt.	02 pcs.
NAT0054	10 Lt.	
NATON55	20 I t	







■WOOD DUST FILLER

A special powder filler for wood ideal for repairing imperfections and for reforming missing parts. Mixed with water in a 3 to 1 ratio until a homogeneous paste is obtained. Provides excellent adhesion to all surfaces and can be overpainted.

Available Colours: 05 Pine / 50 White / 51 Oak / 63 Dark Walnut / 65 Ash

Code	Desc.	Pack.
0056XX	12,5 Kg. Various Colours	
0056XX.1	1 Kg. Various Colours	06 pcs.



ECOFILLER

Odourless, light-stable and ecological water-based putty for wood. The white version is also suitable for smoothing plaster. Formulated to minimise shrinkage on drying and to allow colours to be inter-mixable with each other to create limitless shades.

Available Colours: 04 Fir / 05 Pine / 08 Natural Wood / 10 Larch / 17 Teak/ 30 Cherry / 42 Beech / 50 White / 51 Oak / 53 Light Walnut / 54 Douglas / 58 Rosewood / 59 Medium Walnut / 62 Mahogany / 63 Dark Walnut / 65 Ash / 146 Wenge

Code	Desc.	Pack.
EN1500XX	250 gr.	12 pcs.
1510XX	200 gr. tube	12 pcs.
1510ESP.XXX	200 gr. Tubes display, 6 colours	36 pcs.
EN1520XX	500 gr.	12 pcs.
EN1550XX	1Kg.	12 pcs.
EN1570XX	5 Kg.	04 pcs.





■ ECOFILLER SPRAY - High Solid Pore Filler, Waterbased

High solid medium / low viscosity filler, dilutable and sprayable with water. Quick drying and easy sanding. Ecological and odourless.

Available Colours: 05 Pine / 17 Teak / 50 White / 51 Oak / 53 Light Walnut / 62 Mahogany / 63 Dark Walnut

Code	Desc.	Pack.
1555XX	1 Kg.	12 pcs.
1560XX	5 Kg.	04 pcs.



+5°C +30°C

ONE GO- Light Eco Filler

One Go is an Odourless water-based filler with low specific weight and high anchoring and filling properties. Ready to use and easy to sand, it allows rapid repair of holes, cracks and other imperfections even with a single application. It does not shrink even when used in high thicknesses (10mm). Suitable for wood and plaster.

Available in 10 colours, all stable to light.

Code	Desc.	Pack.
1350XX	125 ml. Tubes	12 pcs.
1351XX	300 ml.	12 pcs.
1352XX	600 ml.	12 pcs.
1353XX	3 lt.	04 pcs.





ONE GO COLOUR CHART





63 Dark Walnut

51 Oak

30 Cherry



62 Mahogany





53 Light Walnut

17 Teak

60 Black on request

■ ECO STRONG WOOD FILLER - Fibre Reinforced, Waterbased

Formulated with special structural fibres to impart high elasticity it ensures practically zero shrinkage. Its main features include: excellent adhesion, excellent shrinkage resistance, easy sanding, great filling capacity. Top quality.

Available Colours: 05 Pine / 17 Teak / 30 Cherry / 50 White / 52 Dark Oak 53 Light Walnut / 62 Mahogany / 63 Dark Walnut

Code	Desc.	Pack.
1770XX	250 gr. tube	12 pcs.
1771XX	500 gr.	12 pcs.
1772XX	1 Kg.	12 pcs.
1773XX	5 Kg.	04 pcs.



HOLZMASSE

Ready-to-use, fast drying solvent-based putty based on wood flour. Indoor / outdoor use. The colours can be mixed together or tinted with Borma Holzfarbe Concentrate Dyes.

Available Colours: 01 Poplar / 04 Fir / 05 Pine / 08 Natural Wood / 10 Larch / 17 Teak / 30 Cherry / 42
Beech / 52 Dark Oak / 53 Light Walnut / 54 Douglas / 58 Rosewood / 59 Medium Walnut / 62 Mahogany / 63
Dark Walnut / 65 Ash

Code	Desc.	Pack.
1800XX	250 ml.	12 pcs.
1850XX	750 ml.	06 pcs.







HOLZMASSE K2

Two-component filler using a medium grain wood flour. Easily sandable, it has perfect adhesion on any substrate. Perfect for the restoration of furniture, windows and structural elements. Indoor / outdoor use.

Available Colours: 05 Pine / 08 Natural Wood / 30 Cherry / 50 White / 52 Dark Oak / 59 Medium Walnut / 63 Dark Walnut / 70 Transparent

Code	Desc.	Pack.
1950XX	125 ml.	12 pcs.
1960XX-6T	750 ml. Cat.in Tub.	06 pcs.
1970T	35gr. only the hardener	On demand



HOLZMASSE K2 MDF

Two-component filler using extra fine wood flour. Easily sandable, it has perfect adhesion on any substrate. Indoor / outdoor use.

Available Colours: 05 Pine / 70 Transparent / 50 White / 52 Dark Oak /

54 Douglas / 62 Mahogany / 63 Dark Walnut

Code	Desc.	Pack.
1650XX	750 ml. can	06 pcs.
1970T	35gr. only the hardener	On demand
1680XX	820 ml. cartridge	06 pcs.
1970C	45gr. only the hardener	On demand



■ HOLZMASSE K2 MDF SOFT - Ideal for Parquet

The special low viscosity 'Soft' version is more suitable for applications on horizontal surfaces such as parquet; thanks to its fluidity, application is easy and effortless; even deep cracks and holes can be filled very quickly.

Code	Desc.	Pack.
1680XX-S	820ml cartridge	06 pcs.
1970C	45gr only the hardener	On demand



END GRAIN WINDOW SEALER

A ready-to-use, transparent, super-elastic, water-based acrylic sealant specially designed to protect the joints of the head cut on doors and windows for outdoor use against moisture absorption. Highly penetrating and water-repellent, it is excellent when painting and restoring windows.

Code	Desc.	Pack.
0646	250 ml.	12 pcs.
በራሴን	500 ml	12 ncs







■ BORMA SOLVE - Thinner for Wood Filler

The Borma Solve is a very versatile thinner that can be used with various products from the Borma range (Holzfarbe, Holzmasse Base, Holzmasse) for cleaning up the various tools used. To soften Borma Holzmasse: pour the required amount of Borma Solve in the filler can. Mix the thinner with the filler to form a smooth paste.

Code	Desc.	Pack.
	250 ml.	12 pcs.
0021	1Lt.	12 pcs.
0023	5 Lt.	02 pcs.



FILLERS

■ ECOSEAL 500 - Sealant for interiors and exteriors

It is a one-component elastic -plastic sealant with an acrylic base in aqueous dispersion. It is the ideal solution for joints between construction elements subject to medium stress; it is ready to use and safely seals internal and external joints on porous substrates such as concrete, plaster, asbestos, masonry, cement, wood. Good resistance to mold.

Available in 16 colors: 04 Fir, 06 Birch, 41 Natural beech, 50 White, 51 Light oak, 52 Dark oak, 53 Light walnut, 58 Rosewood, 62 Mahogany, 63 Dark walnut, 66 Dark cherry, 67 Dark brown, 112 Brown beige, 108 Grey, 146 Wenge, 154 Graphite.

Code	Desc.	Pack.
0667XX.600	600 ml package	20 pcs.
0667XX.28,5	28,5 kg drum	
0667XX.320	320 kg drum	



ECOSEAL 300kx - Specific sealant for parquet and laminate

It is a high quality elastic sealant, created specifically for sealing joints between all types of varnished wood. Excellent adhesion on porous surfaces, almost odourless, free of solvents and other dangerous substances, easy to use, overpaintable.

Available in 9 colors: 02 Natural oak, 50 White, 51 Oak, 52 Dark oak, 54 Douglas/doussiè, 60 Black, 62 Mahogany, 63 Dark walnut, 12056 Iroko.

Code	Desc.	Pack.
0666XX 310	310 ml cartridge	12 ncs











WOOD & ACCESSORIES TOOL



SMALL BEAUTY BOX B1

The Small Beauty Box B1 is available in two versions: Selection for Classic Furniture

1 Soft Wax stick

1 Touch-up Dye bottle

1 Felt Touch-up Dye pen (Profix)

1 "How to use" manual

Available in the following wood colours: Pine, Cherry, Oak, Mahogany, Light Walnut,

Medium Walnut, Dark Walnut

Bright Colour Selection for Modern Furniture:

1 Soft Wax stick

1 Colour Touch-up bottle

1 Colour Edging pen (Holzmarker)

1 "How to use" manual

Available, on demand, in all colours listed in the Touch-up Colour Chart. For more info: info@bormawachs.it

Code	Description
0330	For Classic Furniture
0331	For Modern Furniture

1 MEDIUM BEAUTY BOX B2

The Large Beauty Box B2 is a Special Maintenance Kit for Classic Furniture and contains:

1 Soft Wax stick

1 Touch-up Dve bottle

1 Felt Touch-up Dye Pen (Profix)

1125ml Natural Bee's wax plastic jar

1 "How to use" manual

Available in the following wood colours: Pine, Cherry, Oak, Mahogany, Light Walnut, Medium Walnut, Dark Walnut

Code	
0340	

FIRST AID KIT Semi Professional Touch-up

FIRST AID - A:1 box of Softwax in 20 assorted colours 1 box of Profix touch-up dye pens in 10 assorted colours, 2 bottles (30ml) of Fixative (1x20%, 1x40%) Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths, 1 Plastic Spatula 5 cm

FIRST AID - B: 2 boxes of Hard Wax in 20 assorted colours; 1 box of Holzmarker colour touch-up markers in 10 assorted colours; 1 Gas Flint Borma gas heating iron for wax fillers - Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths, 1 Plastic Spatula 5 cm

FIRST AID - C: 1 box of Softwax in 20 assorted colours; 1 box of Holzmarker colour touch-up markers in 10 assorted colours, 2 bottles (30ml) of Fixative (1x20%, 1x40%) Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths, 1 Plastic Spatula 5 cm

FIRST AID - D: 2 boxes of Hard Wax in 20 assorted colours; 1 box of Profix staining touch-up pens in 10 assorted colours, 1 Gas Flint Borma gas heating iron for wax fillers - Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths, 1 Plastic Spatula 5 cm

Code	
0356XX	

TOUCH UP CASE C1 - Professional

C1- A Service Case includes:

1 box of Softwax fillers in 20 assorted colours

1 box of Profix touch-up dye markers in 10 assorted colours

1 bottle (30ml) of wood detergent

1 bottle (30ml) of Borma Solve

2 Holzspray Touch-up lacquer (400 ml): 1x20%, 1x40% Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths,

1 Plastic Spatula 5 cm

C1- B A Service Case includes:

2 boxes of Hard Wax in 20 assorted colours

1 box of Holzmarker colour touch-up markers in 10 assorted colours

1 Gas Flint Borma gas heating iron for wax fillers

2 Holzspray Touch-up lacquer (400 ml): 1x20%, 1x40% Accessories: 3 Very fine white abrasive pads(12x14), 10 Work cloths,

1 Plastic Spatula 5 cm

C1 - C A Service Case includes:

1 box of Softwax fillers in 20 assorted colours





1 bottle (30ml) of wood detergent

1 bottle (30ml) of Borma Solve

2 Holzspray Touch-up lacquer (400 ml): 1x20%, 1x40%

Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths.

1 Plastic Spatula 5 cm

C1- D A Service Case includes:

2 boxes of Hard Wax in 20 assorted colours

1 box of Profix touch-up dye markers in 10 assorted

1 Gas Flint Borma gas heating iron for wax fillers 2 Holzspray Touch-up lacquer (400 ml): 1x20%, 1x40%

Accessories: 3 Very fine white abrasive pads (12x14), 10 Work cloths

1 Plastic Spatula 5 cm





SMALL BEAUTY BOX B1



FIRST AID KIT



TOUCH UP CASE C1 - Professional

WOOD & ACCESSORIES TOOL

CASE C2 - Semi Professional

The C2 Maintenance Kit is suitable for all wooden surfaces. An impressive and sturdy kit for tackling those annoying small problems often present during assembling and finishing operations. A small investment for achieving a high standard of quality and customer service and for eliminating the risk of complaints.

The C2 service case includes:

- 1 Wooden case, 36x46x16 cm
- 6 Holzmarker retouching opaque markers
- 6 Profix retouching dyeing pens
- 2 Softwax box assorted in 20 colours
- 2 Hard Wax box assorted in 20 colours
- 1 Holzmasse can, wood filler 250 ml.
- 1 Holzmasse K2 box, bicomponent filler for wood 250 gr.
- 1 Borma Solve tank 250 ml.
- 1 Wood Detergent tank 250 ml.
- 2 Holzspray spray varnish 400 ml.: 1 opaque, 1 semigloss.
- 1 Gas Flint Borma, mini fuser for wax fillers.
- 2 Plastic spatulas cm 5/8
- 2 Metal spatulas cm 5/8
- 1 Scraper
- 3 Measuring cups for mixing
- 3 Dosing pipettes
- 10 Working cloths
- 1 mt.Fine abrasive paper
- 1 mt.Extra fine abrasive paper
- 3 Fine grey abrasive buffers (12x14)
- 3 Extra fine white abrasive buffers (12x14)

Code	
0351	



CASE C3 - Professional

The C3 Professional Maintenance Kit is suitable for all wooden surfaces. An impressive and sturdy kit for tackling those annoying small problems often present during assembling and finishing operations. An investment for guaranteeing quality standards and customer satisfaction, eliminating any possible risk of complaints.

The C3 service case includes:

- 1 Wooden case, perfectly functional 46x46x16 cm
- 8 Holzmarker retouching opaque markers
- 8 Profix retouching dyeing pens
- 6 Profix Touch-up pen with extra fine tip
- 6 Opaque retouching 30 ml bottles
- 6 Semiopaque retouching 30 ml bottles
- 6 Holzfarbe, concentrated dye 30 ml.
- 2 Softwax box assorted in 20 colours.
- 2 Hard Wax box assorted in 20 colours.
- 1 Ecostucco box waterborne filler 500 gr.
- 1 Holzmasse box wood filler 250 ml.
- 1 Holzmasse K2 box bicomponent wood filler 250 gr.
- 1 Borma Solve tank 250 ml.
- 1 Restoration Oil tank 150 ml.
- 1 Detergent for wood tank 250 ml.
- 2 Holzspray spray varnish 400 ml.: 1 opaque, 1 semigloss. 2 Plastic spatulas cm 5/8
- 2 Metal spatulas cm 5/8
- 1 Scraper
- 3 Measuring cups for mixing
- 3 Dosing pipettes
- 10 Working cloths
- 1 mt.Fine abrasive paper
- 1 mt.Extra fine abrasive paper
- 3 Fine grey abrasive buffers (12x14)
- 3 Extra fine white abrasive buffers (12x14)
- 1 Gas Flint Borma, mini fuser for waxy fillers)



Code	
กรรว	





SMALL DISPLAY

Wooden Display dim. 42X37x21,5 cm.

150 softwax 15 colours

75 Profix 15 colours

150 Quick fliller 15 colours

75 Holzmarker 15 colours

Code	Description	
0353H	Display with Holzmarker	
0353P	Display with Profix	



MEDIUM DISPLAY 41x107x27 cm

10 softwax sticks in 10 different colours

5 Profi x in 10 different colours

5 bottles of Touch Up Dye in 10 different colours

8 cans of Holzwachs (500 ml) in two different colours: neutral, walnut*. 10 cans of Liquid Holzwachs (250 ml) in two different colours neutral, walnut

· Available also with 30 cans of Holzmasse (250ml)

Code	Description
0354C	Display with waxes
N354S	Display with Filler



GAS HEATING IRON - for easy Hardwax/Shellac sticks application

Dynamic, light, quick, indispensable for the correct application of hard wax filler. Respect the colours, does not burn the paints.

Code	
1295	

Replacement tips for Gas Heating Iron

For wax touch up.

Code	Description	
1297	Conical Tip	
1298	Chisel-shaped Tip	



■ ELECTRO FLINT - for easy Hardwax/Shellac sticks application

Dynamic, light, quick, indispensable for the correct application of hard wax fillers. Respecting the colours, it does not burn the paints.

Cod.
1294

Replacement tips for Electro-flint

Cod.	
1299	



■ ELEKTROWACHS - for easy Hardwax/Shellac sticks application

Dynamic, light, quick, indispensable for the correct application of hard wax fillers. Respecting the colours, it does not burn the paints.

Code			
1292			

Replacement tips for Electro-flint

Code	
1299	



WOOD & ACCESSORIES TOOL





Piccolo is the perfect tool for the correct, quick and safe application of Hartwachs Hardwax Sticks. Thanks to its small size, it is extremely comfortable to carry and fits in any pocket. It is highly efficient as it immediately becomes hot when turned on. Without flame risks or electrical switch limits, it can be used anytime and anywhere with its operating temperature of $90\,^{\circ}$ C.

Code	Pack.
1293	1ncs





PIPETTE 1)

Code	Pack.
6456	10 pcs.

HANDBRUSH BASIC 3) For Hand Polishing


Code
6391

MEASURING CUP 2)

Code	Pack.
6426	10 pcs.

■ HANDBRUSH STL 4) For Hand Polishing with Leather Inserts

Code
6392



TOUCH UP SPATULA

Designed for the correct application of retouching Wax Fillers

Its specific design ensures the optimum compression aimed at saturating the treated imperfections by removing any excess without swiping the retouch zone. With non-slip handle.

Code	Dim.			
6447	11 x 3,5 cm			



STEEL WOOL

Code	Description	Pack.
CDO6469	Steel wool "00"	5 Kg.
CDO6467	Steel wool "000"	5 Kg.
CDO6473	Steel wool extrafine 0000	1 Kg - 6 pcs.
CD 06473.200	Steel wool extrafine 0000	200gr
CD 06473.6	Steel wool extrafine 0000	6 Kg.
CDO6472	National Steel wool	2,5 Kg.



DOSING GUN FOR K2 MDF - Basic

Dispenser for K2 MDF cartidges with stable catalysis ratio. Very easy use

Code	
1960D	



DOSING GUN FOR K2 MDF - with catalysis ratio modifier

Dispenser for K2 MDF cartridges with modifiable catalysis ratio. Extremely useful.

Code
1960P





Colour Match Service

Servizio Campioni Farbe nach Muster Service Echantillons Servicio de muestras Образцы



Da sempre specializzati nella cosmesi professionale del legno, offriamo un servizio colore a campione per tutti i materiali da ritocco, avendo già tra i nostri clienti numerose aziende leader. Seguendo anche le ultime tendenze nel mercato dell'arredamento moderno, abbiamo implementato nella nostra linea i due seguenti assortimenti di colori.

As a long-term specialist in wood cosmetics we offer a bespoke colour matching service on request and count some of the biggest industry names amongst our bespoke colour customers'. We steadfastly follow the most on-trend furniture and colour fashions to ensure we stay 'current'. We have two standard colour assortments.

Als Unternehmen, das schon immer auf die Verschönerung von Holz spezialisiert ist und vie le der bedeutendsten Firmen zu seinen Kunden zählt, bieten wir auf Anfrage die Möglichkeit, ein Muster für das gesamte nachzubessernde Material zu erstellen. Um außerdem dem Trend im Sektor der modernen Möbel entgegenzukommen, haben wir unsere Angebotspa lette um die beiden nachfolgenden Farbsortimente erweitert.

Depuis toujours spécialisés dans le traitement du bois, nous offrons sur demande le service à échantillon pour tout le matériel de retouche, comptant parmi nos clients de nombreuses entreprises de grande importance. En outre, pour suivre les tendances de l'industrie du meuble, nous avons voulu élargir notre gamme avec les deux assortiments de couleur ci-dessous.

Desde siempre especializados en la cosmética para la madera, ofrecemos bajo solicitud el servicio de muestras para todo el material de retoque, pudiendo contar entre nuestros distinguidos clientes con numerosas empresas de gran prestigio. Siguiendo las tendencias del sector del mueble moderno, hemos querido implementar nuestra gama con dos gamas de colores.

Мы многие годы занимаемся производством материалов для реставрации мебели и экологически чистой отделки изделий из древесины и можем гордиться наличием среди наших клиентов многих известных компаний. По заявке мы предоставляем образцы всех реставрационных материалов. Кроме того, с учетом тенденций в отрасли современной мебели мы дополнили цветовую гамму наших товаров двумя ассортиментами цветов.

Il servizio è disponibile per: The Service is available for:

ART.1150 SOFTWAX Quickfiller

ART. 1200 HARDWAX Hard Wax

ART. 1975 SCRATCH FIX WAX Waxy Chalks

ART.0967 PROFIX GRAINING PEN Extra Fine Tip ART.0800 PROFIX Touch Up Dye Pen

ART. 0700 Matt ART. 0700-90 Glossy HOLZMARKER Colour Edging Pen

ART. 2210 / 2010 Matt
TOUCH UP DYE/COLOUR TOUCH UP
Liquid Touch Up

ART. 0600CAMP / Available in different gloss levels HOLZSPRAY Touch Up Spray Lacquer

SERIES 1

RAL 9010
RAL 9016
RAL 9001
RAL 9002
RAL 1013
RAL 7035
RAL 7038
RAL 7040
RAL 7031

RAL 9003

SERIES 2

_
RAL 9005
RAL 1017
RAL 1028
RAL 3020
RAL 3000
RAL 3004
RAL 6005
RAL 5012
RAL 5002
RAL 5003



Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для



STUCCORAPIDO

Weichwachsstangenkitt

Stucco a cera



HARTWACHS

Stucco a cera dura

Hartwachs-stangenkitt



PROFIX PEN

Penna ritocco punta extra fine

Struktur korrekturstift

	материалы для ретуширования		Weichwachsstangenkitt Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Hartwachs-stangenkitt Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Struktur korrekturstift Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
		Cod.	ART. 1XXX	ART. 1200XX	ART. 0967XX
	Legno Naturale Naturholz Naturalwood Bois Naturelle Madera Natural Натуральное Дерево	08			
	Frassino Esche Ash Frêne Fresno Ясень	65			
	Pino Kiefer Pine Pin Pino Сосна	05			
	Acero Evaporato Ahorn Maple Érable Arce Evaporado Клен	40			
	Faggio Naturale Buche Natur Natural Beech Hêtre Naturel Haya Natural Натуральный Бук	41			
	Faggio P17 Buche P17 Beech P17 Hêtre P17 Haya P17 Бук Р17	42			
	Faggio Scuro Buche Dunkel Dark Beech Hêtre Foncè Haya Oscuro Темный Бук	21			
	Betulla Birke Birch Bouleau Abedul Береза	06			
	Larice Lärche Larch Mélèze Larice Лиственница	10			
	Larice Medio Lärche Mittel Medium Larch Mélèze Moyen Larice Mediano Средняя Лиственница	22			
	Ciliegio Chiaro Kirschbaum Hell Light Cherry Merisier Clair Cerezo Claro Светлая Вишня	29			
	Ciliegio Kirschbaum Cherry Merisier Cerezo Вишня	30			
	Douglas (Pero P14) Douglas (Birnbaum P14) Douglas (Pearwood P14) Douglas (Poirier P14) Douglas (Peral) Дуглас Р14	54			
	Ciliegio Scuro Kirschbaum Dunkel Dark Cherry Merisier Foncè Cerezo Oscuro Темная Вишня	66			
28	Ciliegio (Pero) Kirschbaum (Birnbaum) Cherry (Pearwood) Merisier (Poirier) Cerezo (Peral) Груша	16			











PROFIX	HOLZMARKER	RITOCCO Semicoprente	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante Ретуширующий карандаш с морилкой	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante Marcador barnizante Ретуширующий маркер	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera Лак тонированный для ретуширования	Ritocco coprente Retuschierlack deckend Full Covering Touch-Up Retouche couvrante Retoque para madera que cubre Эмаль для ретуширования	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray Лак ретуширующий в аэрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX



Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для



STUCCORAPIDO



HARTWACHS



PROFIX PEN

Retoque <mark>Материалы для</mark> ретуширования		Stucco a cera Weichwachsstangenkitt Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Stucco a cera dura Hartwachs-stangenkitt Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Penna ritocco punta extra fine Struktur korrekturstift Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
	,	ART. 1XXX	ART. 1200XX	ART. 0967XX
Pero Scuro Birnbaum Dunkel Dark-Pearwood Poirier Foncè Peral Oscuro Темная Груша	COD. 68			
Mogano Chiaro P36 Mahagoni Hell P36 Light-Mahogany P36 Mahagoni Clair P36 Caoba Cla - ro P36 Светлый Махагон Р36	COD. 36			
Mogano Mahagoni Mahogany Mahagoni Caoba Махагон	COD. 62			
Mogano Scuro Mahagoni Dun - ket Dark-Mahogany Mahagoni Foncè Caoba Oscuro Темный Махагон	COD. 33			
Palissandro P15 Palisander P15 Rosewood P15 Palis - sandre P15 Polisandro P15 Палисандр	COD. 58			
Rovere naturale Ch.P40 Eiche natur hell P40 Light nat.oak P40 Chêine nature clair P40 Roble natural claro P40 Светлый Натуральный Дуб Р40	COD. 01			
Rovere Naturale Eiche Natur Natural Oak Chêine Nature Clair Roble Natural Натуральный Дуб	COD. 02			
Rovere Chiaro Eiche Hell Light Oak Chêine Clair Roble Claro Светлый Дуб	COD. 51			
Rovere Medio Eiche Mittel Me - dium Oak Chêne Moyen Roble Mediano Средний Дуб	COD. 48			
Rovere Scuro Eiche Dunkel Dark Oak Chêne Foncè Roble Oscuro Темный Дуб	COD. 52			
Rovere Rustico 1 Eiche Rustikal 1 Oak Rustic 1 Chêne Rustique 1 Roble Rústico 1 Рустикальный Дуб 1	COD. 03			
Rovere Rustico 2 Eiche Rustikal 2 Oak Rustic 2 Chêne Rustique 2 Roble Rústico 2 Рустикальный Дуб 2	COD. 45			
Rovere Rustico 3 Eiche Rustikal 3 Oak Rustic 3 Chêne Rustique 3 Roble Rústico 3 Рустикальный Дуб 3	COD. 43			
Rovere Rustico 4 Eiche Rustikal 4 Oak Rustic 4 Chêne Rustique 4 Roble Rústico 4 Рустикальный Дуб 4	COD. 44			
Noce Antico Nussbaum Antik Ancient Walnut Noyer Nogal Antiguo Старый Орех	COD. 14			











PROFIX	HOLZMARKER	RITOCCO Semicoprente	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante Ретуширующий карандаш с морилкой	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante Marcador barnizante Ретуширующий маркер	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera Лак тонированный для ретуширования	Ritocco coprente Retuschierlack deckend Full Covering Touch-Up Retouche couvrante Retoque para madera que cubre Эмаль для ретуширования	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray Лак ретуширующий в азрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX
				31



Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для петушиппрациа



STUCCORAPIDO



HARTWACHS



PROFIX PEN

Retoque <mark>Материалы для</mark> ретуширования		Stucco a cera Weichwachsstangenkitt Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Stucco a cera dura Hartwachs-stangenkitt Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Penna ritocco punta extra fine Struktur korrekturstift Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
		ART. 1XXX	ART. 1200XX	ART. 0967XX
Teak Ch Teak Hell Light Teak Teck Clair Teca Claro Светлый Тик	COD. 09			
Teak Teak Teak Teck Teca Тик	COD. 17			
Olmo Chiaro Rüster Hell Light Elm Orme Clair Olmo Claro Светлый Вяз	COD. 18			
Olmo Scuro Rüster Dunkel Dark Elm Orme Foncè Olmo Oscuro Темный Вяз	COD. 13			
Bruno Braun Brown Brun Marrón Oscuro Коричневый	COD. 46			
Noce Nazionale P21 Nussbaum Hell P21 Light Walnut P21 Noyer Clair P21 Nogal Nacional P21 Светлый Орех Р 21	COD. 55			
Noce Chiaro P10 Nussbaum Hell P10 Light Walnut P10 Noyer Clair P10 Nogal Claro P10 Светлый Орех P10	COD. 53			
Noce Medio P11 Nussbaum Mittel P11 Medium Walnut P11 Noyer Moyen P11 Nogal Medio P11 Средний Орех P11	COD. 59			
Noce Scuro Nussbaum Dunkel Dark Walnut Noyer Foncè Nogal Oscuro Темный Орех	COD. 63			
Bruno Nero Schwarzbraun Black Brown Brun Noir Marrón Negro Темно-Коричневый	COD. 47			
Wengè Венге	COD. 146			
Bruno Rossiccio Nussbraun Rötlich Reddish Walnut Noyer Rougeâter Marrón Rojizo Красный Орех	COD. 07			
Azzurro Hellblau Azure Céle - ste Celeste Голубой	COD. 144			
Blu Violetto Violettblau Violet- Blu Bleu-Violét Azul Violeto Фиолетово-Голубой	COD. 143			
Blu Cielo Himmelblau Sky Blu Bleu-Ciel Azul Cielo Небесно- Голубой	COD. 142			











PROFIX	HOLZMARKER	RITOCCO Semicoprente	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante Ретуширующий карандаш с морилкой	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante Marcador barnizante Ретуширующий маркер	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera Лак тонированный для ретуширования	Ritocco coprente Retuschierlack deckend Full Covering Touch-Up Retouche couvrante Retoque para madera que cubre Эмаль для ретуширования	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray Лак ретуширующий в азрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX



Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для



STUCCORAPIDO



HARTWACHS



PROFIX PEN

Retoque <mark>Материалы для</mark> ретуширования		Stucco a cera Weichwachsstangenkitt Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Stucco a cera dura Hartwachs-stangenkitt Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Penna ritocco punta extra fine Struktur korrekturstift Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
	,	ART. 1XXX	ART. 1200XX	ART. 0967XX
Blu Mare Meerblau Sea Blu Bleu Mer Azul Mar Синее Море	COD. 141			
Blu Profondo Tiefeblau Deep Blu Bleu Foncè Azul Profundo Ярко-Синий	COD. 140			
Rosa Rose Pink Rosa Rosa Розовый	COD. 126			
Viola Violett Violet Violet Morado Фиолетовый	COD. 127			
Verde Pallido Blassgrün Pale- Green Vert-Pâle Verde Claro Бледно-Голубой	COD. 131			
Verde Salvia Salbeigrün Sage- Green Vert-Sauge Verde Salvia Серовато-Зеленый	COD. 133			
Verde Gruen Green Vert Verde Зеленый	COD. 132			
Verde Menta Minzgrün Mint- Green Vert-Menthe Verde Menta Зеленая Мята	COD. 130			
Verde Erba Grasgrün Grass- Green Vert-Herbe Verde Hierba Зеленый	COD. 134			
Verde Pino Kiefergrün Pine- Green Vert-Pine Verde Pino Зеленая Сосна	COD. 136			
Verde Scuro Dunkelgrün Dark Green Vert Foncè Verde Oscuro Темно-Зеленый	COD. 137			
Verde Oliva Olivgrün Olive-Gre - en Vert Olive Verde Aceituna Коричнево-Зеленый	COD. 135			
Giallo Limone Zitronengelb Lemon-Yellow Jaune-Citron Amarillo Limón Лимонно- Желтый	COD. 119			
Giallo Gelb Yellow Jaune Amarillo Желтый	COD. 120			
Giallo Cromo Kromgelb Chrome-Yellow Jaune-Chrome Amarillo Cromo Желтый Хром	COD. 121			











PROFIX	HOLZMARKER	RITOCCO Semicoprente	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera	Ritocco coprente Retuschierlack deckend Full Covering Touch-up Retouche couvrante Retoque para madera que cubre	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray
Ретуширующий карандаш с морилкой	Marcador barnizante Ретуширующий маркер	Лак тонированный для ретуширования	Эмаль для ретуширования	Лак ретуширующий в аэрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX



Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для



STUCCORAPIDO

Weichwachsstangenkitt

Stucco a cera



HARTWACHS

Stucco a cera dura

Hartwachs-stangenkitt



PROFIX PEN

Penna ritocco punta extra fine Struktur korrekturstift

	ретуширования		Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
			ART. 1XXX	ART. 1200XX	ART. 0967XX
	Arancio Orange Orange Orange Naranja Оранжевый	COD. 122			
	Rosso Bruno Braunrot Brown- Red Brun-Rouge Rojo Oscuro Красно-Коричневый	COD. 124			
	Rosso Corallo Korallrot Coral- Red Rouge-Coral Rojo Coral Коралово-Красный	COD. 123			
	Rosso Fuoco Feuerrot Fire- Red Rouge-Feu Rojo Fuego Огненно Красный	COD. 125			
	Macorè	COD. 64			
	117	COD. 117			
	Beige Bruno Beigebraun Beige-Brown Beige-Brun Beige Oscuro Коричнево-Бежевый	COD. 112			
	Beige Бежевый	COD. 111			
	114	COD. 114			
	115	COD. 115			
	Sabbia Sand Sand Sable Arena Песочный	COD. 113			
	116	COD. 116			
	118	COD. 118			
	Bianco Weiss White Blanc Blanco Белый	COD. 50			
36	Bianco Perla Perlweiss Pearl- White Blanc-Perle Blanco Perla Жемчужно-Белый	COD. 110			











PROFIX	HOLZMARKER	RITOCCO Semicoprente	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante Ретуширующий карандаш с морилкой	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante Marcador barnizante Ретуширующий маркер	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera Лак тонированный для ретуширования	Ritocco coprente Retuschierlack deckend Full Covering Touch-Up Retouche couvrante Retoque para madera que cubre Эмаль для ретуширования	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray Лак ретуширующий в азрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX



Touch-Up Cosmetics

Retuschiermaterial Ritocco Cosmesi Retouche Retoque Материалы для



STUCCORAPIDO



HARTWACHS



PROFIX PEN

Retoque <mark>Материалы для</mark> ретуширования		Stucco a cera Weichwachsstangenkitt Soft Wax Filler Cire souple à retoucher Cera blanda Мягкий воск	Stucco a cera dura Hartwachs-stangenkitt Hard Wax Stick Cire dure à retoucher Cera dura Твердый воск	Penna ritocco punta extra fine Struktur korrekturstift Graining Pen Feutre pointe extra fin Marcador para retoques ex.fine Ретуширующий карандаш с морилкой
		ART. 1XXX	ART. 1200XX	ART. 0967XX
Grigio Chiaro Hellgrau Light- Grey Gris Clair Gris Claro Светло-Серый	COD. 100			
Grigio Grau Grey Gris Gris Серый	COD. 101			
Grigio Cemento Zementgrau Cement-Grey Gris Ciment Gris Cemento Серый Цемент	COD. 103			
Grigio Polvere Staubgrau Dust Grey Gris Poudre Gris Polvo Пыльно-Серый	COD. 104			
Grigio Giallo Gelbgrau Yellow- Grey Gris Jaune Gris Amarillo Желто-Серый	COD. 105			
Grigio Oliva Olivgrau Olive Grey Gris Olive Gris Aceituna Оливково-Серый	COD. 106			
Grigio Quarzo Quarzgrau Quarz Grey Gris Quarz Gris Quarzo Серый Кварц	COD. 107			
Grigio Beige Braungrau Beige Grey Gris Beige Gris Beige Бежево-Серый	COD. 108			
Grigio Bruno Braungrau Brown Grey Gris Brun Gris Marrón Коричнево-Серый	COD. 109			
Antracite Anthrazit Anthracite Anthracite Antracita Антрацит	COD. 145			
Nero Schwarz Black Noir Negro Черный	COD. 60			
Oro-Argento Silber-Gold Sil - vergold Oro Argent Oro-Plata Серебрянное Золото	COD. 19			
Oro Gold Gold Or Oro Золотой	COD.			
Argento Silber Silver Argent Plata Серебрянный	COD. 15			
Oro Ducato Dukaten Gold Du - cat Gold Or-Ducat Oro Ducado Золотой Дукат	COD. 12			











PROFIX	HOLZMARKER	RITOCCO SEMICOPRENTE	RITOCCO COPRENTE	HOLZSPRAY
Pennarello ritocco tingente Holzkorrekturstift lasierend Felt Touch-Up Dye Pen Feutre teint de retouche Marcador colorante Ретуширующий карандаш с морилкой	Pennarello ritocco verniciante coprente Holzkorrekturstift deckend Colour Edging Pen Feutre vernis de retouche recouvrante Marcador barnizante Ретуширующий маркер	Ritocco verniciante semicoprente Retuschierlack lasierend Semi-Opaque Touch-Up Retouche demi-recouvrante Retoque para madera Лак тонированный для ретуширования	Ritocco coprente Retuschierlack deckend Full Covering Touch-Up Retouche couvrante Retoque para madera que cubre Эмаль для ретуширования	Vernice ritocco spray Holzspray Touch-Up Spray Lacquer Vernis spray de retouche Retoque barniz espray Лак ретуширующий в аэрозольном баллончике
ART. 0800XX	ART. 0700XX	ART. 2210XX	ART. 2010XX	ART. 0600XX



Wood Fillers

Holzkitte Stucchi in pasta Rebouchage Masillas Шпаклевки



HOLZMASSE

Stucco legno a rapida essicazione

Schnelltrocknender holzkitt

Fast Dryng Wood Filler



ECOSTUCCO

Stucco in pasta all'acqua

Bio-holzspachtel Water-Based Wood Filler



K 2

HOLZMASSE

Stucco poliestere bicomponente

Polyester 2 Component Wood Filler

2-Komponenten holzkitt

шпаклеі	ВКИ		Fast Dryng Wood Filler Pâte à bois séchage rapide Madera plastica Шпаклевка на нитрооснове для древесины	Water-Based Wood Filler Pâte à bois écologique à l'eau Hidro-emplaste para madera Шпаклевка на водной основе	Bois syn Emplast	2 Component Wood Filler thétique bicomposant e bocomponente ка двухкомпонентная рная	
			ART. 1800XX	ART. 1500XX	ART. 19	50XX	
Piop plie	оро Pappel Poplar Peu - r Àlamo Тополь	COD. 01					
Nati Mad	no Naturale Naturholz uralwood Bois Naturelle lera Natural уральное Дерево	COD. 08			le	gno chiaro	
	ssino Esche Ash Frêne sno Ясень	COD. 65					
Аbe Ел	te Fichte Fir Sapin Abeto в	COD. 04					
Pinc Coci	о Kiefer Pine Pin Pino на	COD. 05					
	gio Buche Beech Hêtre a Бук	COD. 42					
	ice Lärche Larch Mélèze ice Лиственница	COD. 10					(ENTE
Dou Dou	glas Douglas Douglas glas Douglas Дуглас	COD. 54					RASPAF
Cilie Mer	egio Kirschbaum Cherry isier Cerezo Вишня	COD. 30					HE IN T
Mog Mah	jano Mahagoni Mahogany nagoni Caoba Махагон	COD. 62					BILI ANO
Ros	issandro Palisander ewood Palissandre Poli - dro Палисандр	COD. 58					DISPONIBILI ANCHE IN TRASPARENTE
Teak Tuk	k Teak Teak Teck Teca	COD. 17					
Rov Rob	ere Eiche Oak Chêne le Дуб	COD. 51					
Hell Noy	e Chiaro P10 Nussbaum P10 Light Walnut P10 er Clair P10 Nogal Claro Светлый Орех Р10	COD. 53					
Mit' Noy	ce Medio P11 Nussbaum tel P11 Medium Walnut P11 /er Moyen P11 Nogal Medio Средний Орех Р11	COD. 59			le	egno scuro	
Dar	ce Scuro Nussbaum Dunkel k Walnut Noyer Foncè gal Oscuro Темный Орех	COD. 63					
	engè Венге	COD. 146					
	nco Weiss White Blanc nco Белый	COD. 50					




Restoration

To Renew Time Itself

The goal of restoration is to recreate the object, its physical structure as well as aesthetic qualities. Consolidations, disinfections and all the basic actions on the surface can be performed with maximum ease, care and efficiency, while respecting the environment, man and our traditions. All thanks to specially designed formulas that combine experience and research.







PAINT REMOVERS - CLEANERS - DYES

RADIKAL ABBEIZER - EXTRA STRONG PAINT STRIPPER - Chloride free

Extra-strong gel paint remover for wood based on a special mixture of solvents for use on any wooden surface. Methylene chloride free, and therefore free from any commercial restrictions. Non corrosive, does not alter the natural shade of the wood. For Professional Use.

Gel

	Desc.	Pack.
0031-ES	750 ml	06 pcs.
0032-ES	4 Lt	02 pcs.
0033-ES	20 Lt	

Liquio

Code	Desc.	Pack.
0034-ES	750 ml	06 pcs.
0036-ES	4 Lt	02 pcs.
0038-ES	20 Lt	



RADIKAL ABBEIZER - ECO STRONG PAINT STRIPPER - Chloride free

Water-soluble wood stripper, free from methylene chloride, aromatic compounds and methanol. It does not change the natural colour of wood. For Professional Use. Free from any commercial restriction.

Code	Desc.	Pack.
NAT0031	750 ml	06 pcs.
NAT0032	4 Lt	02 pcs.
NAT0033	20 Lt	





■ UNIVERSAL EXTRA STRONG STRIPPER - Chloride free

Extra-strong gel paint remover based on a special mixture of solvents suitable for any type of surface. Methylene chloride free, and therefore free from any commercial restrictions. Non-corrosive, it does not alter the natural colour of the surfaces on which it is applied. For Professional Use.

Code	Desc.	Pack.
0031-U	750 ml	06 pcs.
0032-U	4 Lt	02 pcs.
0033-U	20 Lt	



■ WOOD WHITENER - 1PK BLEACHER - Waterborne

Ready to use, Odourless, it is ideal for lightening and uniforming the tone of each type of wood, both indoors and outdoors. Good bleaching power. The intensity of the effects can be managed by simple dilution with water. Application by brush or spray. Keep from freezing.

Code	Desc.	Pack.
NAT0075	1Lt	12 pcs.
NAT0076	5 Lt	02 pcs.
ΝΔΤΩΩ75 25	25 I t	







WHITENING 2K SUPER CLEANER

Two-component product ideal for bleaching wooden surfaces. It does not require rinsing and does not alter the wood fibre, it contains caustic soda and hydrogen peroxide. Corrosive product, for Professional Use only.

	Desc.	Pack.
0062 / 0063	1Lt + 0,5Lt	12 pcs.
0068 / 0065	5Lt + 2,5Lt	02 pcs.
0066 / 0067	25Lt + 12,5Lt	









RADIKAL ABWACHSER

Extra Strong Wax Remover

Ideal product for total cleaning of all wooden surfaces. Its formulation attacks the old layers of wax quickly and completely, removing dirt and encrustations, without affecting the underlying paints.

Code	Desc.	Pack.
0042	250 ml	12 pcs.
0043	500 ml	12 pcs.
0044	1Lt	12 pcs.
0045	5 Lt	02 pcs.
0046	400 ml spray	12 pcs.



FURNITURE CLEANER (Möbelreiniger)

Intensive Polishing Cleaner for Wood

Polishing cleaner for any lacquered surface. Möbelreiniger is a mixture of precious mineral oils. Designed for removing streaks and greying due to the wear of surfaces and humidity. Thoroughly sanitizes and restores brightness.

Code	Desc.	Pack.
0015	250 ml	12 pcs.
0016	500 ml	12 pcs.
0017	1Lt	12 pcs.
0018	400ml spray	12 pcs.



■ WATERBORNE FURNITURE NEUTRAL DETERGENT - with Orange Essential Oil Intensive Cleaner for any varnished surface

Borma Neutral Furniture Cleaner is an ecological water-based product, ideal for the care of home furniture, polished or lacquered and for any type of interior wood. At neutral pH, it gently cleans the surfaces, removing stains and all types of dirt, while not affecting the wood finish. It protects and refreshes all types of furniture, leaving a pleasant orange scent.

Code	Desc.	Pack.
NAT0060	500 ml	12 pcs.
NAT0061	1Lt	12 pcs.
NAT0061.5	5 Lt	02 pcs.
NAT0061.25	25 Lt	







ABS EDGE CLEANER

Cleaner, degreaser for edges and profiles. Removes glues and halos after the gluing phase. Extra strong. For Professional use.

Code	Desc.	Pack.
4936	1Lt	12 pcs.
4937	5 Lt	02 pcs.
7,938	25 I t	



■ SILICON STOP - Anti-silicone cleaner

Ready to use, it effectively removes silicone residues from painted and / or lacquered surfaces. For Professional Use.

Code	Desc.	Pack.
4948	400 ml	12 pcs.
4945	1Lt	12 pcs.
4946	5 Lt	02 pcs.
4947	25 Lt	







MORDANT STAIN IN POWDER

Powder dyes, widely used in traditional restoration. They are applied in solution with water, in variable quantities depending on the desired tone intensity. For indoor use only.

Available Colours: Cherry 16 / Teak 17 / Light Walnut 53 / Medium Walnut 59 Mahogany 62 / Ebony-Wenge

Code	Desc.	Pack.
5660XX	500 gr.	12 pcs.
5661XX	1 Kn	12 ncs



■ SPIRIT STAIN - Alcohol-Based Wood Stain, ready for use, for Interiors

Fast drying, it stains every type of wood, enhancing its appearance.

Available Colours: 29 Light Cherry / 51 Light Oak / 52 Dark Oak / 53 Light Walnut / 59 Medium Walnut / 62 Mahogany / 63 Dark Walnut / 66 Dark Cherry

Code	Desc.	Pack.
0501XX	500 ml	12 pcs.
0500XX	1Lt.	12 pcs.
N5N2XX	51t	02 ncs



■ HOLZFARBE - Concentrated Colourant for use in Water or Solvent

Perfect stain for all internal wooden surfaces. All the available shades give brightness to the wood, enhancing its grain. The concentrate is ready for use and its characteristics make it the ideal substitute for the classic (aniline) powders, avoiding pre-processing and harmful inhalation of powders. The Concentrates can be diluted with thinner, alcohol, acetone or water with a maximum ratio of 1 to 6. Pure, after preliminary testing, it can be used as a dye for tinting transparent lacquers.

Naturaqua HOLZFARBE - Universal Stain Concentrate /Interiors and Exteriors

A Special water based liquid stain of high strength and light resistance used to colour directly raw wood as well to Tint Basecoats or Topcoats of the NATURAQUA RANGE. Due to its particular formula the stain can be used for Interior as Exterior projects, keeping a good colour brightness till a max suggested dilution ratio 1-1. Ready for use can be diluted with water, alcohol, acetone and other polar solvents, once dry allows to be overcoated with any type of lacquer waterborne, thinner based or PU.

Solvent		
Code	Desc.	Pack.
3000XX	250 ml	12 pcs.
3050XX	500 ml	12 pcs.
3100XX	1Lt	12 pcs.
3005XX	5 Lt	02 pcs.

Waterbased		
Code	Desc.	Pack.
NAT3000XX	250 ml	12 pcs.
NAT3000XX.1	1Lt	12 pcs.
NAT3000XX.5	5 Lt	02 pcs.
NAT3000XX.20	20 Lt	





Holzfarbe Colour Chart

120 Yellow

53 Light Walnut



62 Mahogany












140 Blue



60 Black

Available also: Cherry 30, Medium Walnut 59 and Wenge 146

Restoration





SHELLAC IN FLAKES

Orange, Ruby Red, Garnet Black, Transparent, Abtn

Natural shellac in flakes for the individual preparation of traditional polish and shellacs for restoration. Several versions available:

- 1 Naturally waxed: LE waxed ABTN
- 2 Dewaxed: NE Garnet Black, AR Orange, RU Ruby Red, TR Transparent.

They allow to obtain, without necessarily adding chemical dyes, chromatic shades of original diversity.

Code	Desc.
EC0011XX	1 Kg
EC0011.25	25 Kg



SHELLAC SANDING SEALER - Transparent

Borma Shellac Sanding Sealer is a natural Shellac Ssealer produced with clear dewaxed shellac of the best quality. Its high solid content creates the ideal surface for the traditional warm and shiny finishes of the classic style furniture. Transparent, it is recommended for the treatment of rustic furniture and light woods (pine). High filling power and sandability.

Code	Desc.	Pack.
5000	500 ml	12 pcs.
5001	1Lt	12 pcs.
5002	5 Lt	02 pcs.



■ SHELLAC SANDING SEALER BLONDE - Natural ABTN

Borma Shellac Sanding Sealer is a natural Shellac Sealer produced with natural blond shellac of the best quality. Its high solid content creates the ideal support for the traditional warm and shiny finishes of the classic style furniture. Amber colour. High filling power and sandablity.

Code	Desc.	Pack.
5004	500 ml	12 pcs.
5005	1Lt	12 pcs.
5006	5 Lt	02 pcs.
กกกร	/nn ml snrav	12 ncs



■ SHELLAC POLISH - Dewaxed

Based on pure natural dewaxed shellac, brighter than the traditional ABTN wax (thanks to its high solid content), it allows extremely bright and pleasant treatments on all internal wooden surfaces. Excellent build and easy to sand.

Available in Natural Versions: Garnet Black, Orange, Transparent, Ruby Red.

Orange

	Desc.	Pack.
0002AR	500 ml	12 pcs.
0003AR	1Lt	12 pcs.
0004AR	5 Lt	02 pcs.

Garnet Black

Code	Desc.	Pack.
0002NE	500 ml	12 pcs.
0003NE	1Lt	12 pcs.
0004NE	5 Lt	02 pcs.

Ruby Red

Code	Desc.	Pack.
0002RU	500 ml	12 pcs.
0003RU	1Lt	12 pcs.
0004RU	5 Lt	02 pcs.

Transparent

Code	Desc.	Pack.
0002TR	500 ml	12 pcs.
0003TR	1Lt	12 pcs.
0004TR	5 Lt	02 pcs.







BLOND FRENCH POLISH - ABTN 30%

Ready to use, based on ABTN natural waxed shellac, formulated following the most ancient painting traditions, it allows extremely bright and pleasantly soft treatments on all internal wooden surfaces. Amber in colour, it provides an intense and warm finish, especially for classical furniture. For special effects, Shellac polish can be easily dyed with the addition of Holzfarbe concentrate.

Code	Desc.	Pack.
0001	150 ml	12 pcs.
0002	500 ml	12 pcs.
0003	1Lt	12 pcs.
0004	5 Lt	02 pcs.



■ HARD TOP POLISH NATURAL - High Resistance Shellac Lacquer

A special polish based on dewaxed shellac, with superior chemical resistance compared to classic shellac lacquers. The high solid content, supported by completely natural resins, guarantees a superior seal over time and a lower sensitivity to humidity compared to classic shellac coatings. It is ideal for all those substrates subject to heavy wear and on which you want to keep the aesthetic uniqueness of shellac. Ready to use and colourless, it can be coloured with the addition of small quantities of concentrated Holzfarbe dye.

Code	Desc.	Pack.
3921N	500 ml	12 pcs.
3922N	1Lt	12 pcs.
3923N	5 Lt	02 pcs.
3921SN	400 ml spray	12 pcs.



FINISHING SPIRIT

Finishing Spirit is a special degreaser for shellac finishes. Used after the application of the varnish with a clean buffer, it is necessary to aid the uniformity and polishing of the substrate by eliminating the residues of the Lubricating Oil (Bio-Polierol).

	Desc.	Pack.
	500 ml	12 pcs.
3918	1Lt	12 pcs.
3919	5 Lt	02 pcs.



■ BIO-POLIERÖL - Special Lubricating Oil for Buffing

Bio-Polieröl is a special lubricating oil for shellac finishes. Ready to use, almost Odourless, non-toxic, a few drops poured in the application pad/buffer (shellac), helps to ensure smoothness and hinders the natural adhesion of the pad to the substrate, increasing the workability time.

Code	Desc.	Pack.
3965	500 ml	12 pcs.
3966	1Lt	12 pcs.
3967	5 Lt	02 pcs.







HOLZ 2000 - NATURAQUA HOLZ 2000 Waterborne

Wood Preservative

Especially for the preventive treatment and care of wooden surfaces subject to the attack of harmful agents. Odourless, available also in waterbased version.

Traditional

Code	Desc.	Pack.
0080	100 ml with syringe	12 pcs.
0081	100 ml without syringe	12 pcs.
0082	250 ml with syringe	12 pcs.
0083	250 ml without syringe	12 pcs.
0084	1Lt	12 pcs.
0085	5 Lt	02 pcs.
0087	10 Lt	
0086	20 Lt	

Waterbased

Code	Desc.	Pack.
NAT0080	100 ml with syringe	12 pcs.
NAT0081	100 ml without syringe	12 pcs.
NAT0082	250 ml with syringe	12 pcs.
NAT0083	250 ml without syringe	12 pcs.
NAT0084	1Lt	06 pcs.
NAT0085	5 Lt	02 pcs.
NAT0087	10 Lt	
NAT0086	20 Lt	







■ HOLZ HÄRTER – Consolidating Agent for Wood

Ideal product for reinforcing wood fibres weakened by wear and tear or by harmful agents in general. Quick drying, perfectly transparent, it penetrates deeply and seals the wood, recreating its original consistency, protecting it from future damage.

Code	Desc.	Pack.
0641	500 ml	12 pcs.
0642	1Lt	12 pcs.
0643	5 Lt	02 pcs.



ANTIK PATINA

Patina based on Judaic bitumen ideal during the restoration phase to recreate a precious antique-looking patina on furniture and wooden items in general. It can also be used as a stain on raw wood or to provide an antique look to gold or surfaces treated with chalk paint.

Code	Desc.	Pack.
3560	500 ml	12 pcs.
3561	1Lt	12 pcs.
3562	5 Lt	02 pcs.
3559	400 ml Spray	12 pcs.



■ BASECOAT GEL

Non-yellowing Nitro gel basecoat, easy to sand. Its natural consistency avoids dripping and makes it ideal for vertical applications or for restoration phases on furniture in general. Excellent as a fixative for dyes.

Code	Desc.	Pack.
0650	250 ml	12 pcs.
0652	750 ml	06 pcs.
0655	5 Lt	02 pcs.



BORMA NC-LACK

Traditional single-component, nitro-based lacquer for finishing classic style furniture with high transparency and resistance. Quick drying.

Code	Desc.	Pack.
0620	250 ml	12 pcs.
0621	750 ml	06 pcs.
0622	5 Lt	02 pcs.







■ HOLZWACHS - Beeswax in Paste

Based on pure beeswax and carnauba, it nourishes, regenerates, protects and polishes all types of interior wood and is particularly suitable for fine and stylish furniture.

Cert. EN 71 (par. III). Leaves a pleasant honey scent.

Available Colours: 120 Yellow, 02 Natural Oak, 51 Medium Oak, 52 Dark Oak, 14 Ancient Walnut, 53 Light Walnut, 59 Medium Walnut, 63 Dark Walnut, 30 Cherry, 62 Mahogany, 60 Black, 08 Neutral, Antique Brown, 58 Rosewood, 42 Beech, 147 Honey, Red, 17 Teak, 146 Wenge, 48 Medium Oak.

Cert. EN 71 Par.III.

Code	Desc.	Pack.
0120XX	500 ml.	06 pcs.
0150XX	1Lt.	06 pcs.
0170XX	5 Lt.	02 pcs.
0190XX	20 Lt.	
0215XX	400 ml. Sprav	12 pcs.





■ HOLZWACHS LIQUID - Liquid Beeswax

Based on pure beeswax and carnauba it nourishes, regenerates, protects and polishes all types of interior wood. In liquid form it is particularly easy to apply (ideal for the maintenance of furniture or indoor surfaces).

Available Colours: 147 Honey, 120 Yellow, 02 Natural Oak, 51 Medium Oak,

52 Dark Oak, 53 Light Walnut, 59 Medium Walnut, 63 Dark Walnut, 29 Light Cherry, 66 Dark Cherry, 62 Mahogany, 08 Neutral, Antique Brown, Dark Brown, 60 Black, 51 Light Oak.

Cert. EN 71 Par.III.

Code	Desc.	Pack.
0210XX	250 ml.	12 pcs.
0220XX	500 ml.	12 pcs.
0250XX	1Lt.	06 pcs.
0270XX	5 Lt.	02 pcs.
0290XX	20 Lt.	





NATURAQUA HOLZWACHS - Beeswax in Paste - Waterbased

Based on natural waxes it is water-soluble, formaldehyde-free and it protects and polishes all types of interior wood. Formulated with light-resistant and stable colours it is particularly suitable for fine and stylish furniture. Leaves a nice softness with a pleasant scent.

Available Colours: 120 Yellow, 51 Light Oak, 48 Medium Oak, 52 Dark Oak,

14 Ancient Walnut, 53 Light Walnut, 59 Medium Walnut, 63 Dark Walnut, 16 Cherry, 62 Mahogany, 11 Antique Brown, 60 Black, 70 Transparent.

Cert. EN 71 Par.III.

Code	Desc.	Pack.
NAT0120XX	375 ml.	06 pcs.
NATO150XX	750 ml.	06 pcs.
NAT0170XX	5 Lt.	02 pcs.
NAT0190XX	20 Lt.	









■ NATURAQUA HOLZWACHS LIQUID - Liquid Beeswax - Waterbased

Natura Holzwachs Liquid is a natural wax dispersed in water, ready to use and easy to apply. Formaldehyde free, it nourishes and protects every wooden surface giving a pleasant and soft protective coat with antistatic properties. Natura Holzwachs pigmented with light-resistant colours is stable over time and ideal for the restoration of fine furniture.

Available Colours: 120 Yellow, 51 Light Oak, 48 Medium Oak, 51 Light Walnut, 59 Medium Walnut, 63 Dark Walnut, 29 Light Cherry, 66 Dark Cherry, 62 Mahogany, 60 Black, 70 Transparent.

	•	
Code	Desc.	Pack.
NATO210XX	250 ml.	12 pcs.
NATO220XX	500 ml.	12 pcs.
NATO250XX	1Lt.	06 pcs.
NATO270XX	5 Lt.	02 pcs.
NATO290XX	20 Lt.	











BORWAX

Blend of beeswax and carnauba. Ready to use, it protects and enriches all types of interior wood. Very fast drying. For Professional Use only.

Available colours: 08 Neutral, 11 Antique Brown, Medium Brown, Dark Brown, 29 Light Cherry, 66 Dark Cherry, 120 Yellow, 147 Honey, 62 Mahogany.

Code	Desc.	Pack.
0380XX	500 ml.	06 pcs.
0385XX	51t	02 ncs

■ ANTIKWACHS - High Solid Encaustic Wax

Special wax for encaustic processes with high dry residue based on beeswax and carnauba. Of high quality, it allows to obtain very soft and pleasantly shiny finishes even on unfinished substrates. Cert. EN 71 (par. III) and for indoor use only. The different shades can be mixed together and can be further customised with small additions of Antique Patina.

Available Colours: 120 Yellow, 02 Light Oak, 51 Medium Oak, 52 Dark Oak, 53 Light Walnut, 59 Medium Walnut, 63 Dark Walnut, 29 Light Cherry, 66 Dark Cherry, 62 Mahogany, 11 Antique Brown, 08 Neutral.

Cert. EN 71 Par.III.

Code	Desc.	Pack.
3420XX	500 ml.	06 pcs.
3450XX	5 Lt.	02 pcs.



A beautifully lubricated paste mixture of beeswax and carnauba enriched with oils. Special formula for finishing or revitalizing oil-treated substrates. Excellent resistance, polished, it enables the creation of patinated effects and extraordinary softness.

Available Colours: 08 Neutral, 53 Light Walnut, 16 Cherry-Pearwood

Cert. EN 71 Par.III.

Code	Desc.	Pack.
2960XX	750 ml	06 pcs.
2965XX	2,5 Lt	02 pcs.
2965.5XX	5 Lt.	02 pcs.
2970XX	10 Lt	

■ MOBILCERA - Furniture Creamy Wax Polish

Mobilcera interior cream easily restores a pleasant shine to worn and opaque furniture. Its sanitising power protects the treated surfaces from wear and harmful agents.

Code	Desc.	Pack.
0400	250 ml.	12 pcs.
0401	500 ml.	12 pcs.
0402	1Lt.	12 pcs.

TON CHILDREN









■ TOP FIX - Fixing Spray for Wax Finishes

Ready-to-use and highly transparent natural resin mixture is ideal for fixing and protecting encaustic waxy patina on rough woods. Seals and uniforms the satin effect of waxes, avoiding colour releases and risk of stains.

Code	Desc.	Pack.
3680	400 ml spray	12 pcs.







LIMING WAX - White Pigmented Wax

Wax formulated with pure beeswax and carnauba, enriches and nourishes every wooden surface. With its pigments it protects giving an antique – limed effect to the treated furniture. Ideal for finishes on oak and ash. Allows customised colour effects with the addition of Boma Oil Pigment Pastes.

Cert. EN 71 Par.III.

Code	Desc.	Pack.
4580	375 ml	06 pcs.
4582	5 Lt	02 pcs.





PURE BEESWAX

Borma Natural Beeswax is extremely pure and of the highest quality, cleaned of most impurities it has a low oil content and confers a soft touch without compromising its elasticity. Golden yellow in colour, slightly characterised by its typical aroma, it is perfect for candles or for waxy patinas.

Code	Desc.	Pack.
0095	200 gr. (tablets)	06 pcs.
0096	5 Kg. (slabs)	



■ SLIPPERWAX - 100% Pure

Paraffin, refined, translucent white, Odourless, slightly oily at the touch, perfect for making candles. Thanks to its known insolubility in water and its resistance to chemical agents, it is excellent as an additive in the formulation for wood encaustics. Excellent as a surface lubricant to be applied between substrates at risk of friction.

Code	Desc.	Pack.
0090	200 gr. (tablets)	06 pcs.
0090LA	5 Kg. (slabs)	



Beeswax Colour Chart






146

Dark Teak




Oils & Complements











Borma Wachs Straw Oil is an oil of complete vegetable origin, widely used in the field of restoration. It is suitable in the cleaning, polishing and restoring phases of the timber thanks to its excellent penetrating power. In the red version it is excellent for restoring the original colour of wood and stone.

Straw oil

Code	Desc.	Pack.
NAT4978.200	200 ml.	12 pcs.
NAT4979	500 ml.	12 pcs.
NAT4980	1Lt.	12 pcs.
NAT4980.5	5 Lt.	02 pcs.

Red oil

Code	Desc.	Pack.
NAT4978R0.200	200 ml.	12 pcs.
NAT4979R0	500 ml.	12 pcs.
NAT4980R0	1Lt.	12 pcs.
NAT4980.5R0	5 Lt.	02 pcs.



VASELINE OIL

Vaseline Oil from the Borma Wachs range is a mineral oil of the highest purity, appreciated for its transparency, and the total absence of smell, colour and flavour. Always used as a lubricant, it can also be used in the treatment of wood or other porous materials, granting excellent water repellency. Suitable for oenological use.

Code	Desc.	Pack.
4958.200	200 ml.	12 pcs.
4958.500	500 ml.	12 pcs.
4958	1Lt.	12 pcs.
4958 5	51+	N2 ncc



RESTORING OIL

Special waxy oil for antique furniture with high reviving and protective power. Thanks to the different shades it revives and repairs small imperfections in a single step.

Yield:

- On raw soft woods 20 m² / Lt
- On raw hard woods 40 m² / Lt
- On lacquered woods 160 m² / Lt

Code	Desc.	Pack.
0410XX	150 ml.	12 pcs.
0420XX	500 ml.	12 pcs.
0450XX	1Lt.	12 pcs.
0470XX	5 Lt.	02 pcs.



Restoring Oil Colours colours:

08 Light



59 Medium



63 Dark



62 Mahogany



OILS & COMPLEMENTS





SHELLAC 94° - Special Thinner for Shellac

Thinner for shellac with high solvent power. Quick drying, no greyness. Colourless.

Code	Desc.	Pack.
AL94.1	1Lt.	12 pcs.
AL94.5	5 Lt.	02 pcs.
AL94.25	25 Lt.	



SHELLAC 99° - Special Thinner for Shellac

Thinner for shellac with high solvent power. Quick drying, no greyness. Colourless.

·		
Code	Desc.	Pack.
AL99.1	1Lt.	12 pcs.
AL99.5	5 Lt.	02 pcs.
AL99.25	25 Lt.	



SHELLAC 100° - Special Thinner for Shellac

Colourless thinner for shellac with high solvent power. Quick drying, neutrality of tone for perfectly transparent finishes

transparent inneries.		
Code	Desc.	Pack.
AL100.1	1Lt.	12 pcs.
AL100.5	5 Lt.	02 pcs.
ΔΙ 100 25	25 I t	



LUBRICANT FOR WOOD

For DIY, Professional and Industrial use.

Code	Desc.	Pack.
3851	1 Lt.	12 pcs.
3850	5 Lt.	02 pcs.
3855	25 Lt.	



■ PURE GUM TURPENTINE

Pure thinner of vegetable origin.

Code	Desc.	Pack.
0114	1Lt.	12 pcs.
0115	5 Lt.	02 pcs.
0116.25	25 Lt.	




■ SOLWACHS - Odourless Thinner for Wax

Suitable for the preparation of polishing waxes or for diluting waxes in paste.

Code	Desc.	Pack.
0110	1Lt.	12 pcs.
0104	5 Lt.	02 pcs.
0117	25 Lt.	



Products for Stone





PRODUCTS FOR STONE

■ STONE COAT

Revitalising product for marble, travertine, stone, granite and agglomerates, fast drying, it gives a 'wetlook' effect, emphasizing the colour. It is suitable for polished, brushed and rough surfaces. Easy to apply and maintain. Indoor / outdoor use.

Also available in a high performing version, special for concrete -> Borma Pro

Code	Desc.	Pack.
5050	1Lt.	06 pcs.
5050.5	5 Lt	02 pcs.
5050.20	20 Lt	

Matt		
Code	Desc.	Pack.
5050-10	1Lt.	06 pcs.
5050.5-10	5 Lt	02 pcs.
5050.20-10	20 Lt	



K2 MARBLE FILLER

Two-component high density filler, specially for marble. Thanks to its natural consistency, it enables vertical applications. It gives excellent adhesion to any marble slabs. Colour: 50 White. Catalysis ratio: 2K MARBLE - 100 gr./Hardener 2.5 gr.

Code	Desc.	Pack.
1600	125 ml	12 pcs.
1610	750 ml	06 pcs.



K2 METAL FILLER

Extra-fine two-component filler, easy to sand for metal surfaces. High consistency, applied by spatula, it generates a porosity-free surface with great flexibility to ensure excellent adhesion on any imperfection. Indoor / outdoor use.

Catalysis ratio: 2K METAL - 100 gr./Hardener 2.5 gr.

Code	Desc.	Pack.
1620	125 ml	12 pcs.
1630	750 ml	06 pcs.




■ CERA NEUTRO UNIVERSAL - Universal Neutral Wax

Special neutral wax paste for wood, Venetian plaster, parquet and marble. For internal use, perfectly transparent, high gloss. Almost Odourless.

Code	Desc.	Pack.
0100	500 ml	06 pcs.
0101	1Lt	06 pcs.
0102	5 Lt	02 pcs.







Based on natural waxes dispersed in water, formaldehyde-free, it nourishes and regenerates, it is ideal for polishing Venetian plaster. Water soluble, it leaves a pleasant surface softness with a nice scent.

Code	Desc.	Pack.
0107	375 ml	06 pcs.
0108	750 ml	06 pcs.
0109	5 Lt	02 pcs.
0112	15 Lt	









■ METALWACHS - Self Polishing Liquid Floor Wax

Ready to use, self-polishing waterborne wax, it is ideal for marble floors, tiles, linoleum and plastic materials. Spread evenly and let dry, it gives a pleasant protective coat with high gloss. Odourless, internal use. Keep from freezing.

Code	Desc.	Pack.
2950	1Lt	12 pcs.
2951	5 Lt	02 pcs.





■ WAX FOR TERRACOTTA - Waterborne, Self-Polishing

Special liquid water-based wax for Florentine terracotta. Self-polishing, high polymer content, it closes the pores and waterproofs the treated surfaces. Odourless and for internal use. Keep from freezing.

Code	Desc.	Pack.
0671	1Lt	12 pcs.
0672	5 Lt	02 pcs.



+5°C +30°C



■ LA ROSSA - Self-Polishing Waterborne Wax for Gres and Bricks

Odourless, water-based wax, specially formulated for the polishing and maintenance of Gres stoneware and brick floors

Code	Desc.	Pack.
0680	1Lt	12 pcs.
0681	5 Lt	02 pcs.





■ UNICA - Wax and Cleaner for Stone Floors

Easy-to-use water-based cleaning and care product. Pleasantly scented and non-slip, it is used for the cleaning and protection of marble, concrete, stoneware and plastic material floors. Not suitable for wood and cork.

Code	Desc.	Pack.
0685	1Lt	12 pcs.
0686	5 Lt	02 pcs.






Gilding

Classical, Modern and Industrial Gilding

Classical gilding is a technique and an art. It can be easily defined as "orthodox", both for strictness of its rules and for sanctity of its traditional application context. At the same time gilding is modern, because gold's beauty cannot be left out of more relevant and unconstrained contemporary rendition.







LEAVES & ROLLS

■ GOLD LEAF

Gold 24 kt.

Code	Desc.	Pack.
CDO66009	19,5 gr. book.	25 leaves 8x8
CDO660T09	19,5 gr. transfer	25 leaves 8x8

Gold 22 kt.

Code	Desc.	Pack.
CDO66001	13,5 gr. book.	25 leaves 8x8
CDO660T01	13,5 gr. transfer	25 leaves 8x8

Ducat Double Gold 23 kt.

Code	Desc.	Pack.
CDO66002	15,5 gr. Book	25 leaves 8x8
CDO660T02	15,5 gr. transfer	25 leaves 8x8

Rosenoble Double Gold 23,75 Kt

Code	Desc.	Pack.
CDO66003	17 gr. book	25 leaves 8x8
CDO660T03	17 gr. transfer	25 leaves 8x8

Gold Leaf Special prod. Russia 23 kt.

Code	Desc.	Pack.
CDO66004	1,25 gr. book	60 leaves 9,15 x 9,15

Gold Leaf Special prod. Russia 23 kt.

Code	Desc.	Pack.
CDO66005	2,5 gr. book	60 leaves 9,15 x 9,15



■ SILVER LEAF

Code	Pack.
CD066A01	25 leaves book. 9,5 x 9,5
CD066AT01	25 transfer leaves 9,5 x 9,5









Code	Pack.
CDO66006	25 leaves 14 x 14
CDO66006.500	500 leaves 16 x 16
CDO66006 10000	10 000 16 x 16





■ IMITATION SILVER LEAF

Code	Pack.
CDO66A07	25 leaves lib. 14 x 14 cm
CDO66A08	500 leaves 16 x 16 cm
CDO66A09	5000 leaves 16 x 16 cm



■ IMITATION BRONZE LEAF

Code	Pack.
CDO66B01	25 leaves book. 14 x 14 cm
CDO66B02	500 leaves 16 x 16 cm
CDO44B02 10000	10000 Jeaves 16 v 16 cm



■ IMITATION GOLD ROLL "2,5"

Code	Size
CDO660R11	1 cm x 50 mt
CDO660R12	2,5 cm x 50 mt
CDO660R13	5 cm x 50 mt
CDO660R14	10 cm x 50 mt
CDO660R15	15.8 cm x 50 mt



■ IMITATION SILVER ROLL

Code	Dim.
CDO66AR11	1 cm x 50 mt
CDO66AR12	2,5 cm x 50 mt
CDO66AR13	5 cm x 50 mt
CDO66AR14	10 cm x 50 mt
CDO66AR15	15,8 cm x 50 mt



■ LEAF COVERAGE INFORMATION:

Gold leaf size	Leaves per m ²
80 x 80 mm	180 leaves
91,5 x 91,5 mm	137 leaves
140 x 140 mm	100 leaves
160 x 160 mm	90 leaves

■ GOLD ROLL COVERAGE INFORMATION:

Roll	Width	Length	m ²	
1	10 cm	50 mt.	1,90	
1	5 cm	50 mt.	0,95	
1	2,5 cm	50 mt.	0,47	
1	1cm	50 mt.	0,19	

SOFTWAX STICK

Special softwax with metallic powders, perfect for easy and quick repairs.

Code	Description	Pack
CDO1011	Gold 30 gr.	10 Pcs
CDO1015	Silver 30 gr.	10 Pcs
CDO1012	Ducat gold 30 gr	10 Pcs



HARDWAX STICK

High hardness, non-shrinking Hardwax. Ideal for fixtures, synthetic and modern surfaces. 95 °melting point and light-stable colours.

Code	Desc.	Pack
CDO120012	Ducat gold 20 gr.	10 Pcs
CDO120011	Gold 20 gr.	10 Pcs
CDO120015	Silver 20 gr.	10 Pcs
CDO120019	Gold Silver 20 gr.	10 Pcs
CDO120020	Copper 20 gr.	10 Pcs



COLOUR EDGING PEN

Metallic marker for quick and easy repairs.

Code	Description	Pack
CDO0711	Gold	10 Pcs
CDO0715	Silver	10 Pcs
CDO0712	Ducat Gold	10 Pcs



■ TOUCH UP SPRAY - Gold

Non-yellowing acrylic mixed with gold powder for the invisible and safe retouching of scratches or imperfections on golden/ silver surfaces.

Glossy

Code	Description	Pack.
CDO0611-90	GOLD	12 pcs.
CDO0612-90	DUCAT GOLD	12 pcs.
CDO0615-90	SILVER	12 pcs.

Matt

Code	Description	Pack.
CDO0611-30	GOLD	12 pcs.
CDO0612-30	DUCAT	12 pcs.
CDO0615-30	SILVER	12 pcs.







■ GOLD SHELL - Water Soluble

Shell of real gold powder mixed with Arabic gum, water-soluble, for the restoration of real gold surfaces.

Code	Description
CDO66C01	23,75 Kt (gr. 0,4)

■ SILVER SHELL - Water Soluble

Shell of real silver powder mixed with Arabic gum, water-soluble, for the restoration of real silver surfaces.

Code	Description
CDO66C10	fine gr. 1,1



GOLD TOUCH UP

Non-yellowing acrylic paint mixed with metal powders for the invisible and durable retouching of scratches or imperfections on gold, silver and ducat surfaces.

Available in Gloss and Semi-Matt.

Gloss

Code	Description	Pack.
CDO201011-90	30 ml Gold	10 pcs.
CDO201015-90	30 ml Silver	10 pcs.
CDO201012-90	30 ml Ducat Gold	10 pcs.

Semi-Matt

Code	Description	Pack.
CDO201011-30	30 ml. Gold	10 pcs.
CDO201015-30	30 ml Silver	10 pcs.
CDO201012-30	30 ml Ducat Gold	10 pcs.



MATURAQUA GOLD TOUCH UP

Non-yellowing waterbased acrylic paint mixed with metal powders for the invisible and durable retouching of scratches or imperfections on gold, silver and ducat surfaces. Available in gloss and Semi-Matt.

Gloss

Code	Description	Pack.
NATCDO201011-90	30 ml Gold	10 pcs.
NATCDO201015-90	30 ml Silver	10 pcs.
NATCDO201012-90	30 ml Ducat Gold	10 pcs.

Semi-Matt

Code	Description	Pack.
NATCDO201011-30	30 ml Gold	10 pcs.
NATCDO201015-30	30 ml Silver	10 pcs.
NATCDO201012-30	30 ml Ducat Gold	10 pcs.





BOLE - GYPSUM - GOLDSIZE

■ BOLE - Yellow, Red, Black

Ready for use Natural Bole for the preparation of the surface to be laminated. It increases the surface adhesion of the leaf and characterizes the warmth of the finish.

Code	Desc.	Pack.
CDO6800XX	250 gr.	06 pcs.
CDO6820XX	500 gr.	06 pcs.
CDO6850XX	1 Kg.	06 pcs.
CDO6870XX	5 Kg.	02 pcs.



■ BOLOGNA GYPSUM - Powder

Code	Desc.	Pack.
CDO6562	1 Kg.	06 pcs.
CDO6565	25 Kg.	



FRENCH GYPSUM - Powder

Code	Desc.	Pack.
CDO6563	1 Kg.	06 pcs.
CDO6566	25 Kg.	



■ ACRYLIC GESSO PRIMER - White, for Gilding

Code	Desc.	Pack.
CDO6500	250 gr.	12 pcs.
CDO6520	500 gr.	12 pcs.
CDO6550	1 Kg.	06 pcs.
CDO6570	5 Kg.	02 pcs.
CDO6580	25 Kg.	




OIL GOLDSIZE 12 H.

Oil Goldsize for the application of Gold Leaf, indoor/outdoor.

Code	Desc.	Pack.
CDO6840	250 ml.	12 pcs.
CDO6841	500 ml.	12 pcs.
CDO6842	1Lt.	12 pcs.
CDO6843	5 Lt.	02 pcs.
CDO6845	20 Lt.	







Acrylic waterbased glue for the application of Gold Leaf. Indoor use.

Code	Desc.	Pack.
CDO6801	150 ml.	12 pcs.
CDO6802	500 ml.	12 pcs.
CDO6803	1Lt.	12 pcs.
CDO6804	5 Lt.	02 pcs.
CDO6805	15 Lt.	
CDO6806	25 Lt.	





SOLVENT BASED GOLDSIZE

Solvent based glue for gilding, fast drying, indoor/outdoor use.

Code	Desc.	Pack.
CDO6830	250 ml.	12 pcs.
CDO6831	500 ml.	12 pcs.
CDO6832	1Lt.	12 pcs.
CDO6833	5 Lt.	02 pcs.
CDO6834	10 Lt.	
CDO6835	20 Lt.	



■ RABBIT SKIN GLUE - Water-Soluble

Natural rabbit skin glue for the application of Gold Leaf or restoration of wooden items.

Code	Desc.
CDOCOLLAC	1 Kg.
CDOCOLLAC25	25 Kg.



■ BONE GLUE - Water-Soluble

Natural bone glue for traditional restoration of high quality furniture.

Code	Desc.
CDOCOLLAP	1 Kg.
CDOCOLLAP25	25 Kg.



FISH GLUE

Natural fish glue for the application of Gold Leaf or restoration of wooden items.

Code	Desc.
CDOCOLLAPS	1 Kg.
CDOCOLLAPS25	25 Kg.



SEALERS AND BASECOATS

SHELLAC IN FLAKES

Orange, Ruby Red, Garnet Black, Transparent, ABTN Lemon

Natural shellac flakes for the preparation of polishing lacquers or restoration complements. Different versions available:

1 Natural waxed: LE ABTN Lemon

2 Dewaxed: NE Garnet Black, AR Orange, RU Ruby Red, TR Transparent. Used to obtain original chromatic shades without the use of chemical dyes.

Code	Desc.
0011XX	1 Kg
0011XX.25	25 Kg



ZAPON GILDING INTERMEDIATE INSULATOR NATURAL

Transparent natural gilding insulator, to be applied on Zapon 2K Basecoats as correct promoter of adhesion for Waterbased Goldsize.

Code	Desc.	Pack.
CDO6100-N	1Lt.	06 pcs.
CDO6101-N	5 Lt.	02 pcs.
CDO6102-N	400 ml. spray	12 pcs.



ZAPON GILDING INTERMEDIATE INSULATOR

Insulator for gilding, to be applied on Zapon 2K basecoats as correct promoter of adhesion for Waterbased Goldsize. Coloured, it enhances the liveliness of the metal leaf. Available in colours: Neutral, Yellow (for imitation Gold Leaf), Red (for imitation Bronze/Gold Leaf), Black (for imitation Silver Leaf).

Code	Desc.	Pack.
CDO6100XX	1Lt.	06 pcs.
CDO6101XX	5 Lt.	02 pcs.
CDO6102XX	400 ml. spray	12 pcs.



ZAPON GILDING INTERMEDIATE INSULATOR METAL

Insulator for gilding, to be applied on Zapon 2K basecoats as correct promoter of adhesion for Waterbased Goldsize. Metallic, it guarantees perfect uniformity of the base and facilitates the application of leaves in complex carvings. Available in colours: Gold, Silver.

Code	Desc.	Pack.
CDO6100XX-M	1Lt.	06 pcs.
CDO6101XX-M	5 Lt.	02 pcs.
CDO6102XX-M	400 ml. spray	12 pcs.







ZAPON 2K ACRYLIC BASECOAT

Acrylic primer, characterised by excellent coverage and surface hardness. Perfect as a primer on all types of wooden surfaces. Coloured, it is ideal for furniture finishes or other solid-coloured products. The product must be catalysed with 15% HA.059 if transparent and 20% if coloured (percentages by weight). Available in colours: Neutral, White, Black. Upon request: Red, Yellow

Code	Description	Desc.	Pack.
CDO392FAN.1	Black	1Lt.	06 pcs.
CDO392FAN.5	Black	5 Lt.	02 pcs.
CDO392FAN.25	Black	25 Lt.	
CDO552FAB.1	White	1Lt.	06 pcs.
CDO552FAB.5	White	5 Lt.	02 pcs.
CDO552FAB.25	White	25 Lt.	
CDO500FAT.1	Transparent	1Lt.	06 pcs.
CDO500FAT.5	Transparent	5 Lt.	02 pcs.
CDO500FAT.25	Transparent	25 Lt.	

Catalyst used at 15% ratio with Transparent Basecoat and at 20% ratio with the coloured Basecoats

Code	Desc.	Pack.
CDO059HA.200	200 ml.	12 pcs.
CDO059HA.1	1Lt.	06 pcs.
CDO059HA.5	5 Lt.	02 pcs.

CATALYST FOR ZAPON 2K ACRYLIC BASECOAT

(percentage by weight).

ZAPON 2K POLYURETHANE BASECOAT

Polyurethane basecoat, especially gilding. Characterised by excellent coverage and surface hardness, it allows you to obtain smooth surfaces with ease and speed to enhance the metallic effect. The product must be catalysed with HA.003 at 50% by weight for Transparent Basecoat and with HA.007at 40% by weight for Coloured Basecoats. Available Colours: Transparent, White, Black.

Code	Description	Desc.	Pack.
CDO010FPN.1	Black	1Lt.	06 pcs.
CDO010FPN.5	Black	5 Lt.	02 pcs.
CDO010FPN.25	Black	25 Lt.	
CDO010FPB.1	White	1Lt.	06 pcs.
CDO010FPB.5	White	5 Lt.	02 pcs.
CDO010FPB.25	White	25 Lt.	
CD0010FPT.1	Transparent	1Lt.	06 pcs.
CD0010FPT.5	Transparent	5 Lt.	02 pcs.
CDO010FPT.25	Transparent	25 Lt.	

CATALYST FOR ZAPON 2K POLYURETHANE BASECOAT

Catalyze at 50% by weight for the Transparent Basecoat with HA.003 and 40% by weight for the Coloured version with HA.007.

For Transparent

i or iranoparent			
Code	Desc.	Pack.	
CDO003HA.0,5	0,5 Lt.	06 pcs.	
CDO003HA.2,5	2,5 Lt.	02 pcs.	
CDO003HA.12,5	12,5 Lt.		

For Coloured

Code	Desc.	Pack.
CDO007HA.0,5	0,5 Lt.	06 pcs.
CDO007HA.2,5	2,5 Lt.	02 pcs.
CDO007HA.12,5	12,5 Lt.	

ZAPON-LACK BASECOAT

High solid ready-to-use single-component basecoat specfically for gilding. Characterised by excellent coverage and surface hardness, it ensures leveled surfaces to enhance the metallic effect. Transparent version available.

Code	Desc.	Pack.
CDO021FNH.1	1Lt.	06 pcs.
CDO021FNH.5	5 Lt.	02 pcs.
CDO021FNH.25	25 Lt.	







PATINAS & COSMETICS

■ IMITATION GOLD POWDER

Imitation Gold Powder

Code	Desc.	Pack.
CDO4642	250 gr.	06 pcs.
CDO4642.1	1 Kg.	06 pcs.
CDO4642.5	5 Kg.	02 pcs.

Imitation Silver Powder

Code	Desc.	Pack.
CDO4645	250 gr.	06 pcs.
CDO4645.1	1 Kg.	02 pcs.
CDO4645.5	5 Kg.	01 pcs.

Imitation Ducat Gold Powder

Code	Desc.	Pack.
CDO4644	250 gr.	06 pcs.
CDO4644.1	1 Kg.	06 pcs.
CDO4644.5	5 Kg.	02 pcs.

Copper Powder

Code	Desc.	Pack.
CDO4643	250 gr.	06 pcs.
CDO4643.1	1 Kg.	06 pcs.
CDO4643.5	5 Kg.	02 pcs.



■ GILDING FAST PATINA

Professional product, mainly used to obtain decorative decapé effects. Thanks to its special formulation, the product can be applied without problems on PU, acrylic, UV primers. It is suitable for any type of wooden surface. It can be partially removed, leaving the patina only in the desired areas of the surface.

Fast Patina Gold 11 1Lt

Code	Desc.	Pack.
CDO70020	1Lt.	06 pcs.
CDO70020.5	5 Lt.	02 pcs.
CDO70020.25	25 Lt.	

Fast Patina Gold Leaf 11/F

Code	Pack.	Pack.
CDO70020-F	1Lt.	06 pcs.
CDO70020-F.5	5 Lt.	02 pcs.
CDO70020-F.25	25 Lt.	

Fast Patina Warm Gold 12

Code	Desc.	Pack.
CDO70020C	1Lt.	06 pcs.
CDO70020C.5	5 Lt.	02 pcs.
CDO70020C.25	25 Lt.	

Fast Patina Cold Gold 19

Code	Pack.	Pack.
CDO70020F	1Lt.	06 pcs.
CDO70020F.5	5 Lt.	02 pcs.
CDO70020F.25	25 Lt.	

Fast Patina Silver 15

Code	Pack.	Pack.
CDO7002A	1Lt.	06 pcs.
CDO7002A.5	5 Lt.	02 pcs.
CDO7002A.25	25 Lt.	

Fast Patina Silver Leaf 15/F

Code	Pack.	Pack.
CDO7002A-F	1Lt.	06 pcs.
CDO7002A-F.5	5 Lt.	02 pcs.
CDO7002A-F.25	25 Lt.	

Fast Patina Copper 20

Code	Pack.	Pack.
CDO7002RA	1Lt.	06 pcs.
CDO7002RA.5	5 Lt.	02 pcs.
CDO7002RA.25	25 Lt.	

Fast Patina White 50

Code	Pack.	Pack.
CDO7002BI	1Lt.	06 pcs.
CDO7002BI.5	5 Lt.	02 pcs.
CDO7002BI.25	25 Lt.	

Fast Patina Black 60

Code	Pack.	Pack.
CDO7002NE	1Lt.	06 pcs.
CDO7002NE.5	5 Lt.	02 pcs.
CDO7002NE.25	25 Lt.	

Code	Pack.	Pack.
CDO7002BI	1Lt.	06 pcs.
CDO7002BI.5	5 Lt.	02 pcs.
CDO7002BI.25	25 Lt.	







Warm Gold 12



Gold Leaf 11F



Gold 11



Cold Gold 19



Silver Leaf 15F







Black 60





■ METALCROM - CHROME EFFECT

Metalcrom is a chrome metallic effect, suitable for all types of wood and lacquered surfaces. The finish becomes particularly bright on completely smooth substrates, on which the special formulation of the product allows a mirror effect finish to be achieved.

Available Colours: Gold 11, Warm gold 12, Silver15.

0			

Code	Desc.	Pack.
CDO70220	1Lt.	06 pcs.
CDO70220.5	5 Lt.	02 pcs.
CDO70220.25	25 Lt.	

Warm Gold 12

Code	Desc.	Pack.
CD070220C	1Lt.	06 pcs.
CD070220C.5	5 Lt.	02 pcs.
CD070220C 25	25 I t	

Silver 15

Code	Desc.	Pack.
CDO7022A	1Lt.	06 pcs.
CDO7022A.5	5 Lt.	02 pcs.
CDO7022A.25	25 Lt.	



Gold 11



Warm Gold 12



Silver 15



■ JUDAIC BITUMEN - Liquid

Gilding ageing patina

Code	Desc.	Pack.
CDO6730	250 ml.	06 pcs.
CDO6731	500 ml.	06 pcs.
CDO6732	1Lt.	06 pcs.
CDO6733	20 Lt.	



GILDING PATINA

Natural beeswax for polishing and protecting golden substrates. Available in: gold, ducat gold, silver.

Code	Description	Desc.	Pack.
CDO6711	GOLD	300 ml.	06 pcs.
CDO6712	DUCAT GOLD	300 ml.	06 pcs.
CDO6715	SILVER	300 ml.	06 pcs.



BITUMINOUS BEESWAX

Bituminous wax for the ageing of golden surfaces. It gives a warm tone and a soft finish.

Code	Desc.	Pack.
CDO6720	300 ml.	06 pcs.
CDO6721	1Lt.	06 pcs.
CDO6721.20	20 Lt.	



CLEAR GILDING BEESWAX

Natural beeswax polish for the protection of golden surfaces.

	Desc.	Pack.
	300 ml.	06 pcs.
CDO6726	1Lt.	06 pcs.
CDO6727	5 Lt.	02 pcs.



VARNISH FINISHES

■ NATURAL FIXING LACQUER - Glossy

Natural transparent fixative varnish for gilding. Indoor use.

Code	Desc.	Pack.
CDO6901	150 ml.	12 pcs.
CDO6902	500 ml.	12 pcs.
CDO6903	1Lt.	12 pcs.
CDO6904	5 Lt.	02 pcs.
CDO6905	400 ml. spray	12 pcs.



■ 1K ZAPON LACK - High Resistant Finishing Lacquer for Gilding

High surface Resistance finishing lacquer for gilded surfaces. It is formulated in full respect of traditions, single-component, ready for use. For professional use.

Available in different versions: Gloss 90% Sheen, Satin 50% Sheen, Semi-Matt/Matt 20% Sheen.

Code	Desc.	Pack.
CDO6950	500 ml.	12 pcs.
CDO6951	1Lt.	12 pcs.
CDO6952	5 Lt.	02 pcs.
CDO6953	25 Lt.	



2K VARNISH PATINA

Patina 2K is a two-component high gloss varnish, particularly suitable for spray applications. Quick drying, it gives a pleasant, golden appearance to all wooden surfaces, flat or not. Requires preparatory basecoat that enhance the brightness, and a protective finish is recommended. The product must be catalysed with HA.081 (100% by weight).

Available in Gold 11 and Silver 15.

Gold 11

Code	Desc.	Pack.
CD O 70120-2K	1Lt.	06 pcs.
CD O 70120-2K.5	5 Lt.	02 pcs.
CDO70120-2K.25	25 Lt.	

Silver 15

Code	Desc.	Pack.
CDO7012A-2K	1Lt.	06 pcs.
CDO7012A-2K.5	5 Lt.	02 pcs.
CDO7012A-2K.25	25 Lt.	

CATALYST HA081 FOR 2K VARNISH PATINA

(Cat. 100%)

	Desc.	Pack.
CDO7012-K	1Lt.	06 pcs.
CDO7012-K.5	5 Lt.	02 pcs.
CDO7012-K.25	25 Lt.	







Gold 11

Silver 15





ZAPON 2K ACRYLIC FINISH

Acrylic finish, characterised by excellent coverage and surface hardness. Perfect for the final coating of all types of wooden surfaces and for gilding. It is ideal for furniture finishes or other solid-coloured products. The Matt version must be catalysed with HA.059 and the Gloss version with HA.012. **Available colours:** Transparent, White, Black.

Code	Description	Desc.	Pack.
CDO5000AT-20.1	Semi-Matt/Matt 20% Sheen	1Lt.	06 pcs.
CDO5000AT-20.5	Semi-Matt/Matt 20% Sheen	5 Lt.	
CDO5000AT-20.25	Semi-Matt/Matt 20% Sheen	25 Lt.	
CDO5000AT-50.1	Satin 50% Sheen	1Lt.	06 pcs.
CDO5000AT-50.5	Satin 50% Sheen	5 Lt.	
CDO5000AT-50.25	Satin 50% Sheen	25 Lt.	
CDO735LAT.1	Gloss 90% Sheen	1Lt.	06 pcs.
CDO735LAT.5	Gloss 90% Sheen	5 Lt.	
CDO735LAT.25	Gloss 90% Sheen	25 Lt.	

CATALYST FOR ZAPON 2K ACRYLIC FINISH

Catalyse with HA.059 at 20% for coloured matt finish and 10% for transparent matt finish. Catalyse with HA.012 at 100% for a transparent glossy finish (percentages by weight).

For Matt Transparent & Coloured

Code	Desc.	Pack.
CDO059HA.200	200 ml.	12 pcs.
CDO059HA.1	1Lt.	06 pcs.
CDO059HA.5	5 Lt.	02 pcs.

For Glossy Transparent

	Desc.	Pack.
CDO012HA.1	1Lt.	06 pcs.
CDO012HA.5	5 Lt.	02 pcs.
CDO012HA.25	25 Lt.	

ZAPON 2K POLYURETHANE FINISH

Polyurethane finish, characterised by excellent coverage and surface hardness. Perfect for the final coating of all types of wooden surfaces and for gilding. It is ideal for finishing furniture or other solid coloured items. Catalyse with HA.072 at 50% for transparent matt, with HA.041 at 50% for coloured matt, with HA.063 at 100% if transparent glossy, or with HA.041-NY special non-yellowing catalyst in replacement of one of the previous ones with the same catalysis ratios (percentages by weight). **Available colours:** Transparent, White, Black.

Code	Description	Desc.	Pack.
CDO0500PT-20.1	Semi-Matt/Matt 20% Sheen	1Lt.	06 pcs.
CDO0500PT-20.5	Semi-Matt/Matt 20% Sheen	5 Lt.	
CDO0500PT-20.25	Semi-Matt/Matt 20% Sheen	25 Lt.	
CDO0500PT-50.1	Satin 50% Sheen	1Lt.	06 pcs.
CDO0500PT-50.5	Satin 50% Sheen	5 Lt.	
CDO0500PT-50.25	Satin 50% Sheen	25 Lt.	
CDO0901LPT-1	Gloss 90% Sheen	1Lt.	06 pcs.
CDO0901LPT-5	Gloss 90% Sheen	5 Lt.	
CDO0901LPT-25	Gloss 90% Sheen	25 Lt.	

■ CATALYST FOR ZAPON 2K POLYURETHANE FINISH

Catalyze with HA.072 at 50% for transparent matt finish, with HA.041 at 50% for coloured matt finish, with HA.063 at 100% for transparent glossy finish, or with HA.041-NY to replace one of the previous with the same catalysis ratios (percentages by weight).

For Matt Coloured

	Desc.	Pack.
	500 ml.	06 pcs.
CDO041HA.2,5	2,5 Lt.	02 pcs.
CDO041HA.12,5	12,5 Lt.	

For Glossy Transparent

Code	Desc.	Pack.
CDO063HA.1	1Lt.	06 pcs.
CDO063HA.5	5 Lt.	02 pcs.
CDO063HA.25	25 Lt.	

For Matt Transparent

· · · · · · · · · · · · · · · · · · ·		
Code	Desc.	Pack.
CDO072HA.0,5	500 ml.	06 pcs.
CDO072HA.2,5	2,5 Lt.	02 pcs.
CDO072HA.12,5	12,5 Lt.	

Universal Non-Yellowing

Code	Desc.	Pack.
CDO041HA-NY.1	500 ml.	06 pcs.
CDO041HA-NY.5	2,5 Lt.	02 pcs.
CDO041HA-NY.25	12,5 Lt.	



VARNISH FINISHES

SHINE-DECOR GOLD LACK/SHINE-DECOR COPPER LACK

Gold and Copper Lacquers for Interiors

Metallic paints with a particularly bright effect suitable for decorative purposes and suitable for brush application by novices and craftsmen alike. It is ideal for the decoration of fine objects, frames, furniture and in general for surfaces in wood, plaster and metal. Overcoating is not recommended as it may compromise the final effect, although a slight fixing overcoat is possible with care.

Gold Lack is available in the following colours: Rich, Pale, Rich Pale, Ducat, Gold Chrome and Silver Chrome. Shine-Decor Copper Lack is in Copper colour.

Code	Desc.	Pack.
CDO6960XXX-90	125 ML.	06 pcs.
CDO6961XXX-90	375 Ml.	06 pcs.
CDO6962XXX-90	750 ML.	06 pcs.
CDO6963XXX-90	2,5 Lt.	02 pcs.
CDO6964XXX-90	5 Lt.	02 pcs.
CDO6964.20XXX90	20 Lt.	



GOLD LACK PRO / COPPER LACK PRO / SILVER LACK

Gold, Copper and Silver Lacquers for Interiors

Metallic sprayable paints with good gloss retention and surface resistance. Due to the special formulation, they are suitable for overcoating and therefore assume the characteristics of a real finish for interiors. Can be used on multiple surfaces including wood, metal, plaster, etc. They are aimed at the professional user and can also be applied by brush. **Gold Lack Pro is available in the following shades:** Rich, Pale, Rich Pale, Ducat. Copper Lack Pro is in Copper colour, Silver Lack Pro is in silver colour and is suitable for indoors and outdoors.

GOLD LACK / COPPER LACK PRO		
Code	Desc.	Pack.
CDO6980XXX-90	125 Ml.	06 pcs.
CDO6981XXX-90	375 Ml.	06 pcs.
CDO6982XXX-90	750 ML	06 pcs.
CDO6983XXX-90	2,5 Lt.	02 pcs.
CDO6984XXX-90	5 Lt.	02 pcs.
CDO6984.20XXX90	20 Lt.	

SILVER LACK		
Code	Desc.	Pack.
CDO6960AR-90	125 ML.	06 pcs.
CDO6961AR-90	375 Ml.	06 pcs.
CDO6962AR-90	750 ML.	06 pcs.
CDO6963AR-90	2,5 Lt.	02 pcs.
CDO6964AR-90	5 Lt.	02 pcs.
CDO6964.20AR-90	20 Lt.	



MATURAQUA GOLD LACK / COPPER LACK / SILVER LACK

Gold, Copper and Silver Lacquers for Interiors

Metallic, water-based, odourless and ecological paints, with good gloss and resistance, suitable for the decoration of indoor surfaces. Practical and easy to apply. Gold is available in the following shades: Rich, Pale, Rich Pale, Ducat. Naturaqua Copper Lack is in Copper colour. Naturaqua Silver Lack is also suitable for outdoor use.

NAT.GOLD LACK / NAT. COPPER LACK			
Code	Desc.	Pack.	
NATCDO6960XX-90	125 Ml.	06 pcs.	
NATCDO6961XX-90	375 Ml.	06 pcs.	
NATCDO6962XX-90	750 Ml.	06 pcs.	
NATCDO6963XX-90	2,5 Lt.	02 pcs.	
NATCDO6964XX-90	5 Lt.	02 pcs.	
NATCDO6964.20XX	20 Lt.		

NAT.SILVER LACK		
Code	Desc.	Pack.
NATCDO6960AR-90	125 Ml.	06 pcs.
NATCDO6961AR-90	375 Ml.	06 pcs.
NATCDO6962AR-90	750 Ml.	06 pcs.
NATCDO6963AR-90	2,5 Lt.	02 pcs.
NATCDO6964AR-90	5 Lt.	02 pcs.
NATCDO6964.20AR	20 Lt.	i i





■ GOLD LACK/COPPER LACK FOR EXTERIORS

Gold and Copper Lacquers for Outdoor Use

Metallic paints, specifically formuated for use in outdoor environments, characterised by high sheen and good resistance properties. It is suitable for the decoration of wooden, metal and wall surfaces (for example: doors, gates, frames). Applicable by brush or spray, they do not require a special primer, but offer a better effect on well sealed surfaces.

Code	Desc.	Pack.
CDO6965XXX-90	125 Ml.	06 pcs.
CDO6966XXX-90	375 Ml.	06 pcs.
CDO6967XXX-90	750 ML.	06 pcs.
CDO6968XXX-90	2,5 Lt.	02 pcs.
CDO6969XXX-90	5 Lt.	02 pcs.
CDO6969.20XXX-90	20 Lt.	







■ NATURAQUA GOLD LACK/NATURAQUA COPPER LACK FOR EXTERIORS

Gold and Copper Lacquers for Outdoor Use

Metallic water-based paints, ecological and odourless, specifically for use in outdoor environments, characterised by high sheen and resistance, suitable for the decoration of wooden, metal and wall surfaces (for example: doors, gates, frames). Applicable by brush or spray, they do not require a special primer, but offer a better aesthetic result on poorly absorbent substrates.

Code	Desc.	Pack.
NATCDO6965XX-90	125 Ml.	06 pcs.
NATCDO6966XX-90	375 Ml.	06 pcs.
NATCDO69657XX-90	750 Ml.	06 pcs.
NATCDO6968XX-90	2,5 Lt.	02 pcs.
NATCDO6969XX-90	5 Lt.	02 pcs.
NATCDO6969.20XX	20 Lt.	





24 - Pale Gold



11 - Rich Gold



23 - Rich Pale Gold



12 - Ducat Gold



Chrome Gold



15 - Silver



Chrome Silver



21 - Copper







Imitation gold leaf



Leaf Rolls


POLVERE



RITOCCO

Touch-up

			Imitation gold leaf	Leat Rolls	Dust	Touch-up
	Colours		Imitazione lamina in foglia Compositions blattgold Imitation Gold Leaf Feuille d'or Hoja de oro Поталь	Lamina in rotolo Composition Goldrolle Leaf Rolls Laminé en rouleau Lámina en rollo Поталь в рулонах	Porporina per doratori Staub Dust Poudre Polvo Пудра	Vernice acrilica da ritocco Retusche Touch-Up Retouche Retoque Цветная ретушь
		cod.	ART. CD066XXXX	ART. CD066XRXX	ART. CD0464X	ART. CD02010XX
	Oro Gold Gold Or Oro Золото	02				
	Oro Gold Gold Or Oro Золото	2,5				
	Oro Gold Gold Or Oro Золото	11				
	Oro Ducato Dukaten Gold Ducat Gold Or-Ducat Oro Ducado Волотой Дукат	12				
	Oro-Argento Silber-Gold Silvergold Oro Argent Oro-Plata Серебряно-Золотой	19				
	Argento Silber Silver Argent Plata Серебро	1,5				
	Argento Silber Silver Argent Plata Серебро	15				
	Rame Kupfer Copper Cuivre Cobre Медь	21				
	Rame GoldKupfer Copper Cuivre Cobre Медь	20				
	Giallo Gelb Yellow Jaune Amarillo Желтый					
	Rosso Rot Red Rouge Rojo Красный					
	Nero Schwarz Black Noir Negro Черный					
78						











				Man All Comments
BASTONCINO	PENNARELLO	BOLO	RITOCCO SPRAY	PATINA A CERA
RITOCCO Touch-up sticks	RITOCCO Touch-up pens	Bole	Touch Up Spray	Gilding Patina
Stucco a cera da ritocco Retuschierstäbchen Touch-Up Sticks Bâtons de retouche Bastoncitos de retoque Мягкий воск	Pennarello ritocco verniciante Retuschierpinsel Touch-Up Pens Feutres de retouche Rotuladores de retoque Ретуширующий маркер	Bolo per finitura della laminazione Poliment Bole Bol Bolo Боло-полимент	Vernice da ritocco spray Touch Up Spray Spray retuschierlack Barniz spray retoque Краска ретуширующая в аэрозольном баллончике	Cera per supporti dorati Neutrales bienenwachs für vergolder Gilder's Neutral Beeswax Cire d'abeille neutre dorure Cera de abeja neutra doradores Воск пчелиный
ART. CD010XX	ART. CD007XX	ART. CD06800XX	ART. CD006XX	ART. CD067XX

TECHNICAL COMPLEMENTS

■ SHELLAC 94° - Special Thinner for Shellac

Thinner for shellac with high solving power. Quick drying, no greyness.

Code	Desc.	Pack.
AL94.1	1Lt.	12 pcs.
AL94.5	5 Lt.	02 pcs.
AL94.25	25 Lt.	



■ SHELLAC 99° - Special Thinner for Shellac

Thinner for shellac with high solving power. Quick drying, no greyness.

Code	Desc.	Pack.
AL99.1	1Lt.	12 pcs.
AL99.5	5 Lt.	02 pcs.
AL99.25	25 Lt.	



■ SHELLAC 100° - Special Thinner for Shellac

Colourless thinner for shellac with high solving power. Quick drying, neutral tone for clear finishes.

Code	Desc.	Pack.
AL100.1	1 Lt.	12 pcs.
AL100.5	5 Lt.	02 pcs.
AI 100 25	25 I t	



■ DFP 50

Super-Fast thinner for Fast Patina Range. To be used in the recommended ratio.

Code	Desc.	Pack.
CDO50DFP.5	5 Lt.	02 pcs.
CDO50DFP.25	25 Lt.	



DPU 011 UNIVERSAL THINNER FOR POLYURETHANE

Polyurethane thinner characterised by a medium evaporation time. To be used to dilute polyurethane primers, finishes and paints in general, single and two-component.

Code	Desc.	Pack.
CDO001DPU.5	5 Lt.	02 pcs.
CDO001DPU.25	25 Lt.	



DPS 012 SLOW THINNER FOR POLYURETHANE

Polyurethane thinner characterised by long evaporation time, thanks to the high percentage of high boiling components. To be used to dilute polyurethane primers, finishes and paints in general, single and two-component.

Code	Desc.	Pack.
CDO002DPS.5	5 Lt.	02 pcs.
CDO002DPS.25	25 Lt.	









DPR 014 - RETARDANT THINNER FOR POLYURETHANE

■ DPL 013 - THINNER FOR GLOSSY POLYURETHANE

Desc.

25 Lt.

Code

CDO003DPL.5

CDO003DPL.25

Polyurethane thinner suitable for use with NC, Acrylic, Polyurethane, Electrostatic, Epoxy in order to considerably slow down evaporation. Improves distension, prevents veiling, orange peel and pitting. To be used to dilute polyurethane primers, finishes and paints in general, single and two-component.

Special polyurethane thinner for glossy finishes. To be used to dilute single and two-component finishes.

Pack.

02 pcs.

Code	Desc.	Pack.
CDO004DPR.5	5 Lt.	02 pcs.
CDO004DPR.25	25 Lt.	



DAU 015 - UNIVERSAL THINNER FOR ACRYLIC

Acrylic thinner characterised by an average evaporation time. To be used to dilute single and twocomponent primers, finishes and acrylic paints in general.

Code	Desc.	Pack.
CDO005DAU.5	5 Lt.	02 pcs.
CDO005DAU.25	25 Lt.	



■ DNU 016 - UNIVERSAL THINNER FOR NITRO

NC thinner characterised by medium evaporation time. To be used to dilute NC primers, finishes and paints in general. Thanks to the excellent technical characteristics, it strongly limits the fog effect.

Code	Desc.	Pack.
CDO006DNU.5	5 Lt.	02 pcs.
CDO006DNU.25	25 Lt.	



TECHNICAL ACCESSORIES

GILDER'S CUSHION - Professional Suede Surface

Code	Description
CDO7101	
CDO7100	With windshield



■ DOUBLE EDGE KNIFE - Basic Extra-Fine


	Description
CD07111	
CD O 7110	With leather protection




TECHNICAL ACCESSORIES

■ BOLE APPLICATION BRUSH - PURE BLACK OX HAIR

	Description
CDO7160	brush n° 6
CDO7160A	brush n° 8
CDO7160B	brush n° 10



Code	Description
CDO7161	brush n° 12



Code	Description
CDO7162	brush n° 14
CDO7162A	brush n° 20
CDO7162B	brush n° 16

■ GILDER'S TIP - PURE SQUIRREL HAIR

	Description
	"2" cm.5
CDO7163A	"2,5" cm.6.2
CDO7163B	"3" cm.7.5

■ GILDER'S TIP SYNTHETIC - HARD HAIR

Code	Description
CDO7162C	n.8 21.5 mm
CDO7162D	n.12 28 mm

■ SPECIAL FINE TOUCH-UP BRUSH

Code	Description
CDO6474	n.1
CDO6475	ln.3

■ GILDER'S POT

Code	
CDO7200	

STEEL WOOL

Code	Description	Pack.
CDO6469	Steel wool "00"	5 Kg.
CDO6467	Steel wool "000"	5 Kg.
CDO6473	Steel wool extrafine 0000	1 Kg - 6 pcs.
CDO6473.200	Steel wool extrafine 0000	200gr
CDO6473.6	Steel wool extrafine 0000	6 Kg.
CDO6472	National Steel wool	2,5 Kg.






















Code	Description
CDO7121	n. 1
CD O 7122	n. 2
CD07123	n. 3
CDO7125	n. 5



■ SCRAPE TOOLS - Small, Medium, Large

Code	Description
CDO7400	Small
CD O 7401	medium
CD07402	large



AGATE STONE BURNISHER

Code	Description
CDO71P103	n.103
CD071P107	n.107
CDO71P109	n.109
CD071P111	n.111
CDO71P128	n.128
CD071P137	n.137
CDO71P15	n.115



STEEL PUNCHES

Code
CDO7316 - MOD 03
CDO7317 - MOD. 02
CDO7318 - MOD. 07
CDO7319 - MOD. 05
CDO7320 - MOD. 551
CDO7321 - MOD. 81
CDO7322 - MOD. 96
CDO7323 - MOD. 31
CDO7324 - MOD. 441
CDO7325 - MOD. 21



STYLES OF PUNCHES:



03 - Quatrefoil



01 - Star



07 - Rose window



05 - Four point star



551 - Diamond



81 - Circle



96 - Lily



31 - Fret



441 - Fret 2



21 - Diamond

Decoration

Actions Aimed at Creating a Unique and Emotional Ambience

Shabby settings are generally characterised by an informal, relaxed and frivolous environment. The technique of executing this type of finishing possesses the same qualities: comfort, freedom, simplicity. These products allow maximum liberty of expression – in colour, application, transparency, texture and special effects to accompany every style, from the most classical tastes to the most modern interpretations.









SHABBY PROVENCE

Decorative Chalkpaint Shabby Provence

Shabby Provence water-based paint, thanks to the high solid content and the presence of natural gypsum, allows different applications while maintaining a dead matt and soft touch. Its pasty consistency is ideal for creating 3D effects with irregular brush strokes and overlapping colours.

Shabby Provence is characterised by an excellent adhesion capacity on each substrate, therefore it can be used to renovate furniture with old finishes without preliminary stripping, by applying high thicknesses in single coats.

Specific for interior decoration, in combination with other complementary products and thanks to the variety of colours in the colour chart, Shabby Provence allows you to create effects of great elegance and modernity, with maximum creative freedom and ease of use.



Recommendations:

Dilution: the product is ready to use. It can be diluted with water (5-40%) depending on requirements. Drying time at 20°C, 50%RH: 30-60 min dust free, 3-12 hrs for complete drying, depending on the quantity applied.





Code	Desc.	Pack.
6570XX.125	125 ml.	6 pcs.
6570XX	375 ml	6 pcs.
6571XX	750 ml.	6 pcs.
6572XX	2,5 Lt.	2 pcs.
6573XX	5 Lt.	2 pcs.

Shabby Provence Colour Chart





PRELIMINARY TREATMENTS

Natural Effect

NATURAQUA 1-2K WOOD SEALER

A waterborne acrylic insulator recommended also as natural-effect finish for raw wood or Shabby paint effects. It provides a matt and invisible finish and does not alter the colour of the background. It can be overcoated with Mobilack to increase the resistance properties of the surface.



Recommendations for application:

Apply by brush or by spray. If used as a fixing lacquer for Shabby paint always ensure that it is completely dry before the application to avoid removal.





Customizable with Borma Colour System



Code	Desc.	Pack.
NAT4090	750 ml	06 pcs.
NAT4091	5 Lt	02 pcs.
NAT4090.10	10 Lt	
NAT4090.20	20 Lt	

Anti-Tannin Basecoat

NATURAQUA SUPER WOOD SEALER

Waterborne insulating basecoat with anti-tannin effect. It prevents brown-yellow stains caused by the application of waterborne products on wood with high content of tannins. Especially recommended for Shabby Provence and other waterbased white finishes. Available in white and transparent



Recommendations for application:

Apply uniformly by brush or spray on raw wood. For very accurate finishes it is advisable to lightly sand and if necessary consider a second coat before the application of other products.





Customizable with Borma Colour System

WHITE			
Code	Desc.	Pack.	
NAT4090B-S	750ml	06 pcs.	
NAT4091B-S	5Lt	02 pcs.	
NAT4090.10B-S	10Lt		
NAT4090.20B-S	20Lt		



Universal Stain

HOLZFARBE

A range of liquid Universal Stains ideal for colouring raw wood furniture or other interior surfaces. It replaces the traditional aniline dyes, avoiding the need for preliminary mixing and the inhalation of harmful powders. The product is concentrated and can be used as it is to get very deep colours or can be diluted up to a ratio of 1:6 with water, spirit or NC Thinner for more delicate effects. Holzfarbe offers great depth and brightness and can also be used to tint clear lacquers.



Recommendations for application:

Add some drops to the clear product to be coloured, but avoid excess. Always make a preliminary test to verify the final effect.



Code	Desc.	Pack.
3000XX	250 ml	12 pcs.
3050XX	500 ml	12 pcs.
3100XX	1Lt	12 pcs.
3005XX	5 Lt	02 pcs.

Holzfarbe Colours chart



120 Yellow

















140 Blue



60 Black



TECHNICAL COMPLEMENTS

IMITATION GOLD/SILVER/COPPER POWDER

Extra fine metal powder (alloys or pure metals), ideal for decorative metal effects. Easy to use, they can be inter-mixed to achieve multiple shades. The powders can be used in several Borma products of including oils (e.g. Hard Furniture Oil), waxes (e.g. Holzwachs, Antikwachs, Wax Oil 7030) and lacquers (e.g. Shellac Polish). Suitable to make metal patinas and finishes for application by brush or rag, to complete the decoration of interior surfaces.



Recommendations for application:

Mix only the amounts required at the time of use. Do not mix with waterbased products.

Copper Powder		
Code	Desc.	Pack.
CDO4643	250 gr.	06 pcs.
CDO4643.1	1 Kg.	06 pcs.
CDO4643.5	5 Kg.	02 pcs.
CDO4643.25	25 Kg.	

Imitation Silver Powder		
Code	Desc.	Pack.
CDO4645	250 gr.	06 pcs.
CDO4645.1	1 Kg.	06 pcs.
CDO4645.5	5 Kg.	01 pcs.
CDO4645.25	25 Kg.	

Imitation Ducat Gold Powder		
Code	Desc.	Pack.
CDO4644	250 gr.	06 pcs.
CDO4644.1	1 Kg.	06 pcs.
CDO4644.5	5 Kg.	02 pcs.
CDO4644.25	25 Kg.	

Imitation Gol	d Powder	
Code	Desc.	Pack.
CDO4642	250 gr.	06 pcs.
CDO4642.1	1 Kg.	06 pcs.
CDO4642.5	5 Kg.	02 pcs.
CDO4642.25	25 Kg.	

Extra Strong Wax Remover RADIKAL ABWACHSER

A professional-use product based on pure, non-corrosive thinners. Ready for use it is ideal for the cleaning of all wooden surfaces. It dissolves the old layers of wax quickly and effectively removing dirt from the wood without damaging the original coating. In decoration it is used to remove residual waterbased Goldsize and to antique the surfaces treated with Gold Leaf in a gentle, natural and refined way. Perfect also for cleaning brushes. Available also in spray version.



Recommendations for application:

To antique golden surfaces, rub with a cotton wad damped with the product until the desired effect is achieved. For intensive cleaning it is possible to use the product with a rag or with steel wool.

Code	Desc.	Pack.
0042	250 ml.	12 pcs.
0043	500 ml.	12 pcs.
0044	1Lt.	12 pcs.
0045	5 Lt.	2 pcs.
0046	400 ml. spray	12 pcs.





Softwax Sticks QUICKFILLER

Used to repair damages and other small surface imperfections, Quickfiller is extremely easy to use and ideal for the creation of scratched effects in Shabby style. Based on wax and mineral pigments, free from solvents, silicones and other oily materials, it can be over-coated with all kinds of lacquer. Available in over one hundred colours.



Recommendations for application:

Apply in thin or thick layers to easily tear away Shabby paint and create various degrees of scratched, build-up or rub-through effects.



Code	Desc.	Pack.
1XXX	Stick da 30 gr.	10 pcs.
1XXXKL	Stick da 15 gr.	20 pcs.
1XXXBL	Stick blister	12 pcs.

Natural Mineral Powder FRENCH GYPSUM

Based on extra fine mineral powders, French Gypsum is generally used in gilding technique and in traditional painting to get extremely smooth basecoats. In Shabby decoration it can be added to Shabby Provence, in the desired quantity, to increase its thickness. With a pasty texture, almost like a putty, Shabby paint can be used to obtain reliefs and other beautiful 3D effects.



Recommendations for application:

Add French gypsum to Shabby paint in small quantities, possibly pouring it little by little through a sieve, until the desired texture is achieved.



Code	Desc.	Pack.
CDO6563	1 Kg.	6 pcs.
CDO6566	25 Kg.	

Natural Glue in Pearl Form BONE GLUE

A brown-yellow solid in pearl form, obtained from animal extracts and traditionally used by restorers and carpenters to achieve a strong and elastic glue. In Shabby decoration it can be used as a basecoat on raw or pre-painted wood before the application of Shabby paint to get a fully natural craquelé effect. It is used after melting and diluting in hot water.



Recommendations for application:

Apply the product, melted in hot water (1:10) as a basecoat on raw or pre-painted wood before Shabby Provence to get the craquelé effect.



Code	Pack.
CDOCOLLAP	1 Kg.
CDOCOLLAP25	25 Kg.



PATINAS & AGING PRODUCTS

Ageing Vehicle HOLZ ANTIX 2008

A colourless waterbased vehicle used on woods with high tannin content to get an instant aged effect. The intensity of the effect shown by the darkening of the colour, depends on the natural content of tannins of the wood. It is not a stain. It can be tinted with the special waterbased Mordant Concentrates. If overcoated with waterbased products it can show yellowing phenomena. To avoid yellowing we recommend oilbased finishes, waxes or traditional products as topcoats.





	Code	Desc.	Pack.
	3720	1Lt.	12 pcs.
	3721	5 Lt.	02 pcs.
	3722	25 Lt.	1



Recommendations for application:

Apply the product on raw wood using synthetic brushes or sponges. A preliminary test is always recommended to verify the final effect, which is directly related to the wood. To get a lighter effect it is possible to dilute the product in water, in the desired ratio.



Dyes

MORDANT ACTIVE STAIN CONCENTRATES

Concentrated liquid dyes in water solution specifically for colouring raw wood used in combination with the different waterbased vehicles in the Borma range and in particular with Holz Antix 2008 and TP1050 Vehicle for Positive Stains. They provide great depth and opacity. The colours are available in 100 ml sized standard bottles. The final colour is dependent on the wooden background.





Recommendations for application:

To avoid mis-tinting it is recommended to add the concentrates to the clear vehicle drop by drop till the right intensity is achieved. Always make a preliminary test to verify the final effect.



Code	Desc.	Pack.
CW2XXX	100 ml	12 pcs.

Colour Chart



14/56 ANT Ivory



14/38 ANT Quartz



14/1 ANT Natural



14/44 ANT Rust



14/6 ANT Beige



14/10 ANT Stone



14/46 ANT Dark Aged Brown



14/47 ANT Dark Rust




14/9 ANT Silica



14/4 ANT Aged Brown



14/21 ANT Dark



14/17 ANT Colonial Rosewood



14/37 ANT Silk Grey



14/2 ANT Aged



14/22 ANT Burnt Wood



14/53 ANT Green



14/12 ANT Olive



14/14 ANT Cognac



14/13 ANT Aged Pink



14/57 ANT Emerald



Ageing Patina ANTIQUE PATINA

A dark brown liquid patina based on Judaic bitumen traditionally used in decoration and gilding, it can also be applied on raw wood as well as on Shabby paint-finished surfaces, Gold Leaf and other finishes. Patina is ready to use, but to obtain lighter effects it can be diluted with Solvoil 06.



Recommendations for application:

On plain surfaces apply the patina by brush or rag and remove the excess with a clean cloth. The dwell time before the removal influences the intensity of the effect. The product can be mixed with traditional Borma waxes like Antikwachs and Wax Oil 7030

Ĭ					
	Code	Desc.	Pack.		
	3560	500 ml.	12 pcs.		
	3561	1Lt.	12 pcs.		
	3562	5 Lt.	02 pcs.		
	3559	Spray 400ml.	12 pcs.		

Aging Patina

BITUMINOUS BEESWAX

Waxy patina in paste form that combines pure wax and carnauba wax with Bitumen for the ageing of golden surfaces and other decorated items. It provides a warm tone and a soft finish, with beautiful patina effects. It decorates, nourishes, regenerates, protects and polishes the treated surfaces,



Recommendations for application:

Apply in thin layers and polish with a wool cloth. To increase the antique effect on carvings and give more depth to mouldings, apply accurately in cavities using a brush.



Code	Desc.	Pack.
CDO6720	300 ml.	06 pcs.
CDO6721	1Lt.	06 pcs.
CDO6721.20	20 Lt.	

Restoring Beeswax

ANTIKWACHS

Based on beeswax and carnauba wax this especially rich and high solid content wax is recommended to nourish and protect antique wood as well as for the finishing of porous surfaces like those which have been decorated with Shabby Provence. It provides extremely smooth surfaces and, when coloured, soft and natural patina effects. Available in the many shades as shown in the Antikwachs colour chart.



Recommendations for application:

Apply in thin layers and polish with a wool cloth. The different colours can be mixed with each other. Clear Antikwachs can be used to reduce the intensity of the colour of other decorative waxes of Borma range.



Code	Desc.	Pack.
3420XX	500 ml.	06 pcs.
3450XX	51t	02 ncs

Antikwachs Colour chart





PATINAS & AGEING PRODUCTS

White Wax LIMING WAX

Based on beeswax' and carnauba wax and enriched with white mineral pigments, it decorates and protects raw or treated surfaces, enhancing the grain and other reliefs. Ideal for open-.pore surfaces like oak and ash to make a natural white decapé effect or for patina effects on flat surfaces.



Recommendations for application:

Apply in thin layers by brush or rag and polish with a wool cloth. The product is ideal to be applied on light colours of Shabby Paint, but provides beautiful effects also on more intense colours and on natural wood.



Code	Desc.	Pack.
4580	375 ml.	06 pcs.
4582	5 Lt.	02 pcs.

Metal-Effect Wax GILDING PATINA

Based on beeswax and carnauba wax with metal powders, this patina is ideal for decoration and as a complement for gilding works. Easy to apply also on difficult areas (carvings, reliefs, joints), it is available in Silver, Gold and Ducat Gold shades..



Recommendations for application:

Apply in thin or medium layers, depending on the aimed effect, by brush or rag, and polish with a wool cloth. It can be applied over any Shabby finish and also on golden surfaces as reviving maintenance product.



Code	Colour	Desc.	Pack.
CDO6711	GOLD	300 ml.	06 pcs.
CDO6715	SILVER	300 ml.	06 pcs.
CDO6712	DUCAT GOLD	300 ml.	06 pcs.

Pigmented Decorative Wax DEKORWACHS

Based on bees and carnauba wax, coloured with mineral pigments, Dekorwax is ideal to emphasize Shabby effects, enhancing the structure of the surface with delicate pastel shades or it can even be applied on raw wood to enhance the grain with a natural and soft colour effect.



Recommendations for application:

Apply in thin or medium layers, depending on the aimed effect, by brush or rag, and polish with a wool cloth. It can be applied over any Shabby finish and also on golden surfaces as reviving maintenance product.

120 Yellow



Code	Desc.	Pack.
4585XX	375 ml.	06 pcs.
4586XX	5 Lt.	02 pcs.

Dekorwachs Colour Chart







Fast Drying Metal Patina

FAST PATINA

137 Pine Green

Professional product recommended for patina or decapé effects. Very fast drying, it is suitable for any kind of basecoat: polyurethane, acrylic, UV or lacquered, as well as shellac polish.

Available in shades: Gold 11, Gold Leaf 11/F, Warm Gold 12, Cold Gold 19, Silver 15, Silver Leaf 15/F, Copper 20, White 50, Black 60.



Recommendations for application:

Usually applied by spray, it can equally be applied by brush on small surfaces. After a few minutes the patina is dry and can be removed using an abrasive pad, steel wool or fine sandpaper.

For very accurate finishes a transparent intermediate layer, basecoat or topcoat, is recommended before the application of Patina.



Code	Desc.	Pack.
CDO7002XX	1Lt.	06 pcs.
CDO7002XX.5	5 Lt.	02 pcs.
CDO7002XX.25	25 Lt.	



FINISHES



Waterbased Lacquer for Furniture

NATURAQUA MOBILACK 1-2K

Eco-compatible finish for the treatment of furniture. It respects the environment and workers' health, thanks to its water base is almost VOC free. Mobilack develops very high levels of protection against wear and abrasion of traditional wooden surfaces, already sanded or restored. High performance with the ease of use of a single-component/ catalyzed technology. Available in deep matt, matt, semi-gloss and glossy sheen levels.



Recommendations for application:

Can be used as a single-component product or can be catalysed with Borma Catalyst NAT410X-2K in a ratio: 10: 1. Approx yield: 10-12m²/Lt.

CATALYST NAT4100-2K			
Code Desc. Pack.			
NAT4099-2K	100 ml	12 pcs.	
NAT4100-2K	250 ml	12 pcs.	
NAT4101-2K	500 ml	12 pcs.	
NAT4105-2K	1Lt	06 pcs.	
NAT4103-2K	2,5 Lt	02 pcs.	
NAT4104-2K	5 Lt	02 pcs.	

Code	Desc.	Pack.
NAT4122-XX	1Lt	06 pcs.
NAT4123-XX	5 Lt	02 pcs.
NAT4124-XX	10 Lt	
NAT4125-XX	20 Lt	









Waterbased Lacquer for Furniture

1-2K INVISIBLE TOUCH

A waterbased lacquer with an "invisible" effect. It gives a very modern ultra-matt appearance and does not alter the natural look of the raw wood whilst still giving a high level of surface protection. Invisible Touch is the perfect choice where the unique, natural appearance of the wood needs to remain unaltered but still have a high level of protection.



Recommendations for application:

Apply preferably by spraying after catalysis with NAT4100-2K, catalyst for waterbased paints and 10% dilution in water. Approx yield: 10-12m²/Lt.

CATALYST NAT410	CATALYST NAT4100-2K		
Code Desc. Pack.			
NAT4099-2K	100 ml	12 pcs.	
NAT4100-2K	250 ml	12 pcs.	
NAT4100-2K	500 ml	12 pcs.	
NAT4105-2K	1Lt	06 pcs.	
NAT4103-2K	2,5 Lt	02 pcs.	
NAT4104-2K	5 Lt	02 pcs.	

Code	Desc.	Pack.
NAT4130	1Lt	06 pcs.
NAT4131.5	5 Lt	02 pcs.
NAT4132	10 Lt	
NAT4133	20 Lt	









Oil for Furniture

HARD FURNITURE OIL - HARDWAX FURNITURE OIL

Based on natural oils and enriched with high quality resins and waxes, it provides a great protection against scratches and surface damages and has a pleasant natural satin effect. Suitable to protect raw wood or Shabby Provence with a delicate amber tone. Available in 5, 10, 30, 60, 90 gloss and in a matt waxy version.



Recommendations for application:

It can be applied by brush, rag, handroller or spray. For a natural, enriched effect any excess should be removed using a soft cloth. Allow to dry completely before using the treated surface.

soft cloth. Allow to dry completely before using the reduce surface.





Hard Furniture Oil		
Code Desc. Pack.		Pack.
4902-XX		06 pcs.
4903-XX	5 Lt.	02 pcs.
4902.10-XX	10 Lt.	
4904-XX	20 Lt.	

Waxy Blend for Furniture HARD WAX OIL 7030

Based on natural waxes and oils, the product combines the ease of application of waxes and the resistance properties of oils.

Colourless, it is used in decoration to shade the effects realized with pigmented waxes, providing more protection and resistance to the coated surfaces.



Recommendations for application:

Spread by rag or brush in thin and uniform layers, allow to penetrate for 5-10 minutes and then polish excess away with a soft cloth.

Code	Desc.	Pack.
*2960.125XX	125 ml.	06 pcs.
2960XX	750 ml.	06 pcs.
2965XX	2,5 Lt.	02 pcs.
2965.5XX	5 Lt.	02 pcs.
2970XX	10 Lt.	



Shellac Lacquer SHELLAC POLISH

Traditional lacquer, ready for use, based on natural high quality shellac and available in the versions: Blonde, with natural waxes, and wax-free in colours Orange, Ruby, Black and Transparent. Beside classical shellac finishes, characterised by extreme brightness and smoothness to the touch, it can be used as an insulator and as a protecting topcoat after leafing.





Recommendations for application:

Traditionally applied by buffer for the finishing of furniture, this lacquer can be spreaded also by brush to insulate and protect small areas.

Blonde French Po	londe French Polish		
Code	Desc.	Pack.	
0001	150 ml.	12 pcs.	
0002	500 ml.	12 pcs.	
0003	1Lt.	12 pcs.	
0004	5 Lt.	02 pcs.	

Shellac Polish - Dewaxed			
Code Description Desc. Pack.			
0002AR	- Orange	500 ml.	12 pcs.
0003AR	- Orange	1Lt.	12 pcs.
0004AR	- Orange	5 Lt.	02 pcs.
0002RU	- Ruby	500 ml.	12 pcs.
0003RU	- Ruby	1Lt.	12 pcs.
0004RU	- Ruby	5 Lt.	02 pcs.

Shellac Polish - Dewaxed				
Code	Description	Desc.	Pack.	
0002NE	- Garnet black	500 ml.	12 pcs.	
0003NE	- Garnet black	1Lt.	12 pcs.	
0004NE	- Garnet black	5 Lt.	02 pcs.	
0002TR	- Transparent	500 ml.	12 pcs.	
0003TR	- Transparent	1Lt.	12 pcs.	
0004TR	- Transparent	5 Lt.	02 pcs.	

Finishing Lacquer

ZAPON LACK

A glossy, solvent-based, finishing lacquer with good resistance for golden surfaces. Formulated in respect of traditions, single pack, it is ready for use and easy to apply. It provides a pleasant aesthetic look.



Recommendations for application:

It can be applied by spray or by brush and protects surfaces that have been decorated with imitation gold, silver or bronze leaf.



Code	Desc.	Pack.
CDO6950	500 ml.	12 pcs.
CDO6951	1Lt.	12 pcs.
CDO6952	5 Lt.	02 pcs.
CDO6953	25 Lt.	

Decorative Gold and Copper Lacquers for Interiors SHINE-DECOR GOLD LACK / SHINE-DECOR COPPER LACK

Metallic lacquers with special extra-bright effect, suitable for decorative purposes and ideal for both novices and professional users making manual brush applications. Ideal for the decoration of valuable objects, frames, furniture and in general for wood, gypsum, metal and plaster that are not subjected to abrasion. Overcoating is not recommended so as not to compromise the final effect, though a light fixing is possible. Gold is available in the following shades: Rich, Pale, Rich Pale, Ducat, Gold Chrome, Silver Chrome. Shine Décor Copper Lack is in Copper colour.



Recommendations for application:

Apply by brush for the artistic decoration of small details. The highest aesthetic result is achieved on non- absorbent surfaces: in case of raw wood or gypsum a preliminary insulator (e.g. CD06100 Intermediate insulator for Gilding) is recommended.



	Code	Desc.	Pack.
	CDO6960XX-90	125 Ml.	06 pcs.
•	CDO6961XX-90	375 Ml.	06 pcs.
	CDO6962XX-90	750 Ml.	06 pcs.
	CDO6963XX-90	2,5 Lt.	02 pcs.
	CDO6964XX-90	5 Lt.	02 pcs.
	CDO6964.20XX90	20 Lt.	





Finishing Lacquer for Interiors - Gold, Copper and Silver GOLD LACK PRO / COPPER LACK PRO / SILVER LACK

Metal lacquers for spray application, with high brightness and resistance. Thanks to their specific formulation, they can be over-lacquered and therefore can be considered as proper finishing for interiors, for various purposes and backgrounds: wood, metal, gypsum, plaster and so on. Designed for professional use they can be used also by brush. Gold is available in the following shades: Rich, Pale, Rich Pale, Ducat. Copper Lack Pro is in Copper colour. Silver Lack is in Silver colour and is suitable also for exteriors.



Recommendations for application:

Apply by brush for the artistic decoration of small details or by spray to cover large areas. The highest aesthetic result is achieved on non-absorbent surfaces: in case of raw wood or gypsum a preliminary insulator (e.g. CD06100 Intermediate insulator for Gilding) is recommended.

GOLD LACK & COPPER LACK PRO		
Code	Desc.	Pack.
CDO6980XXX-90	125 ml.	06 pcs.
CDO6981XXX-90	375 ml.	06 pcs.
CDO6982XXX-90	750 ml.	06 pcs.
CDO6983XXX-90	2,5 Lt.	02 pcs.
CDO6984XXX-90	5 Lt.	02 pcs.
CDO6984.20XXX90	20 Lt.	

SILVER LACK			
Code	De	sc. Pa	ack.
CDO6960AR-90	12	5 ml. 00	5 pcs.
CDO6961AR-90	37	5 ml. 00	5 pcs.
CDO6962AR-90	75	0 ml. 00	5 pcs.
CDO6963AR-90	2,5		2 pcs.
CDO6964AR-90	5 1	Lt. 02	2 pcs.
CDO6964.20AR	-90 20	Lt.	

Waterborne Lacquers for Interiors - Gold, Copper and Silver NATURAQUA GOLD LACK / NATURAQUA COPPER LACK / NATURAQUA SILVER LACK

Metallic, odourless and ecological waterborne lacquers with high brightness and resistance and suitable for the decoration of interior surfaces. Gold is available in the following shades: Rich, Pale, Rich Pale, Ducat. Naturaqua Copper Lack is in copper colour. Naturaqua Silver Lack is in silver colour and is suitable also for exteriors.



Recommendations for application:

Apply by brush for the artistic decoration of small details or by spray to cover large areas. The highest aesthetic result is achieved on non-absorbent surfaces: in case of raw wood or gypsum a preliminary insulator (e.g. NAT4090 Naturaqua 1-2K Wood Sealer) is recommended.



NAT.GOLD LACK / NAT. COPPER LACK			
Code	Desc.	Pack.	
NATCDO6960XX-90	125 ml.	06 pcs.	
NATCDO6961XX-90	375 ml.	06 pcs.	
NATCDO6962XX-90	750 ml.	06 pcs.	
NATCDO6963XX-90	2,5 Lt.	02 pcs.	
NATCDO6964XX-90	5 Lt.	02 pcs.	
NATCDO6964.20XX	20 Lt.		







Glass-Effect Pouring & Casting Resin Borma Glass 2k

+10°C +30°C

A two-component, ultra-clear epoxy pouring and casting resin of high transparency and outstanding resistance properties, specifically designed to fill natural cracks, cavities, fissures or routered surfaces for the artistic creation of furniture and decorative pieces.

Using special moulds or assembled frames to prevent leakage Borma Glass 2K is ideal for 'River Tables', 'Chopping Boards' and other structures where an eye-catching filling solution is required that imparts strong structural stability. Borma Glass 2K is sandable, polishable and overcoatable.



Recommendations for application:

Catalysis at 40%

See Technical Data Sheet for guidance and information.

Code	Desc.	Pack.	
1930	1kg	06 pcs.	
1931	5kg	02 pcs.	
1932	10kg	01 pcs.	
1938	1ka+400ar kit	O1 pcs.	

Hardener

Code	Desc.	Pack.
1937.400K	400gr	06 pcs.
1937.2K	2Kg	02 pcs.
1937.4K	4Kg	01 pcs.











Concentrate Dyes for Epoxy resin Colourants for Borma Glass 2k

Liquid dye concentrates and powders supplied ready to add, should be dispersed in small quantities inside the Borma Glass resin, before or after catalysis. Light stable, they can be mixed together and added in different percentages according to the desired effects. They enable both subtle light shades and very intense colours.




Recommendations for application:Available in different colours: Base, Fluo, Metal/Pearl, Glitter.

Base Colours	
COPU10051	30 ml white
COPU10063	30 ml yellow
COPU10407	30 ml green
COPU10416	30 ml violet
COPU10425	30 ml red
COPU10506	30 ml blue
COPU10702	30 ml black

Metals Colours		Glitter Colours	
COMT20011	2,5 gr gold	COGL20011	2,5 gr gold glitter
COMT20015	2,5 gr silver	COGL20015	2,5 gr silver glitter
COMT20020	2,5 gr copper	COGL20020	2,5 gr copper glitte

Fluo Colours	
COFL20051	2,5 gr yellow fluo
COFL20114	2,5 gr orange fluo
COFL20135	2,5 gr pink fluo
COFL20144	2,5 gr light blue fluo
COFL20407	2,5 gr green fluo



Interiors

Natural Wood Feeling, Resistance and Durability

Natural wood feeling, resistance and durability. The highly esteemed oils for interiors appeared due to Borma's historic experience in natural wax working. They put parquet under the spotlight emphasising wood's true beauty and consist of precious raw materials of natural origin. Borma interior oils combine high performance with ease of application and maintenance and unlimited colouration.











PREPARATION & COLOURING



Ageing Vehicle HOLZ ANTIX 2008

This waterbased colourless reacting vehicle is used on wood with high tannin-content to get an immediate aging effect. The intensity of the effect (the darkening of the colour) depends on the natural level or content of the tannin in the timber. The product is not a dye. It can be tinted by adding the Waterbased Mordant Concentrates. If directly overcoated with waterbased products it can react with it giving poor adhesion and inhomogeneities in the film, therefore we recommend the application of products from our Parquet
Oil range, and afterwards, if required, apply a waterbased finish.



Recommendations for application:

Apply the product on raw wood using synthetic brushes or sponges or, on wide areas, using a spreader. Suitable also for spraying and industrial lines. A preliminary test is always recommended to verify the result, which mainly depends on the kind of wood. To get a lighter effect dilute the product in water accordingly. Approx. yield: 20-30 m²/Lt



VIEW AT THE APPLICATION VIDEO!



Code	Desc.	Pack.
3720	1Lt.	12 pcs.
3721	5 Lt.	02 pcs.
3722	25 Lt.	

Ageing Vehicle HOLZ ANTIX 2010

This natural reagent is used on tannin-rich types of wood to achieve an instant grey ageing effect. The intensity of the effect, that can vary from light grey to dark grey with bluish shades, depends on the original characteristics of the wood. The product is not a dye. If directly overcoated with waterbased products it can give unwanted phenomena. We recommend therefore to proceed with the use of products from our Parquet Oil range and afterwards, if required, to apply a waterbased finish.



Recommendations for application:

Apply the product on raw wood using synthetic brushes or sponges or, on wide areas, using a spreader. Suitable also for spraying and industrial lines. A preliminary test is always recommended to verify the result, which mainly depends on the kind of wood. The get a lighter effect dilute the product in water accordingly.

Approx. yield: 20-30 m²/Lt.



VIEW AT THE APPLICATION VIDEO!



Code	Desc.	Pack.
3724	1Lt	12 pcs.
3725	5 Lt	02 pcs.
3726	25 Lt	

Whitening Vehicle

HARD WOOD LYE

This waterbased product lightens the colour of raw wood and neutralises the effect of the two aging vehicles Holz Antix 2008 and Holz Antix 2010, returning the colour back to the original one. To avoid unwanted effects, we recommend overcoating with products from our Parquet Oil Range and afterwards, if required, applying a waterbased finish.



Recommendations for application:

Apply the product on raw wood or on surfaces that were treated with Holz Antix 2008 or 2010 using synthetic brushes or sponges or, on wide areas, using a spreader. A preliminary test is always recommended to verify the result. Suitable also for use on oak wood. Approx. yield: 20-30 m²/Lt.



Code	Desc.	Pack.
0075HW	1Lt	12 pcs.
0076HW	5 Lt	02 pcs.
0077HW	25 Lt	

Waterbased vehicle for Positive Stains

Waterbased vehicle to be tinted with the Mordant Stain concentrates (CW series) for the preparation of positive stains, for wooden furniture and floorings. It is an ideal solution for strongly enhancing the structure of the wood, with a natural and easy-to-obtain vintage effect. Ideal for conifer wood (fir).



Recommendations for application:

Apply to raw wood. After the surface is completely dry, apply a waxy finish or an oil from Borma Interiors range. Approx. yield: 14-20 m2/Lt.



Code	Desc.	Pack.
COTP1051	1Lt	12 pcs.
COTP1050	5 Lt	02 pcs.
COTP105020	25 Lt	
COTP1050.120		

PREPARATION & COLOURING

Concentrate Stains

WATERBASED MORDANT ACTIVE STAIN CONCENTRATES

Liquid dyes in water solution specifically used for the staining of raw wood. To be used in combination with Holz Antix 2008 or TP1050 Vehicle for Positive Stains. They provide effects of great transparency and depth. Available in the Colour Chart assortment.



Recommendations for application:

The concentrates are provided in 100ml packaging. This quantity has to be added to 1Lt of Holz Antix 2008 or 1Lt of TP1050 vehicle to get a reactive aging stain or a positive stain. The colour may vary depending on the treated surface.



Code	Desc.	Pack.
CW2XXX	100 ml	12 pcs.

Vintage Reactive Stains colour chart (Holz Antix 2008 + Mordant Concentrates CW)



14/56 ANT Ivory



14/38 ANT Quartz



14/1 ANT Natural



14/44 ANT Rust



14/6 ANT Beige



14/10 ANT Stone



14/46 ANT Dark Aged Brown



14/47 ANT Dark Rust



14/9 ANT Silica



14/4 ANT Aged Brown



14/21 ANT Dark



14/17 ANT Colonial Rosewood



14/37 ANT Silk Grey



14/2 ANT Aged



14/22 ANT Burnt Wood



14/53 ANT Green



14/12 ANT Olive



14/14 ANT Cognac



14/13 ANT Aged Pink



14/57 ANT Emerald





Coloured Oils GRUNDIEROEL COLOROIL

A ready-to-use blend of natural oils and high quality resins for the preliminary treatment of wooden surfaces. Its fluidity ensures excellent penetration and uniform wetting to enable a simple and straightforward staining process prior to finishing.



Recommendations for application:

Available in the clear version and in the colour chart assortment, it can be customized with the tinting system. Suitable for brush, rag, roller and spray applications we recommend completion the finishing cycle with products of the Parquet Range (oils, waterbased or classical lacquers, waxes) Approx yield: 14-26 m²/Lt.



Customizable with Borma Colour System

Converter for Tinting System		
Code	Desc.	
3910.750	750 ml	06 pcs.
3950.4	4 Lt.	02 pcs.
3960.8	8 Lt.	02 pcs.
3960.16	16 Lt.	

Code	Desc.	Pack.
3910XX	1L	06 pcs.
3950XX	5L	02 pcs.
3960XX	10L	
3960.20	20L	

Grundieroel Colour Chart



05 Pine



29 Light Cherry



M8147 Rustic Oak



107 Grey Oak



62 Mahogany



M10098 Black





63 Dark Walnut




53 Light Walnut




59 Medium Walnut



50 Natural white



58 Rosewood



PREPARATION & COLOURING

Universal Stain Concentrate HOLZFARBE

A universal liquid stain concentrate ideal for staining raw furniture and other interior surfaces. It replaces the traditional aniline dyes thus avoiding the preparation procedure and the potential inhalation of harmful powders. The concentrates can be used as supplied to achieve very intense colours or can be diluted up to 1:6 ratio with water, alcohol, acetone or NC thinner to get lighter effects. The resulting stain imparts great depth, tone and grain definition and enhances all types of wood prior to finishing. The concentrate can be used also to tint transparent lacquers.



Recommendations for application:

When tinting clear lacquers be cautious due to the strength and add drop by drop to avoid too intense colours. Always make a preliminary test to verify the final effect.



Code	Desc.	Pack.
3000XX	250 ml	12 pcs.
3050XX	500 ml	12 pcs.
3100XX	1Lt	12 pcs.
3005XX	5 Lt	02 pcs.

Holzfarbe Colour Chart (Also Available: 30 Cherry, 59 Medium Walnut, 146 Wenge)









63 Light Walnut







58 Rosewood



52 Oak



140 Blue




17 Teak



60 Black







Universal Stain Concentrate /Interiors and Exteriors Naturaqua HOLZFARBE

A Special water based liquid stain of high strength and light resistance used to colour directly raw wood as well to Tint Basecoats or Topcoats of the NATURAQUA RANGE. Due to its particular formula the stain can be used for Interior as Exterior projects, keeping a good colour brightness till a maximum suggested dilution ratio 1-1. Ready for use can be diluted with water, alcohol, acetone and other polar solvents, once dry allows to be overcoated with any type of lacquer waterborne, thinner based or PU.







Recommendations for application:

When tinting clear lacquers be cautious due to the strength to add drop by drop to avoid too intense colours. Always make a preliminary test to verify the final effect.

Code	Desc.	Pack.
NAT3000XX	250 ml	12 pcs.
NAT3000XX.1	1Lt	12 pcs.
NAT3000XX.5	5 Lt	02 pcs.
NAT3000XX.20	20 Lt	

Naturaqua Holzfarbe Colour Chart (Also Available: 30 Cherry, 59 Medium Walnut , 146 Wenge)





























In the Parquet Oils world Borma offers a solution to every need: drying times differentiated according to the application conditions, VOC-free formulations, products based on natural raw materials, obtained from renewable sources and dedicated to professionals, always in an ideal balance between ecology and performance. Even in lacquers, the options are wide and varied: single-component or catalysed, traditional or water-based, that meet all aesthetic and functional expectations. All finishing products come in multiple gloss variants to create both modern, extremely natural effects and more classic and decorative finishes. Use of the specific basecoats ensures the best result and optimum consumption on any type of background.





BASECOATS AND TOPCOATS FOR PARQUET



Self Sealing Oil PARQUET OIL QUICK

A blend of valuable vegetable oils, reinforced with high quality resins, for the finishing of untreated interior wooden surfaces. It provides an excellent resistance to stains and wear, does not need specific basecoats and is supplied ready for use. Available in the following gloss levels: Deep Matt 10% - Matt 30% - Semi-gloss 60% - Gloss 90%. Available also in the Hardwax "1030" version, with Natural Matt effect. Traditional fast drying, low viscosity formulation.





Recommendations for application:

The product can be applied by brush, roller, rag, spray or on industrial lines. Always provide proper ventilation to the treated areas to allow the correct drying process of the oil.

Approx yield: 12-24 m²/Lt.



Customizable with Borma Colour System

Parquet Oil Quick		
Code	Desc.	Pack.
4951-XX	1Lt	06 pcs.
4952-XX	5 Lt	02 pcs.
4953-XX	10 Lt	
4954-XX	20 Lt	

Hardwax Parquet Oil Quick 1030			
Code	Desc.	Pack.	
4951-HW	1Lt	06 pcs.	
4952-HW	5 Lt	02 pcs.	
4953-HW	10 Lt		
4954-HW	20 Lt		

Self Sealing Oil PARQUET OIL PLUS

Blend of valuable vegetable oils, reinforced with high quality resins, for the finishing of untreated interior wooden surfaces. It provides an excellent resistance to stains and wear, does not need specific basecoats and is supplied ready for use. Available in the following gloss levels: Deep Matt 10% - Matt 30% - Semi gloss 60% - Gloss 90%. Available also in the Hardwax "1030" version, with natural matt effect. New medium drying, high viscosity, easy-flow formulation. Not designated flammable for ADR.



Recommendations for application:

The product can be applied by brush, roller, rag, spray or on industrial lines. Always provide proper ventilation to the treated areas to allow the correct drying process of the oil.

Approx. yield: 12-26 m²/Lt.





Customizable with Borma Colour System

Parquet Oil Plu	S	
Code	Desc.	Pack.
4951-XX.PLS	1Lt	06 pcs.
4952-XX.PLS	5 Lt	02 pcs.
4953-XX.PLS	10 Lt	
4954-XX.PLS	20 Lt	

Hardwax Parquet Oil Plus 1030			
Code	Desc.	Pack.	
4951-HW.PLS	1Lt	06 pcs.	
4952-HW.PLS	5 Lt	02 pcs.	
4953-HW.PLS	10 Lt		
4954-HW.PLS	20 Lt		

Self Sealing Oil PARQUET OIL PRO

Blend of valuable vegetable oils, reinforced with high quality resins, for the finishing of untreated interior wooden surfaces. It provides an excellent resistance to stains and wear, does not need specific basecoats and is supplied ready for use. Has natural satin effect, if applied by a buffing machine. For brush and spray application is available in 10, 30, 60 and 90 gloss. It has a high solid, slower drying, ultra-flow formulation for application with rotating buffing machine. Not designated flammable for ADR.



Recommendations for application:

The product can be applied by brush, roller, rag, spray or on industrial lines. Always provide proper ventilation to the treated areas to allow the correct drying process of the oil.

Approx. yield: 12-26 m²/Lt.



Customizable with Borma Colour System



Code	Desc.	Pack.
4951-XX.PRO	1Lt	06 pcs.
4952-XX.PR0	5 Lt	02 pcs.
4953-XX.PRO	10 Lt	
4954-XX.PRO	20 Lt	



BASECOATS AND TOPCOATS FOR PARQUET

Self-Sealing Oil, Minimal Natural Yellowing HARDWAX COLOROIL

Based on natural oils, reinforced with high quality resins, for the finishing of wooden floors; specifically to keep an extremely neutral tone. It can be used also for doors, skirtings and other wooden items. Interior use.

White: specifically formulated to provide an intense white colour to the wooden surfaces, keeping a natural finish. Based on resin-reinforced oils and lightresistant pigments, it has a slow oxidative drying process and is ideal for white finishes.

Transparent: specifically developed for the final protection of Hardwax Coloroil White. Slow-oxidative drying, it provides an excellent natural finish and does not affect the original Coloroil hue.

Available also in the Quick version, fast drying and particularly suitable for manual applications.



Recommendations for application:

Hardwax Coloroil White can be applied by roller or by brush for covering finishes or can be ragged off for decapé finishes. For the final protection we recommend Hardwax Coloroil Transparent. Approx. yield: Hardwax Coloroil 12-24m²/Lt - Hardwax Coloroil white quick 12-14m²/Lt

Hardwax Coloroil White		
Code	Desc.	Pack.
4992B.1	1Lt	06 pcs.
4992B.5	5 Lt	02 pcs.
4992B.10	10 Lt	
4992B.20	20 Lt	

Hardwax Coloroil White Quick			
Code	Desc.	Pack.	
4992B.1QK	1Lt.	06 pcs.	
4992B.5QK	5 Lt.	02 pcs.	
4992B.10QK	10 Lt.		
4992B.20QK	20 Lt.		

Hardwax Coloroil Transparent		
Code	Desc.	Pack.
4992.1	1Lt	06 pcs.
4992.5	5 Lt	02 pcs.
4992.10	10 Lt	
4992.20	20 Lt	

Hardwax Coloroil Transparent Quick			
Code	Desc.	Pack.	
4992.1QK	1Lt.	06 pcs.	
4992.5QK	5 Lt.	02 pcs.	
4992.10QK	10 Lt.		
4992.20QK	20 Lt.		

Two-Component Oil

PARQUET OIL 2K - HARDWAX PARQUET OIL 2K

A VOC-free, high performing blend of oils. Its special formulation makes it suitable for catalysis which reduces drying times and increases the surface resistance. When completely dried the product forms a thin film, with a natural touch, deeply nourishing and protecting the wood. Available also in Waxy version, HARDWAX PARQUET OIL 2K.

For Professional Use.



Recommendations for application:

Application by buffing machine, with catalysis ratio at 10% or 30%, depending on the traffic on the surface, if medium or high. Approx. yield: 30-50m²/Lt

	Catalyst	
	Code	Desc.
	4951K	100 ml
Customizable with Borma Colour System	4952K	250 ml
	4953K	500 ml
	4954K	1Lt

Catalyst		H
Code	Desc.	C
4951K	100 ml	4
4952K	250 ml	7
4953K	500 ml	L
4954K	1Lt	4
4955K	2 Lt	4

Hardwax Parquet Oil 2K			
Code	Desc.	Pack.	
49512K-HW	1Lt.	06 pcs.	
49522K-HW	2,5 Lt.	02 pcs.	
49532K-HW	5 Lt.	02 pcs.	
49542K-HW	10 Lt.		
49552K-HW	20 Lt.		

Parquet Oil 2K			
Code	Desc.	Pack.	
49512K	1Lt.	06 pcs.	
49522K	2,5 Lt.	02 pcs.	
49532K	5 Lt.	02 pcs.	
49542K	10 Lt.		
49552K	20 Lt.		

Self-Sealing Oil, 100% VOC free

ECO PREMIUM PARQUET OIL HIGH SOLID - ECO PREMIUM PARQUET OIL

VOC-free, ecological oil ideal for the treatment of wooden floors, raw or stained.

Available also in the Finishing-Restoring version (Eco Premium Parquet Oil). It can be coloured on request with Borma Coloroil System or according to our Grundieroil Colourchart.



Recommendations for application:

Specific for the treatment of wide areas, application by buffing machine is suggested. Approx yield: Eco Premium Parquet Oil HS: 16-24m²/Lt

Approx yield: Eco Premium Parquet Oil:12-16m2/Lt



Customizable with Borma Colour System



	Eco Premium F	arquet Oil
Pack.	Code	Desc.
06 pcs.	V0C4951	1Lt
02 pcs.	V0C4952	5 Lt











Insulating Basecoat for Exotic Woods NATURAQUA 1-2K WOOD SEALER


An acrylic transparent insulator for interior and exterior use, ideal for oily woods and as a final 'fixing' coat for "natural effect" finishes. It creates an invisible film for a "raw wood" effect. Fields of application: It can be used as an insulator to ensure adhesion of waterbased finishes on exotic or oily woods or as a surface fixative for invisible finishes.





Recommendations for application:

Catalyse the product with Borma NAT410X-2K at 10% ratio to improve the adhesion and the surface resistance. Approx. yield: 10-14m²/Lt.



CATALYST NAT4100-2K		
Code	Desc.	Pack.
NAT4099-2K	100 ml	12 pcs.
NAT4100-2K	250 ml	12 pcs.
NAT4101-2K	500 ml	12 pcs.
NAT4105-2K	1Lt	06 pcs.
NAT4103-2K	2,5 Lt	02 pcs.
NAT4104-2K	5 Lt	02 pcs.

Code	Desc.	Pack.
NAT4090	750 ml	06 pcs.
NAT4091	5 Lt	02 pcs.
NAT4090.10	10 Lt	
NAT4090.20	20 Lt	
	•	

Anti-tannin Insulator

NATURAQUA SUPER WOOD SEALER

Waterbased insulator specific as anti-tannin barrier, non yellowing. It prevents tannin from rising to the surface and allows overcoating with waterbased finishes, avoiding unwanted yellow or brown spots.



Recommendations for application:

Available in transparent and opaque White, ideal for finishes in light colours. When applied in two coats, it does not require any further basecoats before the topcoat. Approx yield: 10-14m²/Lt



Customizable with Borma Colour System

WHITE		
Code	Desc.	Pack.
NAT4090B-S	750 ml	06 pcs.
NAT4091B-S	5 Lt	02 pcs.
NAT4090.10B-S	10 Lt	
NAT4090.20B-S	20 Lt	

TRANSPARENT		
Code	Desc.	Pack.
NAT4090-S	750 ml	06 pcs.
NAT4091-S	5 Lt	02 pcs.
NAT4090.10-S	10 Lt	
NAT4090 20-S	20 I t	

1-2K WATERBASED BASECOAT FOR PARQUET

Waterbased basecoat for the treatment of wooden floors. Supplied ready for use, it can be applied directly on raw wood. Its special viscosity and workability allow the optimum preparation of parquet floors prior to the application of Naturaqua Parkettlack topcoats.



Recommendations for application:

If a higher hardness is required, the product can be catalysed 10:1 with NAT410X-2K Hardener for waterbased lacquers. Approx yield: 10-14m²/Lt.

Code	Desc.	Pack.
NAT4140	1Lt	06 pcs.
NAT4141	5 Lt	02 pcs.
NAT4142	10 Lt	
NAT4143	20 Lt	



Waterbased Lacquer for Parquet

1-2K NATURAQUA PARKETTLACK

A waterbased, eco-friendly, high performance lacquer for the treatment of parquet. It can be used as single component or catalysed 10:1 with NAT410X-2K Hardener. It respects environmental legislation and workers' health and safety. It provides high levels of protection against wear and abrasion on traditional wooden floors, pre-sanded or to be restored. High performance with the comfort of a single component or catalysed technology. Available in deep matt, matt, semi-gloss and glossy sheen levels.



Recommendations for application:

The product can be applied by brush or roller directly on sanded raw wood or over a Waterbased Basecoat. Naturaqua Parkettlack can also be applied on oil-based basecoats or finishes from Borma range.

Approx yield: 10-14m²/Lt.

CATALYST NAT4100-2K		
Code	Desc.	Pack.
NAT4099-2K	100 ml	12 pcs.
NAT4100-2K	250 ml	12 pcs.
NAT4101-2K	500 ml	12 pcs.
NAT4105-2K	1Lt	06 pcs.
NAT4103-2K	2,5 Lt	02 pcs.
NAT4104-2K	5 Lt	02 pcs.



Code	Desc.	Pack.
NAT4100-XX	1Lt	06 pcs.
NAT4101-XX	2,5 Lt	02 pcs.
NAT4102-XX	5 Lt	02 pcs.
NAT4103-XX	10 Lt	
NAT4104-XX	20 Lt	



BASECOATS AND TOPCOATS FOR PARQUET

Two Component High Performance Lacquer 2K NATURAQUA PARKETTLACK

Waterbased lacquer ideal for the treatment of wooden floors. It develops excellent levels of protection and mechanical performance in terms of wear, abrasion and stain resistance. Suitable for all types of wood, it does not necessarily require a specific primer. Available in deep matt, matt, semi-gloss and glossy sheen levels.



Recommendations for application:

To be used in combination with a hardener for waterborne lacquers in 10:1 ratio. For a glossy version (80-90 gloss) a specific catalyst should be used.

Approx yield: 10-12m2/Lt.

CATALYST FOR GLOSSY 80-90 GLOSS			
Code	Desc.	Pack.	
NAT4107-2K-90	100 ml	12 pcs.	
NAT4111-2K-90	250 ml	12 pcs.	
NAT4108-2K-90	500 ml	12 pcs.	
NAT4109-2K-90	1Lt	12 pcs.	

CATALYST NAT4100-2K		
Code	Desc.	Pack.
NAT4099-2K	100 ml	12 pcs.
NAT4100-2K	250 ml	12 pcs.
NAT4101-2K	500 ml	12 pcs.
NAT4105-2K	1Lt	06 pcs.
NAT4103-2K	2,5 Lt	02 pcs.
NAT4104-2K	5 Lt	02 pcs.



Code	Desc.	Pack.
NAT41002K-XX	1Lt	06 pcs.
NAT41012K-XX	2,5 L t	02 pcs.
NAT41022K-XX	5 Lt	02 pcs.
NAT41032K-XX	10 Lt	
NAT41042K-XX	20 Lt	

CATALYST FOR WATERBASED LACQUERS 4100-2K

Hardener for Borma waterbased lacquers including Naturaqua 1-2K Wood Sealer, Super Wood Sealer, 1-2K Waterbased Basecoat for Parquet, 1-2K Naturaqua Parkettlack and 1-2K Naturaqua Mobilack. It increases the level of chemical and mechanical resistance and enhances adhesion to the substrate.



Recommendations for application:

Add to the base product in ratio 10:1. After the catalysis, dilute with water if necessary. For professional use.

CATALYST NAT4100-2K		
Code	Desc.	Pack.
NAT4099-2K	100 ml	12 pcs.
NAT4100-2K	250 ml	12 pcs.
NAT4101-2K	500 ml	12 pcs.
NAT4105-2K	1Lt	06 pcs.
NAT4103-2K	2,5 Lt	02 pcs.
NAT4104-2K	5 Lt	02 pcs.







Waterbased Zero Gloss Natural Effect

1-2K INVISIBLE TOUCH

A waterbased lacquer with an "invisible" effect. It gives a very modern ultra-matt appearance and does not alter the natural look of the raw wood whilst still giving a high level of surface protection. Invisible Touch is the perfect choice where the unique, natural appearance of the wood needs to remain unaltered but still have a high level of protection.



Recommendations for application:

Add NAT4100-2K hardener for waterbased lacquers, dilute with 10% of water, apply preferably by spray. Approx yield: 10-12m²/Lt.

Code	Desc.	Pack.
NAT4130	1Lt	06 pcs.
NAT4131	5 Lt	02 pcs.
NAT4132	10 Lt	
NAT4133	20 Lt	



Single Component Lacquer for Parquet – Easy

1K-PU EASY PARKETTLACK

A single-component PU-based lacquer supplied ready for use specifically developed as a self-sealing treatment for any wooden floor. Quick and easy to use, fast drying, it is also suitable for industrial lines.

Available in 5, 10, 30, 60 and 90 gloss.



Recommendations for application:

To increase the coverage of the coating application over the 2K PU Parkettlack Basecoat is recommended.

Code	Desc.	Pack.
4160-XX.PU	1Lt	06 pcs.
4161-XX.PU	5 Lt	02 pcs.
4164-XX.PU	10 Lt	





High Performance

CATALYST FOR WATERBASED LACQUERS VOC FREE

High performance VOC-free hardener for waterbased lacquers (ex. Naturaqua Parkettlack 1-2k, Naturaqua Mobilack). It imparts high surface hardness. Recommended for matt and glossy lacquers.





Recommendations for application:

To be used in 10:1 ratio with lacquer, according to dilution instructions.

Code	Desc.	Pack.
NAT4177-2K	100 ml	12 pcs.
NAT4178-2K	500 ml	12 pcs.

Two Component High Performance 2K-PU PARKETTLACK BASECOAT

PU-based two component, high solid basecoat for wooden flooring. Easy to apply, it is specifically formulated as the preliminary coating for 2K-PU Parkettlack finishes. Fast drying, it is easy to sand and ensures excellent coverage of the surface.



Recommendations for application:

Hardener ratio 1:1. The product has to be diluted with DPU011 at 10-20%. Approx yield: $10-14m^2/Lt$

2K-PU Parkettlack Basecoat Kit						
Code	Desc.	Desc.	Pack.			
4145-2K	2K-PU Parkettlack Basecoat Kit Kit 0,5 Lt. + 0,5 Lt A+B	1Lt	06 pcs.			
4146-2K	2K-PU Parkettlack Basecoat Kit1Lt. +1Lt A+B	2 Lt.	06 pcs.			
4147-2K	2K-PU Parkettlack Basecoat Kit 2,5 Lt. + 2,5 Lt A+B	5 Lt.				

Catalyst Basecoat Parkettlack 2k-PU				
Code	Desc.	Pack.		
4135K	500 ml	06 pcs.		
4136K	1Lt.	06 pcs.		
4137K	2,5 Lt.	02 pcs.		
4138K	5 Lt.	02 pcs.		
4139K	20 Lt.			

Basecoat Parkettlack 2K-PU						
Code	Desc.	Pack.				
4135-2K	500 ml	06 pcs.				
4136-2K	1Lt.	06 pcs.				
4137-2K	2,5 Lt.	02 pcs.				
4138-2K	5 Lt.	02 pcs.				
4139-2K	20 Lt.					

Two Component High Performance Lacquer 2K-PU PARKETTLACK

High-solid two component PU finish for wooden flooring. Easy to apply and with long open time it is formulated to allow workability and spreadability even with high temperatures, and offers the highest protection level. Available in 5, 10, 30, 60 and 90 gloss.



Recommendations for application:

Hardener ratio 1:1. The product has to be diluted with DPU011 at 10-20%. To be used with 2k PU Parkettlack Basecoat, even in one single coat. Approx yield: 10-14m²/Lt.

KIT Parkettlack 2k-PU						
Code	Desc.	Desc.	Pack.			
4140-2K-XX	2K Parketlack Pu Kit 0,5 Lt. + 0,5 Lt A+B	1Lt	06 pcs.			
4141-2K-XX	2K Parketlack Pu Kit 1 Lt. + 1 Lt A+B	2 Lt.	06 pcs.			
4142-2K-XX	2K Parketlack Pu Kit 2,5 Lt. + 2 ,5 Lt A+B	5 Lt.				

Catalyst Parkettlack 2k-PU				
Code	Desc.	Pack.		
4115-K	500 ml	06 pcs.		
4107-K	1Lt.	06 pcs.		
4107.2,5-K	2,5 Lt.	02 pcs.		
4108-K	5 Lt.	02 pcs.		
4110-K	20 Lt.			

Parkettlack 2K-PU					
Code	Desc.	Pack.			
4115-2K-XX	500 ml	06 pcs.			
4100-2K-XX	1Lt.	06 pcs.			
4101-2K-XX	2,5 Lt.	02 pcs.			
4102-2K-XX	5 Lt.	02 pcs.			
4104-2K-XX	20 Lt.				

Two Components High Performance Lacquer - Anti-scratch, Natural Matt Effect 2K ULTRAMAX MATT

Two component lacquer for parquet which provides maximum coverage and high scratch and marr-resistance, free of unwanted polishing effects typical for matt finishes. Ideal for any surface that is exposed to wear. Hardener ratio: 100:20.



Recommendations for application:

Apply by spray or roller after proper dilution. Approx yield: 10-14m²/Lt.



Code	Desc.	Pack.
41002K + 4100K	1 Lt+ 200 ml	06 pcs.
41022K + 4102K	5 Lt + 1 Lt	02 pcs.



BASECOATS AND TOPCOATS FOR PARQUET

Comparison charts:

			0	LS			
		CLASSIC			ECO PREMIUM		
CHARACTERISTICS	Parquet oil Quick	Parquet oil PLUS	Parquet oil PRO	Eco premium Parquet Oil	Eco premium Parquet oil HS	Parquet Oil 2k	
Formulation	Based on natural oils and waxes, reinforced with resins	Based on natural oils and waxes, reinforced with resins	Based on natural oils and waxes, reinforced with resins	Based on natural oil, waxes and resins	Based on natural oil, waxes and resins	Based on natural oil waxes and resins	
ssiccazione	6-8 h	9-12 h	12-16 h	24-48h	24-48h	24-48h	
lvailable gloss levels	10, 30, 60, 90	10, 30, 60, 90	10, 30, 60, 90	Natural effect	Natural effect	Natural effect	
Hardwax version availability	Yes	Yes	No	No	No	Yes	
Manual application (brush, rag roller)	Possible	Possible	Possible	Not recommended	Not recommended	Not recommended	
Buffing machine application	Not recommended	Not recommended	Possible	Necessary	Necessary	Necessary	
Industrial application (oil coating machine)	Possible	Possible	Possible	Possible	Possible	Possible	
Hardness and resistance	**	**	**	*	*	***	
Solid content	43% 48% for HW harwax version	43% 48% for HW harwax version	60% 64% for HW harwax version	55%	70%	100%	
Aromatics content	<2%	Aromatic Free	Aromatic Free	Aromatic Free	Aromatic Free	Aromatic Free	
Flammability - ADR	Flammable for ADR	Not flammable for ADR	Not flammable for ADR	Not flammable for ADR	Not flammable for ADR	Not flammable for ADR	
/OC content	463 g/l 427 g/l in HW hardwax version	463 g/l 427 g/l in HW hardwax version	392 g/l 357 g/l in HW hardwax version	VOC Free	VOC Free	VOC Free	
/OC category	A/f = 700 g/l	A/f = 700 g/l	A/f = 700 g/l	A/f = 700 g/l	A/f = 700 g/l	A/f = 700 g/l	



		LACQUERS				
		CLASSIC			Naturaqua	
CHARACTERISTICS	1K-PU Easy Parkettlack	2K Parkettlack	2K Ultramax matt anti-scratch	1-2K Naturaqua Parkettlack	1-2K Naturaqua Parkettlack + Hardener	2K Naturaqua Parkettlack
Formulation	Polyurethane	Two components polyurethane	Two components acrylic - polyurethane	Acrylic polyurethane dispersion	Acrylic polyurethane dispersion + crosslinker	Polyurethane dispersion
Drying time	4-6 hours	24-36 hours	1-2 hours	4-6 hours	4-6 hours	2-4 hours
Available gloss levels	10-30-60-90	30, 60, 90	Matt 0-5 gloss	0-5, 10-20, 30-40, 50-60, 80-90	0-5, 10-20, 30-40, 50-60, 80-90	10-20, 30-40, 50-60,
Manual application (brush, roller)	Yes	Yes	Yes	Yes	Yes	Yes
Spray application	Yes	Yes	Yes	Yes	Yes	Yes
Hardness and resistance	х	xx	XXX	х	xx	xxx
Solid content	45%	45%	25%	32%	36%	40%
Catalysis ratio	1	1:1	10:2		10:1	10:1
Flammability - ADR	Yes	Yes	Yes	no	no	no
VOC content	479 g/l	479 g/L	726 g/l	64 g/l	64 g/l	48 g/l
VOC category	A/i=500g/l	A/j=500g/l	B/e=840 g/l	A/i= 140	A/j=140	A/j=140





CLEANING AND MAINTENANCE FOR PARQUET



Traditional Wax Polish

REBUFFABLE BEESWAX FOR PARQUET (Solid/Liquid)

Special polishing wax for parquet, based on a blend of pure beeswax and carnauba wax. Ideal for the natural finishing of surfaces treated with oil. Silicon-free, it is simple to use, nourishes and protects all wooden surfaces and gives a pleasant and soft protective 'veil' with antistatic properties.



Recommendations for application:

The rebuffable beeswax for parquet, pigmented with stable colours and resistant to light, is ideal for the restoration of antique parquet and creating special effects. Approx yield: 30-40m²/Lt.



Code	Desc.	Pack.
4960	5L solid	02 pcs.
0690	1L liquid	12 pcs.
0692	5L liquid	02 pcs.

Daily Detergent

PARQUET CLEANER

Waterbased detergent made with natural soap, with neutral pH, for the cleaning of varnished or oil treated wooden floors. Pleasantly perfumed, it removes dirt and grease effectively without damaging the coating, cleaning efficiently but gently at the same time. Suitable also for terracotta surfaces.



Recommendations for application:

Dilute in water for the daily cleaning or use as it is for local intervention on small areas. Available also in a white version for light-coloured pastel or white floors. Approx. yield: 60-70m²/Lt.



Code	Desc.	Pack.
NAT0048	1Lt	12 pcs.
NAT0049	5 Lt	02 pcs.
NAT0050	25 Lt	

Waterbased Liquid Wax Polish

PARQUET WAX

A solvent-free wax emulsion designed for the protection and renewal of parquet damaged by constant wear. Its composition of natural waxes with mild surfactants provides a pleasant shine and resistance to frequent traffic areas. Ideal for protecting oil-treated and lacquered parquet floors. According to the type of finishing that needs to be revitalized, there is a matt (for 20-40 gloss matt oil/lacquer finishings) and deep matt (for zero gloss, natural effect finishings) versions of the product.



Recommendations for application:

Apply evenly and avoid overlapping. Wait for complete drying. Approx yield: 60-70m²/Lt

Code	Desc.	Pack.
0490	1Lt	12 pcs.
0491	5 Lt	02 pcs.
0490-30	1Lt matt	12 pcs.
0491-30	5 Lt mat	02 pcs.
0490-10	1Lt deep matt	12 pcs.
0491-10	5 Lt deep matt	02 pcs.



Waterbased Regenerative Treatment for Flooring NATURAQUA REVIVER FOR PARQUET

Ecological and hypoallergenic formula based on precious waxes and polymers dispersed in water. It is VOC-free, easy-to-use, evenly sets, rapidly dries and restores the tone and flexibility to a varnished wood flooring. Renews treated surfaces that will retain clarity, resistance and the ease of cleaning for a longer period of time.



Recommendations for application:

Odorless and colorless. To be used undiluted on deteriorating surfaces; for normal, daily maintenance it should be diluted with water or added in small amounts (1%) to cleaning water. Available in glossy, satin or matt sheen levels.



Code	Desc.	Pack.
NATO500-XX	1Lt	12 pcs.



CLEANING AND MAINTENANCE FOR PARQUET



Water-based Intensive Wax remover

UNIVERSAL ABWACHSER

Intesive Deep Cleaner. Highly concentrated, diluitable 1:6. Easily removes old layers of wax on all types of flooring. Temperature: + 5°C / + 30°C

Recommendations for application:

Dilute the wax-remover in water, 1 to max 6 parts of water. Apply it evenly, leave it a short while to act, for efficiency improvement rub hard and rinse with water.

Code	Desc.	Pack.
0040	1Lt	12 pcs.
0041	5 Lt	02 pcs.



Cleaning and Maintenance

KIT PARQUET 1

Ideal for oiled and lacquered parquet floors. It consists of:

- 1. Parquet Cleaner PH-neutral soap for intensive cleaning of all types of wooden floors.
- 2. Parquet Wax Self-polishing odorless water-based wax for parquet.



Code	Desc.
4885	1Lt+1Lt

Cleaning and Maintenance

KIT PARQUET 2

Ideal for oiled and lacquered parquet floors. It consists of:

- 1. Parquet Cleaner PH-neutral soap for intensive cleaning of all types of wooden floors.
- 2. Rebuffable Beeswax for Parquet (liquid) for extraordinary maintenance of wooden floors.



Code	Desc.
4886	1Lt+1Lt

Daily Detergent LAMINATE CLEANER

Pleasantly perfumed, it removes dirt and grease without damaging the surface.



Recommendations for application:

Dilute in water for daily cleaning or use neat for local intervention on small areas. Approx yield: 60-70m²/Lt.

Code	Desc.	Pack.
NAT0057	1Lt	12 pcs.
NAT0058	5 Lt	02 pcs.



Waterbased Liquid Wax Polish

LAMINATE REVIVER

Special self-polishing waxy reviving agent to revitalize laminate floors damaged by wear and frequent foot traffic. Water soluble, formaldehyde-free and virtually odourless.



Recommendations for application:

Apply evenly and avoid overlapping. Wait until completely dry before using the area. Approx. yield: 60-70m²/Lt.

Code	Desc.	Pack.	
3366	1Lt	12 pcs.	
3367	5 Lt	02 pcs.	





BASECOATS AND TOPCOATS FOR FURNITURE

In the furniture sector our portfolio is split into oil-based products, water based or traditional, to meet every aesthetic and application needs. Different gloss versions and the variety of available technologies make up an ideal range, so that the professional user has a full selection to choose from. Special attention should be paid to surfaces intended for contact with food; specific certified oils are presented for this type of use. Even more niche, specialist areas like sauna treatment and kitchenware finishes are catered for with dedicated products for finishing and maintenance.





BASECOATS AND TOPCOATS FOR FURNITURE



Oil for Furniture

HARD FURNITURE OIL - HARDWAX FURNITURE OIL

Based on natural oils and enriched with high quality resins and waxes, Hard Furniture Oil gives outstanding resistance to staining and scratches. It has a pleasant natural satin effect and is suitable for the protection of virgin or dyed wood with a delicate amber toning. Available in 10%-30%-60%-90% gloss and also in the natural opaque waxy version.



Recommendations for application:

Applicable by brush, rag, roller or spray. For a particularly exquisite and natural effect it is advisable to remove excess with a soft cloth. Allow to dry completely before using the treated object. Approx yield: 12-24m²/Lt.

Hard Furniture Oil		
Code	Desc.	Pack.
4902-XX	1Lt	06 pcs.
4903-XX	5 Lt	02 pcs.
4902.10-XX	10 Lt	
4904-XX	20 Lt	



Hardwax Furniture Oil			
Code	Desc.	Pack.	
4907	1Lt	06 pcs.	
4908	5 Lt	02 pcs.	
4914	10 Lt		
4909	20 Lt		

Oil for Kitchen Tops

HARD TOP OIL AND HARD TOP OIL NATURAL 6020

Based on natural oils and enriched with high quality resins and waxes, Hard Top Oil provides excellent protection with a pleasant natural effect. Suitable for tables and kitchen tops in general, as well as chopping boards and wooden kitchen tools, it is certified for food contact according to EN71.3, DIN 53160 and DIN68861 standards. Also available in waxy version with natural opaque effect (Natural 6020).



Recommendations for application:

Applicable by brush, rag, roller or spray. For a very accurate effect it is advisable to remove the excess with a soft cloth. Allow to dry completely before using the treated object. The chopping boards and other frequent-use items can be washed with water and Borma Neutral Soap; they will be subject to maintenance proportional to the frequency of use. Approx yield: 14-26m²/Lt.

4916.20

20 Lt.





Hard Top Oil Natural 6020		
Code	Desc.	Pack.
4916N	750 ml.	06 pcs.
4917N	5 Lt.	02 pcs.
4916.10N	10 Lt.	
4916.20N	20 Lt.	

Oil for Kitchen Utensils KITCHENWARE OIL

VOC-free oil, made with substances of natural origin, ideal for the treatment of objects in raw wood or those previously treated with oil,which come into constant contact with food such as wooden chopping boards, butchers blocks, plates, salad bowls, spoons, etc. Kitchenware Oil makes the surface highly water and dirt repellent. Certified in accordance with EN71-III, and wholly void of harmful substances.



Recommendations for application:

Apply one or two coats with a brush or rag, or even by dipping, and remove the excess product with a soft cloth. Reapply if necessary, as frequently as requested by the type of use and washing. Approx yield: 8-12m²/Lt.



Code	Desc.	Pack.
4989.025	250 ml	12 pcs.
4989.05	500 ml	12 pcs.
4989.1	1Lt.	06 pcs.
4989.5	5 Lt.	02 pcs.
4989.20	20 Lt	



BASECOATS AND TOPCOATS FOR FURNITURE

Protective Treatment for Saunas

SAUNA OIL

A blend of oils for the treatment and maintenance of the internal surfaces of saunas (benches, claddings and floors in raw wood). Imparts excellent water repellency and protects the wood from dehydration, naturally revitalising the colour and the grain.

Code	Desc.	Pack.
3940	500 ml	12 pcs.
3941	1Lt	12 pcs.
3942	5 Lt	02 pcs.





Recommendations for application:

Sauna Oil is applied to dry, clean, untreated wood with a rag and without excess, repeated periodically as necessary. Approx yield: 8-16m²/Lt.

Waxy Protective Finish for Saunas NATURAQUA BORMA SAUNA WACHS

A waterbased treatment formulated with high quality waxes and resins specifically for the protection of all the internal surfaces of saunas (benches, panels, floors, ceilings). Transparent, it does not alter the wood tone and gives a pleasant natural effect and protection from dirt and water. It is available in 'on-trend' white, grey and black shades. Thanks to its low viscosity and vapor permeability the product is absorbed deeply into the wood and maintains a natural and silky feel on the surface.



Recommendations for application:

The product is also suitable for use on the exterior coating. In this case, overcoating with Naturaqua Top Gel is recommended to increase the durability of the finish. Approx yield: 10-12m²/Lt.



08 Transparent



50 White



9002 Grev



60 Black



Code	Desc.	Pack.
NAT3361XX	750 ml	06 pcs.
NAT3362XX	2,5 Lt.	02 pcs.
NAT3363XX	5 Lt.	02 pcs.
NAT3365XX	20 Lt.	

Waterbased Basecoat

1-2K WATERBASED BASECOAT FOR FURNITURE

Transparent waterbased basecoat for lacquering all types of interior wood. Perfect as the first coat when using Naturaqua Mobilack. It has excellent transparency and elasticity and is easy to apply by brush even on vertical surfaces due to its special rheology. Ideal for furniture, doors, skirting boards and claddings etc.



Recommendations for application:

Ready for use as a single-component product, it can also be catalysed with Borma NAT410X-2K catalyst for waterbased paints, in a 10: 1 ratio. Approx yield: 10-12m²/Lt.

CATALYST NAT4100-2K			
Code	Desc.	Pack.	
NAT4099-2K	100 ml	12 pcs.	
NAT4100-2K	250 ml	12 pcs.	
NAT4101-2K	500 ml	12 pcs.	
NAT4105-2K	1Lt	06 pcs.	
NAT4103-2K	2,5 Lt	02 pcs.	
NAT4104-2K	5 Lt	02 pcs.	
Code	Desc.	Pack.	

Code	Desc.	Pack.
NAT4126	1Lt	06 pcs.
NAT4127	5 Lt	02 pcs.
NAT4128	10 Lt	
NAT4129	20 Lt	





Waterbased Lacquer for Furniture

NATURAQUA MOBILACK 1-2K

Eco-compatible finish for the treatment of furniture. It respects the environment and workers' health, thanks to its water base is almost VOC free. Mobilack develops very high levels of protection against wear and abrasion of traditional wooden surfaces, already sanded or restored. High performance with the ease of use of a single-component/ catalyzed technology.

Available in deep matt, matt, semi-gloss and glossy sheen levels.



Recommendations for application:

Can be used as a single-component product or can be catalysed with Borma Catalyst NAT410X-2K in a ratio: 10: 1. Approx yield: 10-12m²/Lt.

CATALYST NAT4100-2K			
Code	Desc.	Pack.	
NAT4099-2K	100 ml	12 pcs.	
NAT4100-2K	250 ml	12 pcs.	
NAT4101-2K	500 ml	12 pcs.	
NAT4105-2K	1Lt	06 pcs.	
NAT4103-2K	2,5 Lt	02 pcs.	
NAT4104-2K	5 Lt	02 pcs.	
Code	Desc.	Pack.	
NAT4122-XX	1Lt	06 pcs.	
NAT4123-XX	5 Lt	02 pcs.	

10 Lt

20 Lt





Special Waterbased Protection NATURAQUA WOOD AND CORK

Special waterbased self-priming single-component lacquer for the treatment of highly porous wooden surfaces and cork in particular. The product is ideal for creating a protective transparent and deeply penetrating finish. Excellent resistance to temperature changes.



Recommendations for application:

Easy to apply by brush, rapidly drying.

Code	Desc.	Pack.
NAT4170.250-XX		12 pcs.
NAT4170-XX	1Lt	06 pcs.
NAT4170.5-XX	5 Lt	02 pcs.
NAT4170.10-XX	10 Lt	
NAT4170.20-XX	20 Lt	

NAT4124-XX

NAT4125-XX







Two Component Oil ONE COAT 2K WOOD OIL

A finely tuned blend of zero-emission oils with extraordinary performance. Its special formula makes it suitable for catalysis which significantly increases the surface resistance and reduces the drying time as well as the frequency of maintenance required. Due to 100% solid content only one layer of 20-30g /m² is required to obtain a top-quality finish with high surface resistance.

Code	Desc.	Pack.
4996 + 4996K	1Lt	06 pcs.
4997 + 4997K	2,5 Lt	02 pcs.
4998 + 4998K	5 Lt	02 pcs.
4999 + 4999K	20 Lt	





Recommendations for application:

For Professional Use. Suitable for Exteriors as well as Interiors.

Waterbased Lacquer for Furniture

1-2K INVISIBLE TOUCH

A waterbased lacquer with an "invisible" effect. It gives a very modern ultra-matt appearance and does not alter the natural look of the raw wood whilst still giving a high level of surface protection. Invisible Touch is the perfect choice where the unique, natural appearance of the wood needs to remain unaltered but still have a high level of protection.



Recommendations for application:

Apply preferably by spraying after catalysis with NAT4100-2K, catalyst for waterbased paints and 10% dilution in water. Approx yield: 10-12m²/Lt.

00-2K	
Dage	
Desc.	Pack.
100 ml	12 pcs.
250 ml	12 pcs.
500 ml	12 pcs.
1Lt	06 pcs.
2,5 Lt	02 pcs.
5 Lt	02 pcs.
	250 ml 500 ml 1Lt 2,5 Lt

Code	Desc.	Pack.
NAT4130	1Lt	06 pcs.
NAT4131.5	5 Lt	02 pcs.
NAT4132	10 Lt	
NAT4133	20 Lt	





Traditional Lacquer for Furniture MOBILACK

A fast-drying PU Lacquer for furniture, easy to use, and suitable as a self-sealer also for doors, skirting boards and other interior surfaces. Available in 5, 10, 30, 60 and 90 gloss.



Recommendations for application:

Ready for use, however, to get greater impregnation the product can be diluted up to 15% with DPU011 polyurethane thinner, depending on the finish required. Approx yield: 12-24m²/Lt.

Code	Desc.	Pack.
4122-XX	750 ml	06 pcs.
4122.2.5-XX	2,5 Lt	02 pcs.
4122.5-XX	5 Lt	02 pcs.
4122.20-XX	20 Lt	



Traditional Basecoat

BASECOAT GEL

Basecoat Gel is a fast drying, single-component, transparent product with excellent adhesion power. It is ideal as a first coat before painting or wax finishes.

-01	

Recommendations for application:

The product is a ready-for-use easy to apply gel ideal for use on vertical surfaces to avoiding drips, runs or sags. It's fast-drying formulation ensures excellent results even if diluted. Approx yield: 12-14m²/Lt.

Loae	Desc.	Pack.
0650	250 ml	12 pcs.
0652	750 ml	06 pcs.
0655	5 Lt	02 pcs.



Traditional Lacquer

NC LACK

A traditional Nitro-cellulose, low-yellowing and easy to sand gel lacquer with a consistency that prevents dripping and makes it ideal for vertical surfaces. Available in 20-40-60 gloss levels.



Recommendations for application:

Used in furniture restoration, it is also an excellent fixative for stains. Approx yield: 10-12m²/Lt.

Code	Desc.	Pack.
0620	250 ml	12 pcs.
0621	750 ml	06 pcs.
0622	51t	02 ncs



Waterbased Paint for Furniture WHITE INTERIOR PAINT - BLACK INTERIOR PAINT

White or black covering varnish for furniture and indoor surfaces, odourless and easy to apply even vertically. With a pleasant opaque effect, it is dense and filling. It allows you to effortlessly renovate furnishings, doors, windows, directly in the home environment.



Recommendations for application: Ideal both by brush and spray

Code	Desc.	Pack.
TRN69029005-30 BLACK RAL 9005 30 GLOSS	750 ml	6 pcs.
TRNAT690250-30 WHITE 50 30 GLOSS	750 ml	6 pcs.
TRN69039005-30 RAL 9005 30 GLOSS	2,5 lt	2 pcs.
TRNAT690350-30 WHITE 50 30 GLOSS	2,5 lt	2 pcs.



CLEANING AND MAINTENANCE FOR FURNITURE

The products for daily or periodic cleaning and protection are much more than a complement and can become a functional 'finishing touch' to the coating system, extending its life and enhancing its value. The intensive detergents, suitable for any type of finish, help in the more focused cleaning operations, whist the water-based soap is dedicated to regular use even on delicate surfaces. Our finely-formulated range also offers specific wax and oil options depending on the type of original finish and the general conditions of application.





CLEANING AND MAINTENANCE FOR FURNITURE



Intensive Wax Remover for Wood RADIKAL ABWACHSER

The ideal product for the total cleaning of all wooden surfaces. With speed and absolute effectiveness it attacks the old layers of wax removing any dirt, dust and ingrained debris without the potential of damage to the underlying lacquers.



Recommendations for application:

Apply with a cloth and if necessary, rub with Steel Wool 000 or 0000. Wipe with a clean cloth to remove any residue.



Code	Desc.	Pack.
0042	250 ml	12 pcs.
0043	500 ml	12 pcs.
0044	1L	12 pcs.
0045	5L	02 pcs.
0046	Spray 400 ml	12 pcs.

Intensive Polishing Cleaner for Wood FURNITURE CLEANER (Möbelreiniger)

Polishing cleaner for any lacquered surface. Möbelreiniger is a mixture of precious mineral oils. Designed for removing streaks and greying due to the wear of surfaces and humidity. Thoroughly sanitizes and restores brightness.



Recommendations for application:

Apply with a soft cloth, rub with circular movements and allow to dry. The product leaves no residue.



Code	Desc.	Pack.
0015	250 ml	12 pcs.
0016	500 ml	12 pcs.
0017	1L	12 pcs.
0018	Spray 400 ml	12 pcs.

Daily Waterbased Detergent

FURNITURE NEUTRAL DETERGENT

Waterbased, with a neutral soap and Orange Essential Oil, it is ideal for the daily care of furniture. Suitable for all indoor surfaces, lacquered, painted or treated with oil. This bespoke cleaner gently cleanses and respects the original finishes, leaving a lasting, fresh Orange Citrus scent.



Recommendations for application:

Apply with a soft cloth and wipe with circular movements. Wipe again with a dry cloth to polish the surface.



Code	Desc.	Pack.
NAT0060	500 ml	12 pcs.
NAT0061	1Lt	12 pcs.
NAT0061.5	5 Lt	02 pcs.
NAT0061.25	25 Lt	



CLEANING AND MAINTENANCE FOR FURNITURE

Daily Care

FURNITURE CREAMY WAX POLISH - MOBILCERA

A waxy cream polish for furniture that transforms and renews the lustre of dull and jaded surfaces. It sanitises and polishes, protecting the surface from dust and moisture.



Recommendations for application:

Apply small quantities with a soft cloth and massage until completely absorbed. Approx.yield: 30-40m²/Lt.



Code	Desc.	Pack.
0400	250 ml	12 pcs.
0401	500 ml	12 pcs.
0402	1Lt	12 pcs.

Periodic Care

WACHS&OELPFLEGE

An ideal detergent for the cleaning and maintenance of surfaces treated with oil or wax. Ecological and waterbased, it combines natural waxes and precious oils that cleanse and revitalise the treated surface in a single application.



Recommendations for application:

Apply with a soft cloth and wipe again after a few seconds with a clean and dry cloth to remove dust and excess product whilst polishing the surface. Approx. yield: 30-40m²/Lt.



Code	Desc.	Pack.
4061	250 ml	12 pcs.
4062	500 ml	12 pcs.
4063	1Lt.	12 pcs.
4064	5 Lt.	02 pcs.

Special for Oil finishes

INTERIOR OIL REFRESHER

For the more intense maintenance of indoor wood, the Interior Oil Refresher is perfect for the care and restoration of any surface previously treated with Borma oils. Easy to apply, it nourishes the wood and renews the existing protective layer. It gives a pleasantly satin appearance and enhances the natural beauty of grain.



Recommendations for application:

Apply sparingly with a brush or rag. For normal maintenance, just one coat is sufficient. Allow to dry completely before re-using the surface.



Code	Desc.	Pack.
3976	250 ml	12 pcs.
3977	500 ml	12 pcs.
3978	1Lt	12 pcs.
3978 05	51t	02 ncs

\$

Customizable with Borma Colour System

Natural Reviver RESTORING OIL

A natural product for furniture maintenance and restoration. This traditional formulation of precious oils and extenders ensures high reviving and protective power for wood and lacquers. Penetrating deeply, it dyes and polishes, hiding scratches and abrasions. **Available Colours:** Light Wood, Medium Wood, Dark Wood and Mahogany.



Recommendations for application:

Apply with a cloth and remove any excess with a dry and clean cloth. Not ideal for floors. Approx. yield: 30-40m²/Lt.



08 Light Wood







62 Mahogany



Code	Desc.	Pack.
0410XX	150 ml	12 pcs.
0420XX	500 ml	12 pcs.
0450XX	1Lt	12 pcs.
0470XX	5 Lt	02 pcs.



Bees and Carnauba wax - in Paste and Liquid Form

Based on beeswax and carnauba, it nourishes, regenerates, protects and polishes all types of wood, reviving its natural colour and tone. Recommended for interiors and fine furnishings.



Recommendations for application:

It can be applied on any wooden surface: raw, stained, varnished or with oil finishes. Rebuffable. Approx. yield: 30-40m²/Lt.



Holzwachs paste		
Code	Desc.	Pack.
0120XX	500 ml	06 pcs.
0150XX	1Lt	06 pcs.
0170XX	5 Lt	02 pcs.
0190XX	20 Lt	

Holzwachs liquid Code		SC.
Code	Desc.	Pack.
0210XX	250 ml	12 pcs.
0220XX	500 ml	12 pcs.
0250XX	1L	06 pcs.
0270XX	5L	02 pcs.
0290XX	20L	
0215XX	Spray 400 ml	12 pcs.

Colour chart



Waxy Blend for Furniture HARD WAX OIL 7030

Based on natural waxes and oils, the product combines the ease of application of wax paste with the resistance of oil. Colourless, it is used to soften the effects obtained with coloured waxes and to give the surfaces higher protection, water repellency and hardness.



Recommendations for application:

Spread or brush in thin, uniform layers. Polish with a soft cloth. Approx. yield: 20-30m²/Lt.



Customizable with Borma Colour System



Code	Desc.	Pack.
2960XX	750 ml.	06 pcs.
2965XX	2,5 Lt.	02 pcs.
2965.5XX	5 Lt.	02 pcs.
2970XX	10 Lt.	





Borma IG Pure

Hygiene: Dual Functionality



Borma IG PURE is a cutting-edge, dual-function wooden finishing. Building on the innovations of R&D project results, Borma IG PURE is designed to provide long-lasting protection and self-regenerating cleaning action.

A high-tech polymer structure protects the wooden support and inorganic silver technology on surface relay active ions providing optimal performance during water cleaning.

Wooden surfaces treated with Borma IG PURE offer greater hygiene between cleaning procedure.

Self Sealing Sanitizing Oil

Desc.	Pack.
1Lt.	06 pcs.
5 Lt.	02 pcs.
10 Lt.	
20 Lt.	
	1 Lt. 5 Lt. 10 Lt.



IG PURE HARD WOOD OIL

Natural oil based treatment, reinforced with high quality resins, for the finishing and active cleaning of wooden floors. It provides an excellent resistance to stains and wear and is enhanced with iG PURE technology of controlled Silver ions release. It does not need specific basecoats and is ready-to-use. Available in the following gloss levels: natural effect 5% - deep matt 10% - matt 30% - semiglossy 60% - glossy 90%. Latest generation solution, self-regenerating protection, high viscosity. Not flammable, free from any transport limitation.



Recommendations for application:

The product can be applied by brush, roller, rag or spray. Always provide proper ventilation to the treated areas to allow the correct drying process of the oil.



Sanitizing Waterbased Parquet Lacquer

Code	Desc.	Pack.
IGNAT4100.1-XX	1Lt.	06 pcs.
IGNAT4100.5-XX	5 Lt.	02 pcs.
IGNAT4100.10-XX	10 Lt.	
IGNAT4100.20-XX	20 Lt.	



IG PURE NATURAQUA 1-2K PARQUET LACK

Water-based self-sealing high resistance eco-friendly lacquer ideal for the treatment and active cleaning of wooden floors. It develops high levels of performance against wear and abrasion, as the innovative iG PURE technology grants additional sanitary protection. Suitable for all types of wood, being self-sealer it does not necessarily require a specific primer. Latest generation solution, self-regenerating protection with controlled Silver ions release. Ready for use,(one component), can be easily spread on any treated surface. On demand it can be further improved in performance by adding its specific hardener, (two component). Hardener addition ratio is 10%. Available in gloss levels: natural effect 0-5% - deep matt 10-20% - matt 30-40% - semiglossy 50-60% - glossy 80-90%.



Recommendations for application:

The product can be applied by brush or roller directly on sanded raw wood or on water-based, oil-based basecoats or oil-based finishes from Borma range. Approx. yield: 10-14 m2/Lt



Sanitizing Waterbased Lacquer for Furniture

Code	Desc.	Pack.
IGNAT4122.1-XX	1Lt.	06 pcs.
IGNAT4122.5-XX	5 Lt.	02 pcs.
IGNAT4122.10-XX	10 Lt.	
IGNAT4122.20-XX	20 Lt.	



IG PURE NATURAQUA 1-2K MOBILACK

Eco-compatible Self Sealing finish for the treatment and active cleaning of furniture. It respects the environment, workers health and protects user's health thanks to its water base, almost non-existent VOC content and iG PURE innovative technology. Mobilack develops very high levels of protection against wear, abrasion and bacteria thanks to the controlled release of Silver ions. High performance with the ease of use of a single component and self-regenerating protection. By need or aim, Mobilack can be further improved in performances by adding its specific hardener, (two component). Hardener addition ratio is 10%. Available in gloss levels: natural effect 0-5% - deep matt 10-20% - matt 30-40% - semiglossy 50-60% - glossy 80-90%.



Recommendations for application:

The product can be applied by Brush, Spray or Roller directly on sanded raw wood or on water-based or oil-based basecoats. It can be applied on Borma Oil finishes as well, prior a proper sanding. Approx yield: 10-14 m2/Lt.





IG PURE technology enhances perfomance of some of our traditional products as:

Waterbased Sanitizing and Regenerative Polish for Wood-floors

IG PURE PARWACHS - PARQUET REVIVER

An ecological, hypoallergenic and sanitizing double-action formula based on precious waxes and high-tech polymer dispersed in water. It is VOC-free, easy-to-use, evenly sets, rapidly dries and restores the tone, flexibility and resistance to wood flooring, thus protecting it. The sanitizing function is granted by controlled release of Silver ions incapsulated into inorganic nanostructured crystals. On demand available in white version for whitened oiled parquet. According to the type of finishing that needs to be revitalized, there is a matt (for 20-40 gloss matt oil/lacquer finishings) and deep matt (for zero gloss, natural effect finishings) versions of the product.

Code	Desc.	Pack.
IG0490.1-XX	1Lt.	12 pcs.
IG0490 5-XX	51t	02 ncs



Sanitize

IG PURE PARQUET CLEANER

Waterbased detergent with natural neutral pH, it is a double funciton soap for proper cleaning and sanitizing of any varnished or oil-treated wooden floors. Pleasantly perfumed, being Ph Neutral, it removes dirt and grease effectively without damaging the coating. Its sanitizing action is guaranteed by the controlled release of Silver ions incapsulated into inorganic nanostructured crystals.

Code	Desc.	Pack.
IGNAT0048.1	1Lt.	12 pcs.
IGNAT0048.5	5 Lt.	02 pcs.
IGNAT0048.25	25 Lt.	



Waterbased Sanitizing and Regenerative Polish for Laminate

IG PURE LAMINATE REVIVER

An ecological, hypoallergenic, sanitizing double-action reviver based on precious waxes and high-tech polymers dispersed in water. Suitable also for linoleum, it is VOC-free, easy-to-use, evenly sets, rapidly dries and restores laminate floors damaged by traffic, thus protecting it. The sanitizing function is granted by the controlled release of Silver ions incapsulated into inorganic nanostructured crystals.

Code	Desc.	Pack.
IG3366.1	1Lt.	12 pcs.
IG3366.5	51t	N2 ncs



Sanitize

IG PURE LAMINATE CLEANER

Waterbased detergent with natural neutral pH, it is a double function soap for proper cleaning and sanitizing of laminate floor. Pleasantly perfumed, being Ph Neutral, it removes dirt and grease effectively without damaging the coating. Its sanitizing action is guaranteed by the controlled release of Silver ions incapsulated into inorganic nanostructured crystals.

Code	Desc.	Pack.
IGNAT0057.1	1Lt.	12 pcs.
IGNAT0057.5	5 Lt.	02 pcs.



Exteriors

Aesthetic, Flexible, Tenacious

In regards to exteriors Borma aspires to guarantee the optimum protection of wooden surfaces while maintaining the same particular attention to natural raw materials, namely oils and waxes. In order to satisfy every need and to ensure durable protection oils, primers and topcoats are offered in different colours and formulations.







WO

WOOD PREPARATION

Paint Removers

Extra Strong Paint Remover RADIKAL ABBEIZER

For Wood

Removes all types of lacquer, including 2K polyurethanes. Complies with European safety standards. It is available in liquid and gel form. The gel version is particularly suitable for vertical surfaces. It does not contain methylene chloride, is non-corrosive and does not change the colour of the wood.



Recommendations for application:

Apply generously using a brush over the entire surface, leave to work for 10 - 20 minutes until the film softens, remove the old lacquer with steel wool or a brush. For particularly thick lacquer, repeat the operation.



Code	Desc.	Pack.
0031-ES	750 ml	06 pcs.
0032-ES	4 Lt	02 pcs.
0033-ES	20 Lt	



Liquid

Code	Desc.	Pack.
0034-ES	750 ml	06 pcs.
0036-ES	4 Lt	02 pcs.
0038-ES	20 Lt	

Gel Paint Remover

EXTRA STRONG UNIVERSAL PAINT STRIPPER

For all Surfaces

Extra strong gel paint remover with a special solvent blend suitable for any type of surface. Free from methylene chloride, and therefore without sales restrictions. A non-corrosive material which does not change the natural shade of the surface on which it is applied. For Professional Use.



Recommendations for application:

Apply generously, leave to work for 10-20 minutes and remove any residue. Suitable for wood, metal, walls and painted surfaces in general.



Code	Desc.	Pack.
0031-U	750 ml	06 pcs.
0032-U	4 Lt	02 pcs.
0033-U	20 Lt	

Water-Dilutable Paint Remover (Non-Soluble) - Chloride Free ECO STRONG PAINT STRIPPER

For all Surfaces

A virtually odourless, water-dilutable strong gel paint remover that is free of methylene chloride, aromatic solvent and methanol. It does not change the natural shade of the wood. For Professional Use. Not subject to sales restrictions.



Recommendations for application:

The action of the water-soluble paint remover is more progressive than Extra Strong Paint remover. You are advised therefore to leave on for longer.





Code	Desc.	Pack.
NAT0031	750 ml	06 pcs.
NAT0032	4 Lt	02 pcs.
NAT0033	20 Lt	





Intensive Cleaning

Super-intensive terrace-deck detergent - Gel

NATURAQUA EXTRA STRONG WOOD CLEANER

Ideal for removing stubborn dirt residue and old treatments and to degrease oily wood.

An intensive wood cleaner that removes stubborn dirt and previous treatments with an oil or alkyd base. It is also particularly useful to degrease exotic wood particularly rich in oils and extracts. In this case, you are recommended to dilute the product with water 1:1. Wet the surface with plenty of water before treatment to aid penetration.



Recommendations for application:

Due to the high concentration of organic substances, Extra Strong Wood Cleaner can change the natural colour of the wood, making it darker. To restore the original colour of the wood follow the process with an application of Borma Exterior Wood Cleaner.







Code	Desc.	Pack.
0091	1Lt	12 pcs.
0092	5 Lt	02 pcs.
0093	10 Lt	·
0094	25 Lt	

Intensive terrace-deck detergent

NATURAQUA EXTERIOR WOOD CLEANER

Ideal for deteriorated wood and to revive natural colour.

A waterbased, one component cleaner with active organic ingredients which ensures efficient cleaning and prepares the surface for subsequent treatments, removing dirt residue and lightening the colour of the wood. Specifically for exterior use, the surface should be thoroughly rinsed with water after application.



Recommendations for application:

Wet the support with plenty of water by hosepipe or watering can before treatment. Rinse thoroughly and remove all residue.









Code	Desc.	Pack.
0075	1Lt	12 pcs.
0076	5 Lt	02 pcs.
0075.10	10 Lt	
0075.25	25 Lt	

Wood Reviver

NATURAQUA BORMA NO GREY

Ideal for the removal of environmental greyness and to restore the natural colour of the wood

A waterbased detergent to restore wood to its natural colour. Remove surface greyness caused by decomposition of wood under the action of natural ultraviolet radiation. Apply to the wet surface, leave to act for 5 minutes, then clean the wood with a hard brush. After application, rinse with plenty of water. Ideal for reviving garden furniture, fences and decking.



Recommendations for application:

Scrub the surface with a paintbrush or brush whilst the surface is still wet. The result is immediate. If necessary, repeat the operation.







Code	Desc.	Pack.
SB5700	1Lt	12 pcs.
SB6700	5 Lt	02 pcs.
SB5700.10	10 Lt	
SB5700.25	25 Lt	

Intensive Wood Cleaner WHITENING 2K SUPER CLEANER

For Professional Use

A 2K product ideal for the intensive cleaning of wooden surfaces with a whitening effect. It efficiently removes mildew, dirt and residue from underlying exterior woodstain products. The product does not alter the structure of the wood fibre, but is corrosive on skin and therefore for Professional Use only.



Recommendations for application:

Use only synthetic brushes, containers, sponges and paintbrushes. The product can cause unwanted oxidation phenomena on metals and damage natural bristles. Only catalyse the quantity strictly necessary for immediate use. Do not keep the mix catalysed; dispose of any residue immediately after use.











Code	Desc.	Pack.
0062 + 0063	1Lt + 0,5Lt	12 pcs.
0068 + 0065	5Lt + 2,5Lt	02 pcs.
0066 + 0067	25Lt + 12,5Lt	

WOOD PREPARATION



Primers and Sealers

Borma Classic Line

Special Primer BORMA SHIELD

Designed to protect wooden structures before final painting as a surface barrier.

A specially formulated product to protect newly built wooden structures, whilst waiting for subsequent finishing treatments (in general, during the winter). It prevents the wood from greying, efficiently protects against the formation of mildew, fungi and insect infestation during the period in which the wood is left without a finish. It does not alter the natural colour. And is characterised by excellent penetration which enables the subsequent application of oils and any further finishing.



Recommendations for application:

The product can also be used as a pre-treatment before exterior woodstain products, lacquers or oils. Thanks to the high content of the active ingredients and its superior penetration the material guarantees greater protection and makes the coating last longer. For exterior use.



Customizable with Borma Colour System



Code	Desc.	Pack.
3630	1Lt	06 pcs.
3631	5 Lt	02 pcs.
3632	10 Lt	
3633	20 Lt	

Special Insulating Primer BORMA SUPER SHIELD 2K

A high-performance 2- component, polyurethane based Primer with preservative and insulation properties ideally suited to resinous woods. Fast drying and with excellent sanding it is perfect for closed / semi-closed pore finishes. The cycle can be completed with Exterior Wood Lack 2k, Naturaqua Exterior Wood lack 2k or Decking Oil HD.



Recommendations for application:

It can be applied by brush, roller or spray. Suggested for professional use.



Code	Desc.	Pack.
36302K + 3630K	1Lt.	06 pcs.
36312K + 3631K	5 Lt	02 pcs.
36322K + 3632K	10 Lt	
36332K + 3633K	20 Lt	

Heavy Duty Insulator HOLZWACHS LASUR ALF

Special for Bleached Surfaces.

Whitening 2K Super Cleaner effectively cleans wooden surface, whitening its shade. Apply Holzwachs Lasur ALF sealer after the bleacher in order to prevent the unwanted reaction between the finishing and bleaching agents. After drying allows the use of desired finishing products.



Recommendations for application:

Ensure the quantity of the material applied is sufficient to protect the surface. Holzwachs Lasur ALF can be tinted with Borma oil pigments.



Customizable with Borma Colour System



Code	Desc.	Pack.
3320XX-ALF	750ml	06 pcs.
3322XX-ALF	2,5Lt	02 pcs.
3330XX-ALF	5Lt	02 pcs.
3344XX-ALF	10Lt	
3340XX-ALF	20Lt	



Refurbishing Uniforming Basecoat RINOVA

An odourless, uniforming basecoat with exceptional covering power that is ideal for restoring exposed external woodwork. Its high concentration ensures excellent covering after only one coat application even on grey, stained and deteriorated surface, excluding the need for intensive cleaning and sanding. This product protects and seals the treated surface, facilitating the application of succeeding fineshes, whether semi-transparent for a natural effect of covering for a more decorative effect. Special protective ingredients prevent the attack of pathogens such as fungi and insects.



Recommendations for application:

RINOVA is quick drying, easy to apply and supplied ready for use. Use Holzwachs Lasur 3in1 or Dekorwachs Lasur 3in1for the finishing coats.



Code	Desc.	Pack.
3350XX	375 ml	06 pcs.
3351XX	750 ml	06 pcs.
3352XX	2,5 Lt	02 pcs.
3353XX	5 Lt	02 pcs.
3350.10XX	10 Lt	
3350.20XX	20 I t	



WOOD PREPARATION



Primers and Sealers Borma Naturaqua Line

Special Protective Waterbased Primer

NATURAQUA BORMA SHIELD

Designed to protect wooden structures before final painting as a surface barrier.

A waterbased, odourless and quick-drying Primer formulated to protect newly built, wooden structures while waiting for the subsequent finishes. It provides effective protection against mildew, fungi formation and insect infestation, even in the absence of other treatments. It does not change the colour of the wood and allows the subsequent application of any finish.



Recommendations for application:

The product can be used as a pre-treatment before exterior woodstain products, lacquers or finishes in general. Thanks to the high content of active ingredients, it is recommended for waterbased finishing cycles to guarantee greater protection and prolong the duration of the coating. For Exterior use.





Customizable with Borma Colour System



Code	Desc.	Pack.
NAT3630	1lt	06 pcs.
NAT3631	5Lt	02 pcs.
NAT3632	10Lt	
NAT3633	20Lt	

Hardwood Sealer

NATURAQUA 1-2K WOOD SEALER

Ideal for oily wood and as a "natural effect" fixative.

A clear, acrylic insulator for interior and exterior use that creates an imperceptible film for a "raw wood" effect. Application areas:

- as a preliminary Sealer to guarantee good adhesion of waterborne finishes on oily, exotic woods such as teak, iroko and similar
- as a surface fixative for finishes with a "natural wood" effect.



Recommendations for application:

Catalyse the product with BORMA 4100-2K at 10:1 to improve its surface strength.





Customizable with Borma Colour System



Code	Desc.	Pack.
NAT4090	750 ml	06 pcs.
NAT4091	5 Lt	02 pcs.
NAT4090.10	10 Lt	
NAT4090.20	20 Lt	

Special Anti-tannin Sealer

NATURAQUA SUPER WOOD SEALER

A waterbased sealer which provides a highly effective tannin-resistant barrier which avoids tannin bleed and allows subsequent waterbased finishes to be used without the migration of unpleasant yellow or brown stains. Available also in two component solvent-based high performance version as "Tannin Blocker 2K" -> BORMA PRO



Recommendations for application:

Available both as a transparent or white coat, it is ideal for light finishes. Applied in two coats, it does not require use of further bases before the finish.





Customizable with Borma Colour System



Code	Desc.	Pack.
NAT4090-S	750ml	06 pcs.
NAT4091-S	5Lt	02 pcs.
NAT4090.10-S	10Lt	
NAT4090.20-S	20Lt	



Sealers - Intermediate Borma Naturaqua Line

Thixo High Solid Sealer NATURAQUA LOG SEALER

Ideal for the protection of exposed cut ends of beams and planks

A waterbased sealer, formulated to protect the ends of logs, beams, stakes and other wooden structures exposed to damp and adverse weather conditions. Also suitable for sealing longitudinal cracks. It blocks penetration of humidity into the wood, and prevents mildew formation thereby extending the useful life of the protective coating and the manufactured piece in general. Always apply before proceeding with application of coloured products to guarantee greater uniformity Clear, it has excellent resistance against UV rays.





Recommendations for application:

The product can be tinted with Waterbased Pigments. Apply as a first intermediate product for waterbased finishing cycles or traditional solvent-based ones. Apply as the finale coat oil finishing cycles, to enable this material to penetrate the







Customizable with Borma Colour System

Window Sealer

NATURAQUA END GRAIN WINDOW SEALER

To improve protection of joints, doors, windows and fittings in general.

A specific sealer to protect corner joints of door and window fittings against humidity and surface deterioration. On the 45 degree joints, coverage of finishes is often weak, especially in the case of spray applications. As a consequence, the finish can start to flake and reduce the duration of the coatings protective function.



Recommendations for application:

After applying the exterior woodstain, lightly apply the sealer to joints and then sand. Complete the finishing cycle with Top Gel Thixo or Naturaqua Top Gel.





Code	Desc.	Pack.
0646	250 ml.	12 pcs.
0647	500 ml.	12 pcs.





ROOF-CLADDING FINISHES



WAX-BASED FINISHES Full Pigmented Finishing

Solid Colour Full Covering Finish

DEKORWACHS LASUR SOLID 3IN1 - Oil-Wax Based - Interior and Exterior

For cladding, roofing, windows and fences

Dekorwachs Lasur is a satin waxed finish for interiors and exteriors, in a special series of bright or pastel colours. Thixotropic, it gives excellent coverage and is highly resistant to light. The product is ready for use, demonstrating excellent elasticity, without any flaking or detatchment over time. With a base of natural oils, high quality resins, UV filters and preservatives it protects the wood from biological agents and adverse weather conditions. The product is easy to apply and does not drip even when applied on vertical surfaces.





Recommendations for application:

Application of two coats is recommended. To renew the coating, simply apply a coat on the dry and clean surface. No need to sand





Customizable with Borma Colour System

Solid Colour Full Covering Finish

NATURAQUA DEKORWACHS LASUR SOLID 3IN1 - Enriched with Oil-Wax - Interior and exterior

For cladding, roofing, windows and fences

Naturaqua Dekorwachs Lasur is a high-solid content, satin, water-based finish, suitable both for interiors and exteriors, in a special range of bright or pastel colours. It has excellent coverage power and high resistance against light. The product, ready for use, demonstrates excellent elasticity and is fast drying. With a high-quality resin base, UV filters and preservatives it protects the wood from biological agents and adverse weather conditions. The product, is easy to apply and is non-drip.







Recommendations for application:

For long term durability a minimum of two coats is recommended by brush or spray application. The level of protection offered by DEKORWACHS LASUR and NATURAQUA DEKORWACHS LASUR is very similar, however, when maintenance is required, the waterbased version requires intermediate sanding between the coats.





Customizable with Borma Colour System



Protective UV Oil - High Solid

A bespoke blend of oil, waxes and natural resins for the perfect finishing of exterior items. This transparent oil is recommended as a topcoat after staining. Thanks to its special UV-filters, it consistently prolongs life of coloured and raw wood, keeping it from greying and oxidation.



Recommendations for application:

Apply in one single layer after Holzwachs Lasur 3in1 or Dekorwachs Lasur 3in1 as a final protection.



Code	Desc.	Pack.
3933.UV	1Lt.	06 pcs.
3934.UV	5 Lt	02 pcs.
3933.10.UV	10 Lt	
3933.20.UV	20 Lt	





Colour Chart







ROOF-CLADDING FINISHES



WAX-BASED FINISHES Natural Finishing

Translucent wood-tone finish

HOLZWACHS LASUR 3IN1 - Oil-Wax Based - Interior and Exterior

For cladding, roofing, window and fences

Holzwachs Lasur is a satin, impregnating self-sealing 3-in-1 finish, for interiors and exteriors, with a natural oil, wax and resin base. It can be diluted with products from the Solvoil range, penetrating the wood to create a decorative, protective and highly elastic layer on the surface. Water repellent and breathable, it does not flake. It contains UV filters and additives for wood protection. Application of two or three coats is recommended. To renew the coating, simply apply a coat on the dry and clean surface. There is no need to sand.



Recommendations for application:

Holzwachs Lasur 3IM1 creates a natural, satin effect. For a more decorative effect and greater protection, one or two coats of Weather Oil UV can be applied on it.



Customizable with Borma Colour System



Code	Desc.	Pack.
	750 ml	06 pcs.
3322XX-3X1	2,5 Lt	02 pcs.
3330XX-3X1	5 Lt	02 pcs.
3344XX-3X1	10 Lt	
3340XX-3X1	20 Lt	

Translucent Wood-Tone Finish

NATURAQUA HOLZWACHS LASUR 3IN1 - Oil-Wax Based Finish - Interior and exterior

For cladding, roofing, window and fences

A waterbased acrylic, waxy impregnating self-sealing 3-in-1 finish for interiors and exteriors. Odourless and dilutable in water it enhances the grain of the wood using natural and bright colours for deep penetration of the wood. Water repellent and breathable it protects the wood from atmospheric agents. Added UV filters impart light-stability and special additives protect the wood against harmful biological agents. Application of two or three coats is recommended.



Recommendations for application:

The colours of Naturagua Holzwachs Lasur 3IN1 are brighter than the same Holzwachs Lasur 3IN1 oil-wax base. The level of protection offered by the two products is very similar, however the water-based version needs intermediate sanding between the coats and restoration phase.



Customizable with Borma Colour System







Code	Desc.	Pack.
NAT3305XX-3X1	375 ml	06 pcs.
NAT3315XX-3X1	750 ml	06 pcs.
NAT3325XX-3X1	2,5 Lt	02 pcs.
NAT3335XX-3X1	10 Lt	
NAT3345XX-3X1	20 Lt	

High Solid, Deep Penetrating Waxed Impregnating Agent **HOLZWACHS LASUR HD50**

A blend of natural oils, waxes and resins formulated for coating indoor / outdoor wood paneling. Self-sealing, it provides colour and longlasting protection due to deep penetration of the wood fibres and high solid content, applied in two or three coats. Also suitable for metallic decorative effects.



Recommendations for application:

HD50 is characterised by an extremely easy application thanks to its high viscosity and excellent brushability. Very easy maintenance (no sanding required).



Customizable with Borma Colour System



Code	Desc.	Pack.
3320XX-HD	750 ml	06 pcs.
3322XX-HD	2,5 Lt	02 pcs.
3330XX-HD	5 Lt	02 pcs.
3344XX-HD	10 Lt	
3340XX-HD	20 Lt	



Colour chart







EXTERIOR WOODSTAINS AND FINISHES Borma Classic Line

Translucent Exterior Woodstain

Ideal for protection and wood colouration

Protective and decorative exterior woodstain for interiors and exteriors with depth wetting properties. It colours the wood, enhancing the grain. It contains UV filters and antiseptic additives that provide effective protection against fungi and insects. Colours are light resistant and have good resistance to atmospheric agents.



HOLZ LASUR

Recommendations for application:

Naturaqua Holz Lasur is characterised by a better penetration and protection capacity. Apply by brush, spray, dipping.



Customizable with Borma Colour System





Code	Desc.	Pack.
3610XX	375 ml	06 pcs.
3611XX	750 ml	06 pcs.
3612XX	2,5 Lt	02 pcs.
3613XX	10 Lt	
3614XX	20 Lt	

Decorative Wax Finish

TOP GEL TIXO - Thixotropic Wax Finish - Non-Drip

TOP GEL TIXO HS - High Solid Wax Finish - High performance

(Interior/Exterior use)

An alkyd-urethane based wax finish offering long term durability for interiors and exteriors. It enhances the wood grain with natural and bright colours, deeply penetrating the wood. Water repellent, breathable and containing UV filters it protects the wood from atmospheric agents. Additionally, it contains antiseptic additives to protect the wood against harmful biological agents. Application of two coats is recommended. To renew the coating, simply apply a coat on the dry and clean, preliminary sanded surface.



Recommendations for application:

To enhance coating performances, apply Holz Lasur as a first coat.




Customizable with Borma Colour System





Code	Desc.	Pack.
3305XX	375 ml	06 pcs.
3315XX	750 ml	06 pcs.
3325XX	2,5 Lt	02 pcs.
3315.10XX	10 Lt	
3315.20XX	20 Lt	



Colour Chart



























TRADITIONAL EXTERIOR WOODSTAINS AND FINISHES Borma Naturaqua Line

Waterborne Exterior Woodstain NATURAQUA HOLZ LASUR

Ideal for protection and wood coloration

A waterbased protective and decorative woodstain for interiors and exteriors which colours the wood and enhances the grain. Colours are light resistant due to the inclusion of UV filters whilst special additives provide efficient protection against fungi and insects. Good resistance to atmospheric agents.



Recommendations for application:

To optimise the lifespan of the coating it is recommended that a finishing coat of Naturaqua Top Gel is applied. Recommended application: brush, spray, dipping.



Customizable with Borma Colour System



Code	Desc.	Pack.
NAT3610XX	375 ml	06 pcs.
NAT3611XX	750 ml	06 pcs.
NAT3612XX	2,5 Lt	02 pcs.
NAT3613XX	10 Lt	
NAT3614XX	20 Lt	

Decorative Exterior Finish NATURAQUA TOP GEL

Waterbased Top Coat

A flexible, transparent and odourless waterbased waxy acrylic perfect for exterior use. Thanks to the high solid content, it enables a substantial protective film to be applied. It guarantees efficient protection against UV radiation. Available: matt and semi-gloss.



Recommendations for application:

If necessary, the product can be diluted with water, however to preserve the technical features of the coating, the quantity of water must not exceed 10%.





Customizable with Borma Colour System

Top Gel 60 Semi-gloss

Code	Desc.	Pack.
NAT3350XX-60	375ml	06 pcs.
NAT3351XX-60	750 ml	06 pcs.
NAT3352XX-60	2,5 Lt	02 pcs.
NAT3351.10XX-60	10 Lt	
NAT3351.20XX-60	20 Lt	

IBR

Top Gel 30 Semi-matt

Code	Desc.	Pack.
NAT3350XX	375 ml	06 pcs.
NAT3351XX	750 ml	06 pcs.
NAT3352XX	2,5 Lt	02 pcs.
NAT3351.10XX	10 Lt	
NAT3351.20XX	20 Lt	

Colour chart

























SPECIALTIES

VARNISHES Special Boat and Marine Lacquers

FLATTING EXTRA MARINE

For boat decks, exterior coatings and floors

High solid, high quality lacquer, ready for use, with excellent elasticity and high filling power. Prevents cracks and flaking. Suitable both for interior and exterior use, also on exotic wood. Enriched with UV filters, it forms a high-build protective film, resistant to water and adverse weather conditions. Available in Semi-Matt (30 gloss) and Gloss (80 gloss) finish. Non-dripping.



Recommendations for application:

For preliminary colouration of the surfaces, apply Holz Lasur Exterior Woodstain, then proceed to finish with two coats of Flatting Extra Marine. To give extra long-life protection Flatting Extra Marine can be directly pigmented with Borma Oil Concentrates COXX.



Customizable with Borma Colour System

Glossy

Code	Desc.	Pack.
3925XX	375 ml	06 pcs.
3926XX	750 ml	06 pcs.
3927XX	2,5 Lt	02 pcs.
3928.10XX	10 Lt	
3929.20XX	20 Lt	



Semi-Matt

	Code	Desc.	Pack.
	3925XX-30	375 ml	06 pcs.
	3926XX-30	750 ml	06 pcs.
	3927XX-30	2,5 Lt	02 pcs.
	3928XX-30	10 Lt	
	3929XX-30	20 Lt	

NATURAQUA FLATTING EXTRA MARINE

For boat decks, exterior coatings and floors

A self- sealing waterborne lacquer, ready for use and especially formulated for the nautical sector, with high elasticity and filling capacity. Ecofriendly, with very low emissions its special UV filters and additives impart excellent protection wood and its deep penetration provides a perfect resistant film that resists water and adverse weather conditions, enhancing the appearance and its natural beauty.



Recommendations for application:

For preliminary colouration of the surfaces, the application of Naturaqua Holz Lasur Exterior Woodstain, is recommended followed by two coats of Naturaqua Flatting Extra Marine. To further enhnce its long term durability, Naturaqua Flatting Extra Marine can be directly tinted with Borma Waterbased Pigments.





Customizable with Borma Colour System

Glossy

Code	Desc.	Pack.
NAT3925XX	375 ml	06 pcs.
NAT3926XX	750 ml	06 pcs.
NAT3927XX	2,5 Lt	02 pcs.
NAT3928.10XX	10 Lt	
NAT3929XX	20 Lt	



Code	Desc.	Pack.
NAT3925XX-30	375 ml	06 pcs.
NAT3926XX-30	750 ml	06 pcs.
NAT3927XX-30	2,5 Lt	02 pcs.
NAT3928.10XX-30	10 Lt	
NAT3929XX-30	20 Lt	



OIL APPLICATION BRUSHES

Special for Floors and Decks

Special brushes for the application of oils and paints on interior and exterior floors. In natural bristle, they enable easy and fast application on wide surfaces such as terraces and decks. Wash with specific solvent after use. Sizes available: 150mm, 250mm, 380cm.

380mm

250mm

150mm





Code	Size
6394.380	380mm
6394.250	250mm
6394.150	150mm

CAN OPENING SPATULA

Universal

A 28cm long metal spatula for opening cans and mixing products or pastes. The polymer handle ensures an ergonomic grip, while the steel structure makes the spatula resistant to chemical agents and mechanical stress. Ideal for mixing products contained in medium-small packaging.



6448



GARDEN FURNITURE



OILS



Wood Oil TEAK OIL

Ideal for the treatment of garden furniture and other exterior surfaces

An oil-based product, ready for use, suitable for all wooden surfaces, both interior and exterior. It makes the surface water-repellent and gives the surface a pleasantly natural appearance. Also suitable for dipping. Protects against atmospheric and biological agents and enhances the natural beauty of the wood. Clear or pigmented, it does not flake and does not require sanding.



Recommendations for application:

It can be used alone as a periodic treatment of surfaces or as a coloured base before finishing with a transparent oil (e.g. Decking Oil HD – Danish Oil).



Customizable with Borma Colour System

Code			Desc.	Pack.		
0360	0360-DSXX	0360-LSXX	500 ml	12 pcs.		
EN0361	EN0361-DSXX	EN0361-LSXX	1Lt	06 pcs.		
0362	0362-DSXX	0362-LSXX	5 Lt	02 pcs.		
0365	0365-DSXX	0365-LSXX	10 Lt			
0365.20	0365.20-DSXX	0365.20-LSXX	20Lt			
DSXX (dark shades): 1011+1461+1471+581+601+621+631						

DSXX (dark shades): 1011+1461+1471+581+601+621+63 LSXX (light shades): 171+172+301+511+927

Waterbased Teak Oil NATURAQUA TEAK OIL

Interior/Exterior Use

Oils in aqueous dispersion reinforced with resin ready for use for interiors and exteriors. Odour-free, the product provides a non-greasy, protective film which is perfectly water-resistant, with a pleasant satin appearance. Easily applied, the oil penetrates deeply to protect the wood from adverse weather conditions and harmful agents, developing tone and natural beauty. Enriched with UV filters.





${\bf Recommendations\ for\ application:}$

Do not apply on heated wood, or in direct sunlight.



Customizable with Borma Colour System

Code	Desc.	Pack.					
NAT0360	NATO360-LSXXXX	NATO360-DSXXXX	500 ml	12 pcs.			
NAT0361	NATO361-LSXXXX	NATO361-DSXXXX	1Lt	06 pcs.			
NAT0362	NAT0362-LSXXXX	NATO362-DSXXXX	5 Lt	02 pcs.			
NAT0365	NAT0365-LSXXXX	NATO365-DSXXXX	10 Lt				
NAT0365.20	NAT0365.20-LSXX	NAT0365.20-DSXX	20Lt				
DSXX (dark shades): 1011+1461+1471+581+601+621+631							
LSXX (light shades): 171+172+301+511+927							

Colour chart



























ZERO EMISSIONS 0 ECO-Impact





VOC FREE OILS

Pure Vegetable Oil **TUNG OIL**

Natural Oil for Wood Protection

100% Natural Oil obtained from the fruit of the Tung tree. It offers good surface hardness and resistance against humidity. With a light amber colour, Tung Oil is a traditional product to protect wood from atmospheric agents.



Recommendations for application:

To increase the level of absorption and improve durability, dilute with Solvoil Plus (or another product from the Solvoil range) in the ratio 1.1. Apply in multiple coats, with adequate intermediate drying, up to saturation of the surface. After 24 hours, you can polish the surface with steel wool 0000 or with a white abrasive pad.



Code	Desc.	Pack.
3990	125 ml.	12 pcs.
3991 500 ml. 12 pcs.		12 pcs.
3992	1Lt.	12 pcs.
3993	5 Lt.	02 pcs.
3994	20 Lt.	

Oil Finishes for Exteriors

ECO PREMIUM EXTERIOR WOOD OIL

To Treat all Exterior Surfaces

With a base of natural oils enriched with UV filters, the product guarantees the protection of all exterior surfaces without releasing VOC and with a pleasantly natural effect. It does not peel and is suitable for all types of wood. It contains active ingredients that protect the substrate from harmful agents.



Recommendations for application:

The product can be coloured with Borma Oil Pigments (3-5% for semi-transparent colours, 10-15% for coating colours). The addition of the pigments imparts longer duration of the coating.



Code	Desc.	Pack.
V0C0378XX	500 ml	06 pcs.
V0C0379XX	1Lt	06 pcs.
V0C0379XX.5	5 Lt	02 pcs.
V0C0379XX.10	10 Lt	
VACA379XX 2A	20I t	

Colour chart

08 Clear

















TERRACES AND DECKING



OILS

Finishes for Terraces

TERRACE OIL - Decking Oil Natural

Ideal for the treatment and protection of terraces, decks, stairs and walkways in wood.

A high-quality decking oil formulated on the basis of reinforced, natural oils, with a high penetration coefficient. Thanks to its low viscosity, it penetrates deep into the wood whilst its high solid content gives efficient protection and breathability without the potential for flaking It gives a natural, satin effect. Enriched with UV filters and antiseptic additives, the product is characterised by extremely easy application, even when coloured, and requires no sanding for maintenance schedules.



302 Cherry

632 Dark Walnut

Recommendations for application:

To obtain a more decorative effect and greater protection apply a coat of Decking Oil HD - Danish Oil as the final coat. Restore without sanding.



Customizable with Borma Colour System

Colour Chart











4971-IL

4972-IL

4975-IL







4973-IL DSXX (dark shades): 1012+1462+1472+50+582+601+622+632 LSXX ((light shades): 173+174+302+512+729









Danish Oil DECKING OIL HD

For Exterior Wood

A highly decorative special oil mixture with low environmental impact. Odour-free and with high breathability, it protects every type of wood. It is characterised by rapid drying and its special UV filters and preservatives make it perfect for exterior use. Formaldehyde-free and available in 6 shades (see Colour Chart) plus Clear.



Recommendations for application:

Recommended as a transparent finish, it can be applied over various coloured products including Holz Lasur, Holzwachs Lasur 3IN1and Teak Oil to increase its protection coefficient.



Customizable with Borma Colour System



Code	Desc.	Pack.
4971XX	1Lt	06 pcs.
4977XX	2,5 Lt	02 pcs.
4972XX	5 Lt	02 pcs.
4975XX	10 Lt	
4973XX	20Lt	

Waterbased Oil

NATURAQUA DECKING OIL

For Exterior Wood

Naturaqua Decking Oil is a blend of emulsified oils in water reinforced with resins to treat wood intended for outdoor environments. Supplied ready for use, over time, it can deteriorate but does not flake and is easily revitalised. It is easy to apply and has excellent penetration. Produced with the highest quality raw materials and enriched with special UV filters, it guarantees excellent protection against atmospheric agents. Especially for exterior wood. Available in 6 shades (see Colour Chart) plus Transparent/Clear.



Recommendations for application:

Do not apply on heated wood or in direct sunlight.





Customizable with Borma Colour System



Code	Desc.	Pack.
NAT4971XX	1Lt	06 pcs.
NAT4973XX	2,5 Lt	02 pcs.
NAT4974XX	5 Lt	02 pcs.
NAT4976XX	10 Lt	
NAT4975XX	20Lt	

Two Components Oil

DECKING OIL 2K

For Exterior Wood - High Performance - VOC FREE

Mix of natural oils, with zero emissions, especially formulated to protect exterior wooden surfaces. Enriched with UV filters and preservatives, it guarantees advanced protection against atmospheric and biological agents. The addition of the catalyser increases its surface performance, making it an ideal finish for terraces and decks in exotic wood. Odour-free, available in the colours on the chart, it can be customised to your desired colour using the oil pigments.



Recommendations for application:

Supplied ready for use. To facilitate brush application dilution with Solvoil Plus is recommended but this must be after adding the catalyst. Avoid application on heated surfaces or in direct sunlight. Application of the product must be carried out as evenly and continuously as possible, without stopping.



Customizable with Borma Colour System



20 Lt + 6 Lt

Decking Oils Colour chart













49732K + 4973K



TERRACES AND DECKING





OILS - Specialties

Finishes for Thermo-Treated Wood THERMOWOOD OIL

Specific formulation for deep penetration

Thermo-treated wood is very dense and compact which often prevents proper adhesion of conventional finishing products. Thermowood 0il is formulated specifically for deep penetration and therefore to be well-absorbed also by difficult surfaces with minimum wetting. Enriched with UV filters and protective additives it creates a protective film resistant to wear. It is ideal for all manufactured pieces in heat-treated wood including floors, terraces and decks. Available in 4 colours with a natural effect, plus clear. Application of at least two coats is recommended.



Code Desc. Pack. 4978XX 1 Lt 06 pcs. 4979XX 5 Lt 02 pcs. 4978XX.20 20 Lt.



Recommendations for application:

The product is ready for use, but in the event of particularly dense/compact surfaces, the first coat of Thermowood Oil can be diluted at 50% with Solvoil 06, Slow Drying Solvent. Subsequent coats should not be diluted.



Customizable with Borma Colour System

Colour Chart











TERRACES AND DECKING



LACQUERS

Borma Classic Line

EXTERIOR WOOD LACK 2k

For Exterior Wood - High Performance

A two-component lacquer ideal for exterior flooring and wooden surfaces in general, with a pleasant decorative effect. It gives excellent protection against atmospheric agents and normal wear, guaranteeing a long duration over time.

Available in the following gloss levels: Natural Effect 0-5%, Semi-Matt 20-30%, Satin 50-60%, glossy 80-90%. Available also in THIXO version for vertical surfaces.



Recommendations for application:

A specific primer is not required, but Holz Lasur can be applied as a first coat to ensure the coating lasts longer. Recommended application of two or three coats, with a roller, spray or brush. Avoid application on heated surfaces or in



Customizable with Borma Colour System



5 Lt + 5Lt

20 Lt + 20 Lt

2+2 pcs.

Code

41122K-XX + 4112K

41142K-XX + 4114K

Borma Naturaqua Line

NATURAQUA EXTERIOR WOOD LACK 2K

For Exterior Wood - High Performance

A two component waterbased lacquer ideal for exterior flooring and wooden surfaces in general, with a pleasant decorative effect. It gives excellent protection against atmospheric agents and against normal wear. Being natural it does not affect the wood shade. Available in deep matt, matt, semi-gloss and glossy sheen levels.



Recommendations for application:


To guarantee the best performance dilute the first coat 1:1 with water or Naturaqua 1-2K Wood Sealer. Avoid application on heated surfaces or in direct sunlight. Catalysis ratio: 10:1 - Pot life: 2-3 hours at 20°C.





Customizable with Borma Colour System

NAT. EXTERIOR WOOD LACK 2K (catalisys ratio 10:1)				
Code	Desc.	Pack.		
NAT41102K-XX + NAT4099-2K	1Lt + 100ml	6+6 pcs.		
NAT41112K-XX + NAT4100-2K	2,5Lt + 250ml	2+2 pcs.		
NAT41122K-XX + NAT4101-2K	5Lt + 500ml	2+2 pcs.		
NAT41142K-XX + NAT4103-2K	20Lt + 2Lt			







CLEANING AND MAINTENANCE

CLEANERS

Wooden Floor Cleaner NATURAQUA DECK SOAP

Waterbased pH-Neutral Cleaner

Suitable for all types of wood finishes and ideal for routine cleaning of decking, fencing, furniture and other exterior surfaces, oiled or lacquered. It efficiently removes dirt and grease without damaging the wood. Suitable for daily use. Dilute 5-10% of the product with mains water.



Recommendations for application:

Apply the diluted product using soft brushes or synthetic mops, rub lightly and rinse.





Code	Desc.	Pack.
0026	1Lt	12 pcs.
0027	5 Lt	02 pcs.
0026.10	10 Lt	
0026.25	25 Lt	

Daily Cleaner

NEUTRAL SOAP FOR WINDOW FRAMES

With Essential Cedar Oil

A waterbased soap for door and window fittings by Borma is the perfect solution for frequent cleaning of exterior surfaces in wood in general. Ecological, it delicately cleans all types of lacquered wood, guaranteeing total removal of dirt and stains. Thanks to the essential oil content, it gives the treated surface a pleasant cedar scent.



Recommendations for application:

Apply in multiple applications on particularly stubborn stains. It does not require any type of rinsing.





Code		Desc.	Pack.
NAT0020		500 ml	12 pcs.
NAT0021		1Lt	12 pcs.
NAT0021.	5	5 Lt	02 pcs.
NATOO21	25	25 I t	





REGENERATING PRODUCTS

Maintenance Oil

EXTERIOR OIL REFRESHER

Ideal for Maintenance of Exterior Wood Previously Treated with Oils

Exterior Oil Refresher replenishes and regenerates every surface type, giving enhanced protection to the original oil finish of the manufactured piece. The presence of UV filters and special additives protect the wood from harmful agents, from direct sunlight and adverseweather conditions. It highlights the natural beauty of the wood with a natural, satin effect.



Recommendations for application:

Recommended for seasonal maintenance of flooring and surfaces in general.



Code	Desc.	Pack.
3974	500 ml	12 pcs.
3975	1Lt	12 pcs.
3975.05	5 Lt	02 pcs.
3975.20	20 Lt	

Door and Window Fittings Maintenance

WATER-BASED REFRESHER FOR WINDOW FRAMES

Special Mix of Acrylic Resin Dispersed in Water, Formulated for the Correct Maintenance of fittings.

Applied annually, it efficiently prolongs the life of the exterior finish, replenishing it and giving strength and shine to worn lacquer. Odour-free, excellent application and easy to use. It can be applied on both waterbased and solvent-based finishes.



Recommendations for application:

Apply a film with a cloth on the clean surface and leave to dry without rubbing.





Code	Desc.	Pack.
NAT3908	500 ml	12 pcs.
NAT3909	1Lt	12 pcs.
NAT3909.5	5 Lt	02 pcs.
NAT3909.25	25 Lt	

Door and Window Fittings Maintenance OIL REFRESHER FOR WINDOW FRAMES

Special Mix of Natural Oils and Resins, Ideal for the Care of Fittings

Oil Refresher efficiently restores and protects the wooden surface of windows, doors and fittings in general previously finished with oil or lacquer.



Recommendations for application:

Application is recommended once a year to prolong the duration of the coating.



Code	Desc.	Pack.
3907	250 ml	12 pcs.
3908	500 ml	12 pcs.
3909	1Lt	12 pcs.
3909.5	5 Lt	02 pcs.





Maintenance Recommendations

You are advised to avoid product application during periods of maximum exposure to the sun and heated supports.			
Assessing Maintenance Frequen	су		
Surface Stress Test Horizontal Surfaces Vertical Surfaces Type of Wood			
High: Maximum Exposure	seasonal	Every 2-4 years	Oak or Larch
Medium: Partial Exposure	annual	Every 5-7 years	Pine or Fir
Low: Minimum Exposure	Every 3 years	Every 7-10 years	Pine or Fir



Recommended Application Cycles

Soak the surface with water prior to application

RENEW EXTERIOR WOODEN SURFACES - ECOLOGICAL CLEANING IN TWO STEPS:

EXTRA-INTENSIVE CYCLE: Extra Strong Wood Cleaner + Exterior Wood Cleaner

Ideal for oils: Terrace Oil, Thermowood Oil, Teak Oil, Decking Oil HD

Avoid waterbased products



1	0091 Naturaqua Extra Strong Wood Cleaner	 Apply in slight excess Application time: 15-30 minutes Approximate yield: 10 m2/l
	Rub and Rinse	
2	0075 Naturaqua Exterior Wood Cleaner	 Apply evenly on wet Drying time: 4-6h at 20°C Approximate yield: 10 m2/l
	For a particularly smooth result, you are advised to sand before applying a new finish	
	Recommendations for subsequent finishing:	



All finishing products are intended as being pigmented

Recommended Application Cycles

WHITENING AND PROTECTION OF WOODEN BEAMS, CEILINGS AND SURFACES IN GENERAL:

Whitening 2K Super Cleaner + Holzwachs Lasur Alf Heavy Duty Insulator



1	0062 Whitening 2k Super Cleaner	PRODUCT FOR PROFESSIONAL USE: Wear safety gloves and goggles Ask for the Technical Data Sheet
	Only use plastic tools and rinse	
	Leave to dry	12-24 h a 20°C
	For a particularly precise result, you are advised to sand	
2	3320-ALF Holzwachs Lasur Heavy Duty Insulator	Drying time - 8h Sanding - not necessary Approximate yield 14-16 m2/lt
	Recommendations for subsequent finishing: Overcoat with both oils and waterbased products, as well as using traditional products	



WATER BASED CYCLE WITH EXTERIOR WOODSTAINS AND WAXY FINISHES: DURATION 5-7 YEARS



1	NAT3630 Naturaqua Borma Shield Special Primer		Drying time - 2h Sanding - not necessary Approximate yield 16-20 m2/l
---	---	--	---

Remove traces of oil, grease, dirt, dust, previous finishes



2 Drying time - 4h **NAT3610** Sanding - not necessary Naturaqua Holz Lasur Approximate yield 16-20 m2/l **Exterior Woodstain**



0310 Drying time - 4h Sanding - not necessary Naturaqua Log Sealer





Drying time -3h 4 NAT3350 Sanding - yes Naturaqua Top Gel Approximate yield - 10-14 m2/l **Waxy Finish**



- 5 Drying time - 24h NAT3350
 - Approximate yield 10-14 m2/l Naturaqua Top Gel **Waxy Finish**


Sealer



Recommended Application Cycles

TRADITIONAL CYCLE WITH EXTERIOR WOODSTAINS AND WAXED FINISHES: DURATION 5-7 YEARS

		Remove all traces of oil, grease, dirt, dust and previous finishes	
	1	3630 Borma Shield Special Primer	 Drying time – 12 - 24 h Sanding – not necessary Approximate yield – 16-20 m2/l
Walter Mile Mile Mile Mile Mile Mile Mile Mile	2	3610 Holz Lasur Exterior Woodstain	 Drying time – 12-24h Sanding – not necessary Approximate yield – 10-14 m2/l
	3	0310 Naturaqua Log Sealer Sealer	Drying time - 4h Sanding – not necessary
with the state of	4	3305 Top Gel Tixo Waxy Finish	 Drying time 8-12h Sanding - yes, grain 240 Approximate yield 12-16 m2/l
Na de Ter Marie Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma	5	3305 Top Gel Tixo Waxy Finish	Drying time 24h Approximate yield 12-16 m2/l



Recommended application cycles

TERRACE AND DECK OIL FINISH - DECORATIVE EFFECT - Restore Annually

		Remove all traces of oil, grease, dirt, dust and previous finishes	
	1	0360	 Drying time – 4-6h Sanding – not necessary Approximate yield – 14-16 m2/l
	2	Decking Oil HD	 Drying time – 8-12 Sanding – not necessary Approximate yield – 16-20 m2/l
III.	3	4771	Drying time – 24h Approximate yield – 16-20 m2/l
		TERRACE AND DECK OIL FINISH – NATURAL EFFECT – Restore Annua	illy
	1	4971-IL Terrace Oil - Decking Oil Natural	Drying time – 10-12h Sanding – not necessary Approximate yield – 16-20 m2/l
	2	4971-IL Terrace Oil - Decking Oil Natural	Drying time – 24h Approximate yield – 16-20 m2/l
		OIL FINISH FOR TERRACE AND WOODEN FURNITURE IN HEAT-TREATE Restore Annually	ED WOOD
		Remove traces of oil, grease, dirt, dust, previousfinishes	
	1	4978 Thermowood Oil	Drying time – 8-12h Sanding – not necessary Approximate yield -20-24m2/l
	2	4978 Thermowood Oil	Drying time – 24h Approximate yield – 20–24 m2/l



Recommended Application Cycles

OIL FINISH FOR TERRACES AND DECKS - HIGH PERFORMANCE







	Remove all traces of oil, grease, dirt, dust and previous finishes	
1	Optional/suggested: NAT3630 Naturaqua Borma Shield Special Primer	Drying time – 2h Sanding – not necessary Approximate yield – 16–20 m2/l
2	49712K Decking Oil 2K	 Drying time - 8-12 h Sanding - no Approximate yield - 30-50 m2/l
3	49712K Decking Oil 2K	Drying time – 24-36h Approximate yield – 30-50m2/l

WATER-BASED OILS FOR TERRACES AND DECKS:

Restore Annually





	Remove all traces of oil, grease, dirt, dust and previous finishes	
1	NAT4971 Naturaqua Decking Oil	Drying time – 8h Sanding – not necessary Approximate yield –14–16 m2/t
2	NAT4971 Naturaqua Decking Oil	Drying time – 24-36h Approximate yield –14-16 m2/l

Recommended Application Cycles

HIGH PERFORMANCE, 2K LACQUER FOR TERRACES - DECORATIVE EFFECT:

		Remove all traces of oil, grease, dirt, dust and previous finishes	
AN LINE	1	3610 Holz Lasur	 Drying time – 12 – 24 h Sanding – not necessary Approximate yield – 10-14 m2/l
School Park Control of the Control o	2	Exterior Wood Lack 2K	Drying time – 12 h Sanding yes – grain 150 –180 Approximate yield – 10–14 m2/l Recommended use 100–120 g/m2
BOOK BEEN AND THE STATE OF THE	3	Exterior Wood Lack 2K	 Drying time – 24 - 48h Sanding – grain 150 - 180 in case of three coat cycle Approximate yield – 10-14 m2/l

HIGH PERFORMANCE, 2K WATER-BASED LACQUER WITH HIGH PERFORMANCE FOR TERRACES - DECORATIVE EFFECT:

		Remove all traces of oil, grease, dirt, dust and previous finishes		
A CONTROL OF THE PROPERTY OF T	1	NAT3610 Naturaqua Holz Lasur		Drying time – 4h Sanding – yes Approximate yield – 16–20 m2/l
Without the last of the last o	2	Naturaqua Exterior Wood Lack 2k		Drying time – 12h Sanding – yes Approximate yield – 10m2/l
The second secon	3	Naturaqua Exterior Wood Lack 2k	•	Drying time – 36h Approximate yield – 10m2/l

All finishing products are intended as being pigmented and contain UV filters and preservatives



Enamels









ENAMELS

HIGH COVERAGE 3IN1 ENAMEL

UNIVERSAL - ANTIRUST

Ready-to-use, easy-to-apply, low-yellowing enamel. Perfect for any type of surface, whether wood or metal, outside as well as inside. Decorates and protects. Available in 27 standard colours as in Colour Chart (page 160).



Recommendations for application:

Apply on a properly cleansed or treated surface pre-coated with High Coverage Undercoat.

Code GLUSSY	Desc.	Pack.
6900XXXX-90	125 ml	6 pcs.
6901XXXX-90	375 ml	6 pcs.
6902XXXX-90	750 ml	6 pcs.
6903XXXX-90	2,5 lt	2 pcs.
6904XXXX-90	5 lt	2 pcs.
Code MATT	Desc.	Pack.
Code MATT 6900XXXX-30	Desc. 125 ml	Pack. 6 pcs.
6900XXXX-30	125 ml	6 pcs.
6900XXXX-30 6901XXXX-30	125 ml 375 ml	6 pcs. 6 pcs.



CONVERTER FOR HIGH COVERAGE 3IN1 ENAMEL

UNIVERSAL - ANTIRUST

Available for Tinting Systems. The four converters allow you to create all RAL and NCS colours, both matt and glossy.



Recommendations for application:

For Use the Borma Colour System pastes and equipment.



Customizable with Borma Colour System

WHITE		
Code	Desc.	Pack.
6930BI-XX	600 ml	6 pcs.
6931BI-XX	2 lt	2 pcs.
6932BI-XX	4 lt	2 pcs.

DARK Colours		
Code	Desc.	Pack.
6930SC-XX	600 ml	6 pcs.
6931SC-XX	2 lt	2 pcs.
6932SC-XX	4 lt	2 pcs.



WATERBASED 3IN1 ANTIRUST ENAMEL

UNIVERSAL - HIGH COVERAGE

Ready-to-use, easy-to-apply, low-yellowing waterbased enamel. Perfect for any type of surface, whether wood or metal, outside as well as inside. Decorates and protects. Available in 27 standard colours as in Colour Chart (page 160).



Recommendations for application:

Apply on a properly cleansed or treated surface pre-coated with High Coverage Waterbased Undercoat.

GLOSSY Code	Desc.	Pack.
NAT6900XXXX-90	125 ml	6 pcs.
NAT6901XXXX-90	375 ml	6 pcs.
NAT6902XXXX-90	750 ml	6 pcs.
NAT6903XXXX-90	2,5 lt	2 pcs.
NAT6904XXXX-90	5 lt	2 pcs.
MATT Code	Desc.	Pack.
		raun.
NAT6900XXXX-30	125 ml	6 pcs.
NAT6901XXXX-30	375 ml	6 pcs.

750 ml

2,5 lt

5 lt

6 pcs.

2 pcs.

2 pcs.

NAT6902XXXX-30

NAT6903XXXX-30

NAT6904XXXX-30



CONVERTER FOR WATERBASED 3IN1 ANTI-RUST ENAMEL UNIVERSAL – HIGH COVERAGE

Available for tinting systems. The four converters allow you to create all RAL and NCS colours, both in matt and glossy.



Recommendations for application:

To be used with the Borma Colour System pastes and equipment.



Customizable with Borma Colour System

WHITE		
Code	Desc.	Pack.
NAT6930BI-XX	600 ml	6 pcs.
NAT6931BI-XX	2 lt	2 pcs.
NAT6932BI-XX	4 lt	2 pcs.

DARK Colours		
Code	Desc.	Pack.
NAT6930SC-XX	600 ml	6 pcs.
NAT6931SC-XX	2 lt	2 pcs.
NAT6932SC-XX	4 lt	2 pcs.



HIGH COVERAGE UNDERCOAT

UNIVERSA

Ready-to-use, easy-to-apply Undercoat. Perfect for wood outside as well as inside. High filling and high coverage. Facilitates the application of High Coverage 3in1 Enamel.



Recommendations for application:

Apply on a properly cleaned surface.

Code WHITE	Desc.	Pack.
6911	375 ml	6 pcs.
6912	750 ml	6 pcs.
6913	2,5 lt	2 pcs.
6914	5 lt	2 pcs.
6910.20	20 lt	





ANTIRUST UNDERCOAT

UNIVERSAL

Ready-to-use, easy-to-apply enamel. Perfect for metal, outside as well as inside. Blocks and prevents corrosion. Is used as an undercoat for High Coverage 3in1 Enamel. Available also in a fast-drying "Quick" version. Standard colours: white, RAL 7016, RAL 7035, RAL 2004.



Recommendations for application:

To be applied by brush or srpay.

Code	Desc.	Pack.
6916XXXX	375 ml	6 pcs.
6917XXXX	750 ml	6 pcs.
6918XXXX	2,5 lt	2 pcs.
6919XXXX	5 lt	2 pcs.
6915.20XXXX	20 lt	



ANTIRUST	UNDERCOAT	QUICK
UNIVERSAL		

Code QUICK	Desc.	Pack.
6917XXXX.QK	750 ml	6 pcs.
6918XXXX.QK	2,5 lt	2 pcs.
6919XXXX.QK	5 lt	2 pcs.
6915.20XXXX.QK	20 lt	

HIGH COVERAGE UNDERCOAT

WATERBASED - UNIVERSAL

Ready-to-use, easy-to-apply Undercoat. Perfect for wood outside as well as inside. High filling and high coverage. Facilitates the application of Waterbased 3in1 Antirust Enamel.



Recommendations for application:

Apply on a properly cleaned surface.

Code WHITE	Desc.	Pack.
NAT6911	375 ml	6 pcs.
NAT6912	750 ml	6 pcs.
NAT6913	2,5 lt	2 pcs.
NAT6914	5 lt	2 pcs.
NAT6910.10	10 lt	
NAT6910.20	20 lt	



WATERBASED ANTIRUST UNDERCOAT

UNIVERSAL

Fast-drying, odourless, waterbased undercoat with anti-corrosive effect, perect for ferrous metals. Standard colours: white, RAL 2004, RAL 7016 and RAL 7035.



Recommendations for application:

To be protected with Waterbased High Coverage 3in1 Enamel.

Code	Desc.	Pack.
NAT6916XXXX	375 ml	6 pcs.
NAT6917XXXX	750 ml	6 pcs.
NAT6918XXXX	2,5 lt	2 pcs.
NAT6919XXXX	5 lt	2 pcs.
NAT6915XXXX.10	10 lt	
NAT6915XXXX.20	20 lt	



WATERBASED 3IN1 GEL ENAMEL

UNIVERSAL - VERTICAL - ANTIRUST

Waterbased fast-drying self-sealing anti-corrosion enamel. Perfect for any type of surface, whether wood or metal, outside as well as inside. Designed specifically to perform ideally on vertical surfaces. No dripping. Glossy version available in the following colours: white 50, jet black RAL9005, oyster white RAL1013, fire red RAL3000, chocolate brown RAL8017, moss green RAL6005, traffic blue RAL5017, silver grey RAL7001, signal brown RAL8002, nut brown RAL8011, graphite grey RAL7024.

Code	Desc.	Pack.
NA6990XXXX3X1XX	125 ml	6 pcs.
NA6991XXXX3X1XX	375 ml	6 pcs.
NA6992XXXX3X1XX	750 ml	6 pcs.
NA6993XXXX3X1XX	2,5 lt	2 pcs.
NA6994XXXX3X1XX	5 lt	2 pcs.
NA6995XXXX3X1XX	20 lt	



Recommendations for application:

High viscosity, perfect for brush application.



IRON-MICACEOUS ENAMEL

Ready-to-use, easy-to-apply, enamel. Perfect for metal, outside as well as inside. Matt metallic effect with anti-corrosion properties. Great resistance and coverage. Available in 6 standard colours as in Colour Chart (page 161).



Recommendations for application:

Aged effect, medium-small grain.

Code	Desc.	Pack.
6940XX	125 ml	6 pcs.
6941XX	375 ml	6 pcs.
6942XX	750 ml	6 pcs.
6943XX	2,5 lt	2 pcs.
6944XX	5 lt	2 pcs.
6940XX.20	20 lt	



3in1 Enamels Colour Chart: GLOSSY **690Xxxxx-90 and NAT690Xxxxx-90**



3in1 Enamels Colour Chart:MATT **690Xxxxx-30 and NAT690Xxxxx-30**



IRON-MICASEOUS Enamel Colour Chart: 694X-XX





ENAMELS

HEAT RESISTANT ENAMEL 3IN1

Protective alkyd-silica based enamel designed for metal as well as cement surfaces or structures that are exposed to high temperatures (e.g. smoke exhaust pipes, stoves, and boilers). Resistant to noncontinuous temperatures of up to 800°C. Semi-loss effect. Available in black and aluminium colours. The 125 ml format is perfect for touch up.



Recommendations for application:

Easy-to-apply by roller, spray or brush. Suitable for touch-up operations on previously treated surfaces.

Code Semi-Gloss	Desc.	Pack.
6950XX	125 ml	6 pcs.
6952XX	750 ml	6 pcs.
6953XX	2,5 lt	6 pcs.
6950XX.20	20 lt	
	_	

Code Matt	Desc.	Pack.
6950XX-30	125 ml	6 pcs.
6952XX-30	750 ml	6 pcs.
6953XX-30	2,5 lt	6 pcs.
6950XX.20-30	20 lt	



ZINC PRIMER 2IN1

Special protective single-component enamel for Interiors and Exteriors. To be applied by brush. Perfect for protecting metal structures outdoors as well as indoors. Guarantees superficial resistance to external corrosive agents.



Recommendations for application:

Ideal for joints and metallic construction elements in general.

Code	Desc.	Pack.
6960	125 ml	6 pcs.
6961	375 ml	6 pcs.
6962	750 ml	6 pcs.
6963	2,5 lt	2 pcs.
6964	5 lt	2 pcs.



ANCHORING UNDERCOAT FOR DIFFICULT BACKGROUNDS

Special anchoring undercoat for galvanized sheet metal or difficult metals in general (cast iron, copper, brass, steel) and plastic materials such as PVC. Allows overcoating with any type of enamel.



Recommendations for application:

Suitable for Interiors and Exteriors.

Code	Desc.	Pack.
6971	375 ml	6 pcs.
6972	750 ml	6 pcs.
6973	2,5 lt	2 pcs.
6974	5 lt	2 pcs.
6970.20	20 lt	



ANTISMOKE WALL UNDERCOAT SPECIAL COVERING

Insulating and stain-covering primer for walls. Effectively covers and allows overcoating of smokestained or other types of grease-stained walls.



Recommendations for application:

To be applied as a preliminary treatment before waterbased paints.

Code	Desc.	Pack.
6982BI	750 ml	6 pcs.
6983BI	2,5 lt	2 pcs.
6984BI	5 lt	2 pcs.
6980BI.20	20 lt	



3IN1 GEL ENAMEL

UNIVERSAL - VERTICAL - ANTIRUST

Especially for vertical surfaces and undercuts, facilitates the application to gates, doors, grates and similar structures, even directly on rust. Does not need any primers and can be used on any surface (wood, iron, wall). Glossy version available in the following colours: white 50, jet black RAL9005, oyster white RAL1013, fire red RAL3000, chocolate brown RAL8017, moss green RAL6005, traffic blue RAL5017, silver grey RAL7001, signal brown RAL8002, nut brown RAL8011, graphite grey RAL7024.



Recommendations for application:

Ideal for brush application.

Code Glossy	Desc.	Pack.
6990XXXX-3X1-90	125 ml	6 pcs.
6991XXXX-3X1-90	375 ml	6 pcs.
6992XXXX-3X1-90	750 ml	6 pcs.
6993XXXX-3X1-90	2,5 lt	2 pcs.
6994XXXX-3X1-90	5 lt	2 pcs.
6990XX20-3X1-90	20 lt	

Code Matt	Desc.	Pack.	
6990XXXX-3X1-30	125 ml	6 pcs.	
6991XXXX-3X1-30	375 ml	6 pcs.	
6992XXXX-3X1-30	750 ml	6 pcs.	-
6993XXXX-3X1-30	2,5 lt	2 pcs.	
6994XXXX-3X1-30	5 lt	2 pcs.	
6990XX20-3X1-30	20 lt		





WATERBASED 3IN1 HEAT RESISTANT ENAMEL

SPECIAL FOR RADIATORS - ANTIRUST

Fast-drying and odourless, self-sealing anti-rust enamel, ideal for surfaces exposed to heat. Applied by brush or by spray directly to cast iron or aluminium radiators at home. Available in white glossy and matt version.

Code	Desc.	Pack.
NAT6921BI-XX	375 ml	6 pcs.
NAT6922BI-XX	750 ml	6 pcs.
NAT6923BI-XX	2,5 lt	2 pcs.
NAT6924BI-XX	5 lt	2 pcs.





$\label{lem:commendations} \textbf{Recommendations for application:}$

Ideal for brush application.

2K TWO COMPONENTS ENAMEL FOR CERAMICS

Perfect for the repair and renewal of bathroom surfaces and ceramic appliances in general. Allows the 6900502K-90 restoration of corroded and ruined surfaces with only two coats. Doesn't require any particular primers, doesn't peel off, withstands hot water and detergents. Available in white glossy version.







Recommendations for application:

Ideal for brush application.

QUICK DRYING ENAMEL UNIVERSAL - ANTIRUST

Fast-drying, self-sealing anti-rust enamel. Ideal for outdoor service iron and wooden manufactured products. Protects them from corrosion and bad weather, guarantees high coverage and uniformity. To be used in metalworks, agricultural and transport machinery.

Glossy version available in the following colours: white 50, black 60, colza yellow RAL1021, Melon Yellow Ma108 RAL1028, pure orange Ma2004 RAL2004, flame red RAL3000, chassis red Ic105 RAL3004, moss green RAL6005, gentian blue Ic071 RAL5010, light grey RAL7035, chocolate brown RAL8017, reseda green RAL6011.



Recommendations for application:

Ideal for spray application.

Code	Desc.	Pack.
6902XXXX-30.QK MATT 30 GLOSS VARIOUS Colours	750 ml	6 pcs.
6902XXXX-90.QK GLOSSY 90 GLOSS VARIOUS Colours	750 ml	6 pcs.
6903XXXX-30.QK MATT 30 GLOSS VARIOUS Colours	2,5 Lt.	2 pcs.
6903XXXX-90.QK GLOSSY 90 GLOSS VARIOUS Colours	2,5 Lt.	2 pcs.
6904XXXX-30.QK MATT 30 GLOSS VARIOUS Colours	5 Lt.	2 pcs.
6904XXXX-90.QK GLOSSY 90 GLOSS VARIOUS Colours	5 Lt.	2 pcs.
6900XX.20-30.QK MATT 30 GLOSS VARIOUS Colours	20 Lt.	
6900XX.20-90.QK GLOSSY 90 GLOSS VARIOUS Colours	20 Lt.	



WHITE INTERIOR PAINT - BLACK INTERIOR PAINT WATERBASED - FOR FURNITURE

White or black opaque paint for furniture and indoor surfaces, odorless and easy to apply even vertically. With a pleasant matt effect, it is dense and filling. It allows you to effortlessly renovate furnishings, doors, windows, directly in the home environment.



Recommendations for application:

Ideal both for brush and spray.

Code	Desc.	Pack.
TRN69029005-30 BLACK RAL 9005 30 GLOSS	750 ml	6 pcs.
TRN69039005-30 BLACK RAL 9005 30 GLOSS	2,5 Lt.	2 pcs.
TRNAT690250-30 WHITE 50 30 GLOSS	750 ml	6 pcs.
TRNAT690350-30 WHITE 50 30 GLOSS	2,5 Lt.	2 pcs.







TECHNICAL ACCESSORIES

Special Additive

RETARDANT FOR WATERBASED LACQUERS

A special diluent for Professional Use, ideal for slowing down the drying process of waterbased products to optimise flow, wetting and drying on large surfaces under elevated temperatures.



Code	Desc.	Pack.
NAT4150	1Lt	12 pcs.
NAT4151.5	5 Lt	02 pcs.
NAT4151.10	10 Lt	
NAT4151.25	25 Lt	

ANTI-SLIP ADDITIVE

A special additive that imparts anti-skid and anti-slip properties to Borma oils form the Traditional Line. Ideal for exterior oils such as Decking Oil, used for treating pool decking, fountains, piers and any other surface that is often in contact with water. Does not significantly change the appearance of the finish or detract from the performance properties of the coating. To be added in any proportion between 1 and 6 % of the mixture



Code	Desc.	Pack.
4967-AS	100 gr.	12 pcs.
4968-AS	500 gr.	06 pcs.
4969-AS	1 Kg.	04 pcs.

HARDENER CO01510

Catalyst for Oil

Special drying mixture for oils. Added in 3-6% ratio it reduces the drying time of oils. Recommended for all oils when applied in difficult conditions, like high humidity, greasy exotic woods, pigmented oils with high coverage (pigments strongly influence the oxidation). Shake well before use then add in the recommended quantity during mixing (see TDS).



Code	Desc.	Pack.
C001510.1	1Lt	12 pcs.
C001510	5 Lt	02 pcs.

CAN OPENING SPATULA

pa er th

6448

Metal spatula to easily open cans and mix products or pastes. The spatula is 28 cm long. The polymer handle ensures a correct grip, while the steel structure makes the spatula resistant to chemical agents and mechanical stress. Ideal for mixing products contained in mediumsmall packaging.

OIL APPLICATION BRUSH

Special brushes for the application of oil-based products on interior and exterior floorings.

Available sizes: 150mm, 250mm, 380mm



Code	Size
6394.380	380mm
6394.250	250mm
6394.150	150mm



TECHNICAL ACCESSORIES



Code	Desc.	Pack.
4930.03	1Lt	12 pcs.
4931.03	5 Lt	02 pcs.
4932 03	25 I t	

Rapid Drying SOLVOIL 03

Special Solvent for Oils and Wax


Especially for the balanced dilution of the Borma Wachs Oils range. Solvoil 03, thanks to its fast drying, reduces hardening over time of oils diluted with it.



Medium Drying SOLVOIL 04

Special Solvent for Oils and Wax

Especially for balanced dilution of the Borma Wachs Oils range. Solvoil 04, thanks to its particularly gradual drying, allows regulation over time of hardening of the oils diluted with it, easing application and penetration into the wood, especially when working with exotic woods.



Medium-slow drying

SOLVOIL 06

Special Solvent for Oils and Wax

Especially for balanced dilution of the Borma Wachs Oils range. Solvoil 06, thanks to its particularly gradual drying, extends the hardening time of oils diluted with it.



Code	Desc.	Pack.
4930.06	1Lt	12 pcs.
4931.06	5 Lt	02 pcs.
4932.06	25 Lt	

Aromatic-Free

SOLVOIL PLUS

Special Solvent for Oils and Wax

Ideal due to its balanced dilution of the Borma Wachs Oils range. Solvoil PLUS, thanks to its particularly gradual drying, regulates the hardening time and is odourless and aromatic compounds-free.



Code	Desc.	Pack.
4930.PL	1Lt	12 pcs.
4931.PL	5 Lt	02 pcs.
4932.PL	25 Lt	

Slow Drying SOLVOIL 08

Special solvent for oils and wax

Especially for balanced dilution of the Borma Wachs oils range. Solvoil 08, thanks to its particularly gradual drying, substantially extends the hardening time of oils diluted with it, enhancing workability under elevated temperatures.



Code	Desc.	Pack.
4930.08	1Lt	12 pcs.
4931.08	5 Lt	02 pcs.
4932.08	25 Lt	

TUNG OIL - Pure Vegetable Oil

Natural oil to Protect Wood

100% Natural Oil obtained from the fruit of the Tung tree. It offers good surface hardness and resistance to humidity. With a light amber colour, Tung Oil is a traditional product to protect wood from atmospheric agents.



Code	Desc.	Pack.
3990	125 ml.	12 pcs.
3991	500 ml.	12 pcs.
3992	1Lt.	12 pcs.

Code	Desc.	Pack.
3993	5 Lt.	02 pcs.
3994	20 Lt.	

RAW LINSEED OIL

Natural Oil, especially for the preparation of oil based pigments. It can be used as basecoat and finish for wood in order to get a natural effect. It penetrates deeply into wood pores, giving a bright effect but not glossy. Periodical maintenance is required to keep its beauty. For indoor use only.



Code	Desc.	Pack.
3996	125 ml.	12 pcs.
3997	500 ml.	12 pcs.
3998	1Lt.	12 pcs.

Code	Desc.	Pack.
3999	5 Lt.	02 pcs.
4000	20 Lt.	

BOILED LINSEED OIL

Linseed Oil, filtered and boiled with traditional systems. Resin-free it gives a soft and bright finish on raw or stripped wood. Ideal for the preparation of oil pigments. Base and finishing oil, natural effect. Penetrates deep and intothe wood grain.



Code	Desc.	Pack.
3980	125 ml.	12 pcs.
3981	500 ml.	12 pcs.
3982	1Lt.	12 pcs.

Code	Desc.	Pack.
3983	5 Lt.	02 pcs.
3985	20 Lt.	



BORMA COLOR SYSTEM



UNIVERSAL WATERBASED P	PIGMENTS
COWT30 White	
COWT11 Black Shades	
COWT12 Phthalo Blue	
COWT42 Cobalt Blue	
COWTO3 Yellow Oxide	
COWT13 Sun Yellow	
COWT23 Medium Yellow	
COWT63 Light Yellow	
COWTO4 Red Oxide	
COWT64 Bright Red	
COWT74 Orange Oxide	
COWT36 Organic Orange	
COWT84 Organic Red	
COWT28 Pink	
COWT19 Phthalo Green	

COWT79 Green Oxide	
COWN90 Deep Black	
COWN30 Yellow Oxide Transparent	
COWN40 Red Oxide Transparent	

PIGMENTS FOR OIL BASED PRODUCTS BORMA Classic
051 White
052 Black
593 Oxide Yellow
015 Oxide Red
293TR Oxide Yellow Transparent
295TR Oxide Red Transparent
516 Blue
527 Green
713 Light Yellow
653 Warm Yellow
834 Orange
416 Violet
525 Light Red
915 Dark Red
135 Pink

MORDANT POSITIVE CONCENTRATES - WATERBASED

Liquid colourants in water solution created for tinting raw wood. They are used together with different Borma waterbased vehicles, especially with Holz Antix 2008 and TP1050, a waterbased vehicle for positive mordants. They generate stains with transparency and depth. Available in Yellow, Blue, Black, Red and White colours.



Recommendations for application:

To avoid undesirable colours add concentrates drop by drop in order to achieve the necessary colour intensity. Preliminary tests should always be undertaken in order to check if the effect meets what is required.



Yellow		
Code	Desc.	Pack.
CW300	1Lt.	06 pcs.
CW305	5 Lt.	02 pcs.

Blue		
Code	Desc.	Pack.
CW400	1Lt.	06 pcs.
CW405	5 Lt.	02 pcs.

Black		
Code	Desc.	Pack.
CW600	1Lt.	06 pcs.
CW605	5 Lt.	02 pcs.

Red		
Code	Desc.	Pack.
CW800	1Lt.	06 pcs.
CW805	5 Lt.	02 pcs.

Code	Desc.	Pack.
CW500	1Lt.	06 pcs.
CW505	5 Lt.	02 pcs.

Waterbased Patina

NATURAQUA FAST PATINA

Concentrated Transparent Base, tintable with waterbased Mordant Concentrates, Waterbased Pigments (including metallic) or with Universal Pigments. Due to its particular formulation, it can be easily applied to oil based, PU, acrylic, UV and lacquered undercoats. Suits any wooden surface. Very easy to apply and to remove after drying.



Recommendations for application:

Spread by brush and aim to fill all surface cavities. After drying remove the excess with an abrasive Scotchbrite pad. Alternatively, it is possible to remove the patina whilst wet in order to achieve the desired effect quickly.



Code	Desc.	Pack.
NATCD07002X.250	250 ml	06 pcs.
NATCD07002XX	1Lt.	06 pcs.
NATCD07002XX.5	5 Lt.	02 pcs.
NATCD07002XX.25	25 Lt.	

Fast-Drying Patina

Concentrated Transparent Patina Base, tintable with synthetic COPU Pigments. For Professional use and designed to create limed finishes or patina effects. Fast drying, suitable for any type of PU, acrylic, UV or lacquered undercoats. Available in standard hues: Gold 11, Gold Leaf 11/F, Warm Gold 12, Cold Gold 19, Silver 15, Silver Leaf 15, Copper 20, White 50, Black 60.



Recommendations for application:

Normally applied by spray, or by brush on small surfaces. Rapidly dry within minutes the patina can be removed wherever necessary with abrasive material, steel wool or fine grain sandpaper. For a particularly neat and crisp result, it is advisable to apply a transparent sealer on top of a coloured stain or wash before application of the patina.



Code	Desc.	Pack.
CD07002XX	1Lt.	06 pcs.
CD07002XX.5	5 Lt.	02 pcs.
CD07002XX.25	25 Lt.	







Restauro - Restoration - Restaurierung Материалы для реставрации



Ritocco e stucchi - Touch-Up and Fillers - Retusche und Kitte Ремонт покрытий



Esterni - Exteriors - Aussenbereich - Экстерьеры



Interni - Interiors - Innenbereich - Интерьеры



Doratura - Gilding - Vergoldung - Золочение



Decorazione - Decoration - Dekoration - Декорирование



Borma Pro



Borma Colors



www.bormawachs.com

B.P.S. s.r.l.

Via Industria, 4 - 30029 San Stino di Livenza Venezia Italy

Tel. +39 0421 951900 - Fax +39 0421 951902

